# National Report of the Republic of Korea

# Soon-Song Kim, Dae-Yeon Moon and Jeong-Rack Koh National Fisheries Research and Development Institute Republic of Korea

## Abstract

The Korean tuna longline fishery has shown a decreasing trend from the late 1970s to recent years in both number of fishing vessels and annual catches. In 2003, total catch amounted to 3,840 mt by 25 longliners, which is the record high in Korean longline fishery in this area as compared to 2002. Catch consists of 221 mt of southern bluefin tuna, 2,100 mt of yellowfin tuna, 1,121 mt of bigeye tuna, 194 mt of other tunas and 204 mt of billfishes. This was mainly due to the shift of longliners from the Pacific to the Indian Ocean 2002. The National Fisheries Research and Development Institute (NFRDI) has maintained a small scale tagging project through which it encourages fishermen to have voluntary tagging practices during their fishing operation. This voluntary tagging program will be continued until a bigger-scale tagging program has been initiated in the future. NFRDI began to operate fisheries observer program in 2004 to monitor Korean distant-water fisheries including those for tunas and to meet the requirements of regional fisheries bodies. At the initiated stage, size of the observer program is fairly small to cover for the longliner fisheries to be urgently implemented but will be gradually developed to cover all required areas of the fisheries.

### **General Fishery Statistics**

### Catch

Korean tuna fishery has operated its longline fleet in the Indian Ocean since the mid-1960s. Major target species of tunas include yellowfin, bigeye and albacore tunas. However, in recent years albacore tuna remains as a minor species whereas southern bluefin tuna was enlisted in one of the target species of Korean longliners.

Catches by longline fishery has shown a decreasing trend from a peak at 71,000 tons in 1978 to recent years (Table 1). In 2003, annual total catch amounted to 3,840 mt, which is the record low in Korean longline fishery in this area. Catch consists of 221 mt of southern bluefin tuna, 2,100 mt of yellowfin tuna, 1,121 mt of bigeye tuna and 194 mt of other tunas and 204 mt of billfish species (Table 2). Catch of southern bluefin tuna decreased by more than 66% to the previous year but yellowfin tuna, bigeye tuna and albacore increased to 2002 but remained similar to 2001. This was mainly due to the shift of longliners from the Pacific to the Indian Ocean.

The traditional fishing grounds of Korean tuna longline fishery were mainly formed in the central tropical area between 20°N and 20°S. From 1991 onward some longliners moved to the south of the Indian Ocean where they target southern bluefin tuna, yellowfin tuna, bigeye tuna and albacore catch were also recorded. (Fig. 1).

#### Size composition data

Fishermen on board are encouraged to collect size data of main target species, bigeye and yellowfin tuna (Fig. 2). However, usually the quantity of sampled tunas is relatively small and therefore those data should be used with caution.

#### Fleet structure

Number of Korean tuna longline fishing vessel in the Indian Ocean has shown a decreasing trend from a peak at 185 in 1975 to about 50 to 60 from 1995 onward. In 2003, only 25 vessels were active in the Indian Ocean, which is a increase by 14 vessels compared to 2002. This is the main cause of the increase in total annual catch for the year 2003. The size of Korean tuna longliners ranges from 298 to 525 gross tonnage classes.

#### National data collection system

Korean longline fisheries in the Indian Ocean usually have operated in all year round since the fishery started. Thus, fisheries statistics are collected and reported for a calendar year. Coverage rate in catch of all species was 52 to 69% during the 1981-1985 period, but it increased to the highest level of 91% in 1987. In recent years, the coverage rates maintained over 50% reaching at around 70% in certain years.

There are two systems for the collection of Korean tuna fisheries data. The first system has been operated by the Korean Deep-Sea Fisheries Association to collect total catch by species. All Korean distant-water fishing vessels report their catch records in terms of weight by species to their companies once a week or at 10-day intervals. The Association compiles the data by month and by FAO fishing area to submit to the Ministry of Maritime Affairs and Fisheries for the final review and publication. Both the Association and the Ministry publish the catch statistics for official use annually.

The second data collection system is to sample catch and effort data based on the logbooks. This system was lawful in 1977 by the Ministry of Agriculture and Fisheries. According to this domestic regulation, distant-water fishing vessels have to submit the reports of their fishing operations within 30 days (homebased) or 60 days (foreign-based) after completion of their operations to the National Fisheries Research and Development Institute (NFRDI).

#### **Implementation of recommendations**

As a responsible fishing nation, Korea has implemented recommendations and resolutions adopted by regional fisheries organizations. Legislation of domestic regulations, initiation of observer program, and submission of fisheries statistics are among its efforts to meet the requirements by various fisheries bodies including IOTC.

### National Research Program

The NFRDI has responsibility for the collection of catch, effort, and size data for the Indian tunas and tuna-like species from Korean tuna longliners. Those data have been submitted annually to the IOTC secretariat after statistical analyses.

In addition to this effort on fisheries statistics, NFRDI maintains a small scale tagging project through which it encourages fishermen to have voluntary tagging

practices during their fishing operation. However, due to budgetary constraints this project has shown little success, although a few recovery reports have been received from the eastern Pacific. This voluntary tagging program will be continued until a bigger-scale tagging program has been initiated in the future.

## Other relevant information

The National Fisheries Research and Development Institute (NFRDI) began to operate fisheries observer program in 2004 to monitor Korean distant-water fisheries including those for tunas and to meet the requirements of regional fisheries bodies. At the initial stage, the size of observer program will be fairly small to cover only for the fisheries to be urgently implemented such as SBT longline fishery in CCSBT Convention Area but will be gradually developed to a bigger scale to cover all required areas of fisheries. The goal of the first stage of observer program development from 2004 to 2006 is to establish a domestic training system to educate national observers. In 2004, a total of 5 observer candidates received a trainship from Korean longline observer program provided by NFRDI. Among those 5 trainees, two joined 2-months on-board Korean commercial fishing vessels in 2004, as part of the on-board training practices that will be continued in 2005.

| Table | 1.  | Nun  | ıber  | of  | vessel, | cat | ch ( | (ton) | and | CPU   | Έ  | (no. | of  | fish/100 | hooks) | by |
|-------|-----|------|-------|-----|---------|-----|------|-------|-----|-------|----|------|-----|----------|--------|----|
|       | Koı | rean | longl | ine | fishery | in  | the  | India | n O | cean, | 19 | 966  | 200 | 3        |        |    |

| Year | No. of | *Catch | **   | Year | No. of | Catch  | CPUE |
|------|--------|--------|------|------|--------|--------|------|
|      | vessei | (ton)  | CPUE |      | vessel | (ton)  |      |
| 1966 | 3      | 761    |      | 1991 | 19     | 6,317  | 1.38 |
| 1967 | 46     | 6,594  |      | 1992 | 50     | 10,311 | 1.42 |
| 1968 | 33     | 11,596 |      | 1993 | 50     | 14,198 | 1.20 |
| 1969 | 41     | 18,612 |      | 1994 | 52     | 14,581 | 1.08 |
| 1970 | 36     | 8,808  |      | 1995 | 52     | 10,905 | 1.15 |
| 1971 | 52     | 16,786 |      | 1996 | 62     | 18,432 | 1.34 |
| 1972 | 75     | 20,967 |      | 1997 | 58     | 18,100 | 1.30 |
| 1973 | 112    | 29,799 |      | 1998 | 59     | 8,411  | 0.88 |
| 1974 | 173    | 41,958 |      | 1999 | 31     | 3,836  | 0.82 |
| 1975 | 185    | 47,908 | 1.64 | 2000 | 38     | 6,888  | 0.83 |
| 1976 | 128    | 43,497 | 1.86 | 2001 | 23     | 4,033  | 0.92 |
| 1977 | 165    | 66,015 | 2.48 | 2002 | 11     | 1,259  | 0.47 |
| 1978 | 151    | 71,123 | 2.37 | 2003 | 25     | 3,840  | 1.12 |
| 1979 | 169    | 46,176 | 1.66 |      |        |        |      |
| 1980 | 174    | 38,085 | 1.28 |      |        |        |      |
| 1981 | 142    | 36,138 | 1.47 |      |        |        |      |
| 1982 | 146    | 42,531 | 1.60 |      |        |        |      |
| 1983 | 115    | 36,975 | 1.38 |      |        |        |      |
| 1984 | 75     | 24,613 | 1.32 |      |        |        |      |
| 1985 | 62     | 28,185 | 1.49 |      |        |        |      |

| 1986 | 66  | 30,639 | 1.73 |  |  |
|------|-----|--------|------|--|--|
| 1987 | 81  | 30,904 | 1.78 |  |  |
| 1988 | 112 | 34,469 | 1.49 |  |  |
| 1989 | 87  | 23,610 | 1.00 |  |  |
| 1990 | 77  | 20,335 | 1.00 |  |  |

\* Catch included FAO 58 area (FAO areas 51, 57 and 58) \*\* CPUE : Number in catch / 100 hooks Data source : Ministry of Maritime Affairs and Fisheries (MOMAF)

Table2. Annual catch by species and FAO statistical are for Korean longline fishery in the Indian Ocean, 1991-2003

|              | FAO<br>area   | 1991  | 1992   | 1993   | 1994        | 1995   | 1996   | 1997   | 1998  | 1999  | 2000  | 2001  | 2002     | 2003      |
|--------------|---------------|-------|--------|--------|-------------|--------|--------|--------|-------|-------|-------|-------|----------|-----------|
| Southern     | 51            |       | 15     |        | 98          | 216    | 314    | 1,402  | 1,415 | 463   | 328   | 363   | 513      | 215       |
|              | 57            |       |        |        |             | 99     | 597    | 181    | 147   | 210   | 112   | 347   | 136      | 6         |
| Bluefin tuna | 58            |       |        |        |             |        |        |        |       | 563   | 456   |       |          |           |
|              | sub-tot       |       |        |        |             |        |        | 1,583  | 1,562 | 1,236 | 896   | 710   | 649      | 221       |
|              | 51            | 2,891 | 3,861  | 4,681  | 3,608       | 2,426  | 3,426  | 3,607  | 2,218 | 718   | 991   | 1,240 | 242      | 1,679     |
| Yellowfin    | 57            | 113   | 224    |        | 14          | 18     | 17     | 35     | 47    | 85    | 73    | 161   | 90       | 421       |
| tuna         | 58            |       |        |        |             |        |        |        |       | 105   | 747   |       |          |           |
|              | sub-tot       | 3,004 | 4,085  | 4,681  | 3,622       | 2,444  | 3,443  | 3,642  | 2,265 | 908   | 1,811 | 1,401 | 332      | 2,100     |
|              | 51            | 221   | 5      | 4      | 9           | 3      | 14     | 102    | 118   | 26    | 85    | 31    | 7        | 56        |
| Albacore     | 5/            | 231   |        |        | 4           | 3      |        |        | 4     | 1     | 10    |       | 3        | 39        |
|              | 38            | 221   | =      | 4      | 12          | C      | 14     | 102    | 100   | 27    | 10    | 21    | 10       | 05        |
|              | SUD-LOL       | 1.046 | 3      | 4      | 15<br>8 170 | 6 106  | 10 727 | 10.120 | 2 154 | 608   | 95    | 31    | 178      | 95<br>854 |
|              | 57            | 200   | 4,362  | 7,140  | 60          | 0,100  | 10,737 | 77     | 22    | 470   | 1,077 | 256   | 170<br>Q | 267       |
| Bigeye tuna  | 58            | 209   | 134    |        | 00          | 40     | 40     | 11     | 33    | 258   | 129   | 230   | 0        | 207       |
|              | sub-tot       | 2 155 | 4 536  | 7 146  | 8 239       | 6 154  | 10 785 | 10.206 | 3 187 | 1 345 | 3 220 | 1 401 | 186      | 1 1 2 1   |
|              | 51            | 2,135 | 464    | 796    | 584         | 577    | 1.036  | 1.199  | 705   | 182   | 171   | 294   | 22       | 99        |
|              | 57            |       | 58     |        | 201         | 011    | 46     | 5      | 19    | 18    |       | 29    |          |           |
| Other tunas  | 58            |       |        |        |             |        |        |        |       | 44    | 358   |       |          |           |
|              | sub-tot       | 222   | 522    | 796    | 584         | 577    | 1,082  | 1,204  | 724   | 244   | 529   | 323   | 22       | 99        |
|              | 51            | 17    | 60     | 20     | 17          | 74     | 51     | 196    | 147   | 8     | 42    | 18    | 9        | 50        |
| Swordfish    | 57            | 15    |        |        |             | 2      |        | 8      | 2     | 14    |       | 19    | 3        | 35        |
|              | 58            |       |        |        |             |        |        |        |       | 7     | 21    |       |          |           |
|              | sub-tot       | 32    | 60     | 20     | 17          | 76     | 51     | 204    | 149   | 29    | 63    | 37    | 12       | 85        |
|              | 51            | 11    | 32     |        | 3           | 7      | 1      | 75     | 101   | 10    | 79    | 16    |          | 11        |
| Blue marine  | 57            |       |        |        |             |        |        |        | 2     | 6     |       |       |          |           |
| Dide marine  | 58            |       |        |        |             |        |        |        |       |       |       |       |          |           |
|              | sub-tot       | 11    | 32     |        | 3           | 7      | 1      | 75     | 103   | 16    | 79    | 16    |          | 11        |
|              | 51            | 9     |        | 3      | 2           | 38     |        | 65     | 43    |       | 12    | 2     |          | 3         |
| Striped      | 57            |       |        |        |             |        |        |        |       | 1     | 8     | 1     |          | 3         |
| marine       | 58            |       |        |        |             |        |        |        | 10    |       | • •   |       |          |           |
|              | sub-tot       | 9     | 6      | 3      | 2           | 38     | 2      | 65     | 43    | 1     | 20    | 3     |          | 6         |
|              | 51            |       | 6      |        |             |        | 3      | 5      |       |       |       |       |          |           |
| Sailfish     | 50            |       |        |        |             |        |        |        |       |       |       |       |          |           |
|              | Jo<br>sub_tot |       | 6      |        |             |        | 2      | 5      |       |       |       |       |          |           |
|              | 51            |       | 2      |        |             | 21     | 8      | 40     | 20    | 2     | 12    | 10    | 4        | 16        |
| Black        | 57            |       | 2      |        |             | 21     | 0      | 40     | 20    | 7     | 12    | 13    | 2        | 20        |
| marine       | 58            |       |        |        |             |        |        |        |       | 4     | 13    |       |          |           |
|              | sub-tot       |       | 2      |        |             | 21     | 8      | 40     | 20    | 13    | 25    | 23    | 6        | 36        |
|              | 51            | 623   | 978    | 1,548  | 2,003       | 1,242  | 2,125  | 939    | 217   | 4     | 124   | 74    | 38       | 30        |
| Other        | 57            | 30    | 58     |        |             | 25     | 9      | 22     | 15    | 8     | 1     | 4     | 4        | 36        |
| billfishes   | 58            |       |        |        |             |        |        |        |       | 5     | 23    |       |          |           |
|              | sub-tot       | 653   | 1,036  | 1,548  | 2,003       | 1,267  | 2,134  | 961    | 232   | 17    | 148   | 78    | 42       | 66        |
|              | 51            |       |        |        |             |        |        | 13     | 4     |       |       | 10    |          |           |
| Sharka       | 57            |       | 12     |        |             |        |        |        |       |       |       |       |          |           |
| Snarks       | 58            |       |        |        |             |        |        |        |       |       | 2     |       |          |           |
|              | sub-tot       |       | 12     |        |             |        |        | 13     | 4     |       | 2     | 10    |          |           |
|              | 51            | 5,719 | 9,805  | 14,198 | 14,503      | 10,710 | 17,715 | 17,772 | 8,142 | 2,021 | 3,521 | 3,203 | 1,013    | 3,013     |
| Total        | 57            | 598   | 506    | 0      | 78          | 195    | 717    | 328    | 269   | 829   | 323   | 830   | 246      | 827       |
| 10141        | 58            |       |        |        |             |        |        |        |       | 986   | 3,044 |       |          |           |
|              | total         | 6,317 | 10,311 | 14,198 | 14,581      | 10,905 | 18,432 | 18,100 | 8,411 | 3,836 | 6,888 | 4,033 | 1,259    | 3,840     |
|              |               |       |        |        |             |        |        |        |       |       |       |       |          |           |
|              |               |       |        |        |             |        |        |        |       |       |       |       |          |           |



Fig. 1. Korean tuna longline fishery operation area in 2002 and 2003.



Fig. 2. Length frequency distribution of yellowfin tuna(YF) and bigeye tuna(BE) caught

by Korean longliners from 2002 to 2003 in the Indian Ocean.