

Korea National Report to the Scientific Committee of the Indian Ocean Tuna Commission, 2013

Zang Geun KIM, Sung Il LEE, Mi Kyung LEE, Jeong Eun KU, Hee Won PARK, Sang Chul
YOON and Dong Woo LEE

National Fisheries Research and Development Institute
216 Gijang-Haeanno, Gijang-eup, Gijang-gun, Busan 619-705, Republic of Korea

INFORMATION ON FISHERIES, RESEARCH AND STATISTICS

| | |
|--|---------------------------|
| <p>In accordance with IOTC Resolution 10/02, final scientific data for the previous year was provided to the Secretariat by 30 June of the current year, for all fleets other than longline [e.g. for a National report submitted to the Secretariat in 2013 final data for the 2012 calendar year must be provided to the Secretariat by 30 June 2013)</p> | <p>YES 28/06/2013</p> |
| <p>In accordance with IOTC Resolution 10/02, provisional longline data for the previous year was provided to the Secretariat by 30 June of the current year [e.g. for a National report submitted to the Secretariat in 2013, preliminary data for the 2012 calendar year was provided to the Secretariat by 30 June 2013].</p> <p>REMINDER: Final longline data for the previous year is due to the Secretariat by 30 Dec of the current year [e.g. for a National report submitted to the Secretariat in 2013, final data for the 2012 calendar year must be provided to the Secretariat by 30 December 2013].</p> | <p>YES 28/06/2013</p> |
| <p>If no, please indicate the reason(s) and intended actions:</p> | |

Executive Summary

Korea has two type of fishing gears which are lonline fishery and purse seine fishery in the Indian Ocean. Korean tuna longline fishery in the Indian Ocean commenced in 1957. 7 longline vessels were operated in 2011 and 2012, which were the lowest in number of vessels during previous 5 years. With this fishing capacity, Korean tuna longline fishery caught 1,848 mt in 2012, which was 21% higher than that of 2011. The fishing efforts in 2012 were 4,290 thousand hooks and distributed higher in the western and eastern areas around 20°S-40°S, while the fishing efforts averaged for 5 recent years (2007-2011) were 7 million hooks and distributed in the tropical areas around 20°N-20°S as well as in the western and eastern areas around 20°S-40°S. It was noted that fishing efforts had not been deployed in the western Indian Ocean around 20°N-20°S in recent years. As results, the catch of bigeye tuna and yellowfin tuna significantly decreased, and albacore tuna became important in catch. Korean tuna purse seine fishery in the Indian Ocean commenced in 2012 and recorded about 29 hundreds mt in catch. 3 purse seine vessels have operated to fish skipjack tuna and yellowfin tuna in the western and central tropical areas around 5°N-10°S. The fishing efforts in 2012 were 145 sets, which mainly distributed in the tropical areas around 50°E-70°E. In 2012, 3 scientific observers were dispatched on board for implementing observer program and scientific data collection, which carried out 6.2% of observer coverage in terms of the number of hooks.

Contents

| | |
|---|-----------|
| 1. BACKGROUND/GENERAL FISHERY INFORMATION | 3 |
| 2. FLEET STRUCTURE | 3 |
| 3. CATCH AND EFFORT (BY SPECIES AND GEAR) | 3 |
| 4. RECREATIONAL FISHERY | 7 |
| 5. ECOSYSTEM AND BYCATCH ISSUES | 7 |
| 5.1. Sharks | 7 |
| 5.2. Seabirds | 8 |
| 5.3. Marine Turtles | 8 |
| 5.4. Other ecologically related species (e.g. marine mammals, whale sharks) | 8 |
| 6. NATIONAL DATA COLLECTION AND PROCESSING SYSTEMS | 9 |
| 6.1. Logsheet data collection and verification | 9 |
| 6.2. Vessel Monitoring System | 9 |
| 6.3. Observer programme | 9 |
| 6.4. Port sampling programme | 10 |
| 6.5. Unloading/Transshipment | 10 |
| 7. NATIONAL RESEARCH PROGRAMS | 10 |
| 8. IMPLEMENTATION OF SCIENTIFIC COMMITTEE RECOMMENDATIONS AND RESOLUTIONS OF THE IOTC RELEVANT TO THE SC | 11 |
| 9. LITERATURE CITED | 12 |

1. BACKGROUND/GENERAL FISHERY INFORMATION

Korean tuna longline fishery in the Indian Ocean commenced in 1957, and its target species were yellowfin tuna, bigeye tuna and albacore tuna from the beginning. Since 1991 southern bluefin tuna has been targeted because of the highest value in market. And Korean tuna purse seine fishery initiated operating in 2012, and has targeted skipjack tuna and yellowfin tuna.

The traditional fishing grounds of Korean tuna longline fishery were mainly the central tropical area between 20°N and 20°S, and extended south to 45°S and east to 115°E for fishing southern bluefin tuna in recent years. The number of active vessels peaked at 185 in 1975, and then has gradually decreased to 21 in 2009, 13 in 2010 and 7 in 2011 and 2012, respectively. The catch recorded the highest with about 70 thousands mt in 1978, since then also has gradually decreased, and is showing a level of below 3 thousands mt in recent years. In 2012, Korean tuna purse seine fishery operated mainly in the central and western tropical area between 50°E and 70°E, and recorded about 29 hundreds mt in catch.

2. FLEET STRUCTURE

Korean tuna longline fleet in the Indian Ocean are all deep freezing tuna vessels. The size ranges from 200 to 500 gross tonnage classes (Table 1). Total number of vessels has decreased from 185 in 1975 to 7 in 2011 and 2012, and especially it showed the rapid decreasing in recent years. In 2012, 3 vessels of Korean tuna purse seine fishery went into the Indian Ocean (Table 1).

Table 1: Number of vessels operating in the IOTC area of competence, by gear type and size

| Gear type | GRT | Year | | | | |
|-------------|-------------|------|------|------|------|------|
| | | 2008 | 2009 | 2010 | 2011 | 2012 |
| Longline | 200-500 | 24 | 21 | 13 | 7 | 7 |
| Purse seine | 400-800 | - | - | - | - | 1 |
| | 1,000-2,000 | - | - | - | - | 2 |

3. CATCH AND EFFORT (BY SPECIES AND GEAR)

Total annual catch of Korean tuna longline fishery steeply increased from the mid-1960s, and peaked at about 70 thousands mt in 1978, and then has decreased with large fluctuation, where the decadal average of catch was about 39 thousands mt in the 1970's, 32 thousands mt in the 1980's, 12 thousands mt in the 1990's and 5 thousands mt in the 2000's, respectively (Fig. 1a). In 2012, the total catch was 1,848 mt, which accounted for 21% increasing from that of 2011 (1,532 mt). The changes in the number of active vessels closely coincided with the catch trend throughout the periods, in which the number were 185 vessels in 1975 and then decreased to 7 vessels in 2011 and 2012. The fishing efforts are also showing a decline trend. In 2012, the fishing efforts were 4,290 thousand hooks and distributed higher in the western and eastern areas around 20°S-40°S, while the fishing efforts averaged for 5 recent years (2008-2012) were about 7 million hooks and distributed in the tropical areas around 20°N-20°S as well as in the western and eastern areas around 20°S-40°S (Table 2a, Figs. 2a and 2b). It was appeared that fishing efforts had not been deployed in the western Indian Ocean around 20°N-20°S in recent years. As results, the catch of bigeye tuna and yellowfin tuna significantly decreased and albacore tuna became important in catch (Table 2a, Figs. 1a, 3a and 3b).

Korean tuna purse seine fishery in the Indian Ocean commenced in 2012 and recorded about 29 hundreds mt in catch (Table 2b, Fig. 1b). 3 vessels of Korean tuna purse seine fishery have operated to fish skipjack tuna and yellowfin tuna in the western and central tropical areas around 5°N-10°S (Table 1, Fig. 3a). The fishing efforts in 2012 were 145 sets, which mainly distributed in the tropical areas around 50°E-70°E (Table 2b, Figs. 2a).

Table 2a. Annual catch (in number) and effort for Korean tuna longline fishery by primary species in the IOTC area of competence, 2008-2012

| Year | No. hooks (X10 ³) | YFT | BET | SKJ | ALB | SBF | SWO | BLM | BUM | STM | SAI | NEI | Total |
|------|-------------------------------|--------|--------|-----|--------|--------|-------|-----|-----|-----|-------|--------|--------|
| 2008 | 6,592 | 16,192 | 4,802 | 7 | 8,178 | 15,683 | 816 | 39 | 411 | 240 | 897 | 6,192 | 53,457 |
| 2009 | 10,403 | 24,830 | 10,171 | 9 | 16,335 | 20,598 | 1,418 | 81 | 734 | 219 | 1,231 | 17,892 | 93,518 |
| 2010 | 6,323 | 21,791 | 7,805 | 104 | 24,089 | 12,777 | 791 | 25 | 415 | 456 | 710 | 20,530 | 89,493 |
| 2011 | 5,361 | 5,442 | 6,738 | 108 | 33,870 | 12,689 | 422 | 9 | 154 | 210 | 50 | 28,947 | 88,639 |
| 2012 | 4,290 | 13,372 | 3,941 | 100 | 32,701 | 12,173 | 496 | 34 | 204 | 491 | 722 | 24,536 | 88,770 |

* NEI indicates a 'not elsewhere included' category.

Table 2b. Annual catch (in metric ton) and effort for Korean tuna purse seine fishery by primary species in the IOTC area of competence, 2008-2012

| Year | No. sets | SKJ | BET | YFT | Total |
|------|----------|-------|-----|-------|-------|
| 2012 | 145 | 1,263 | 286 | 1,308 | 2,857 |




Figure 1a. Historical annual catch for Korean longline fishery by primary species for the IOTC area of competence.




Figure 1b. Historical annual catch for Korean tuna purse seine fishery by primary species for the IOTC area of competence.





Figure 2a. Map of the distribution of fishing effort by Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence, 2012.






Figure 2b. Map of the distribution of fishing effort by Korean tuna longline fishery in the IOTC area of competence for average of 2008-2012.



(a) Longline



(b) Purse seine

Figure 3a. Map of distribution of fishing catch by species for Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence, 2012.




Figure 3b. Map of distribution of fishing catch by species for Korean tuna longline fishery in the IOTC area of competence for average of 2008-2012.

4. RECREATIONAL FISHERY

Korea has no recreational fishery.

5. ECOSYSTEM AND BYCATCH ISSUES

Environmental issues have been administrated with various individual laws since the 1960's. In relation to Korean national fisheries, there are the law of preservation and management of marine ecosystem (2007), the framework act on marine fishery development (2009) and the law of fisheries management (2010). In particular, with regard to Korean distant-water fisheries, they comply with the measures related to ecosystem and bycatch, taken by the 5 tuna Regional Fisheries Management Organizations (RFMOs) to which Korea acceded, in accordance with Article 16 of the Act of the Distant Sea Fisheries Development (2008). And to address the increasing data collection and reporting requirement by the tuna RFMOs for ecologically related species such as sharks, seabirds, marine turtles, etc., the Act on Fisheries Information and Data Reporting was revised in December, 2012.

5.1 Sharks

Korean National Plan of Action for the Conservation and Management of Sharks (NPOA-sharks) was developed and approved in August, 2011. According to the IOTC Resolution 05/05 and the NPOA-sharks, fishing vessels should do not to have onboard fins that total more than 5% of the weight of sharks onboard, up to the first point of landing. Biological and ecological information on sharks have been collected through national scientific observer program and logsheet compiled from fishermen onboard (Tables 3 and 4). As fishermen had not yet been familiar with provisions and associated works on data collection and reporting for sharks such as species identification, biological information and interaction, it has been encouraged them to implement data collection and reporting for key sharks. In 2011, logsheet was revised with addition of columns for ecologically related species (ERS), and since then fishermen have been educated and requested to collect and report the required data with great emphasis on ERS and implementation of mitigation measures in close cooperation with the National Fisheries Research and Development Institute (NFRDI). In addition, the Act of Fisheries Information and Data Reporting was enforced in 2012.

Table 3: Total number and weight of sharks by species, retained by Korean tuna longline fleet in the IOTC area of competence for 2008-2012

| Year | Retained catch by species (kg/inds.) | | | | | | | |
|------|--------------------------------------|---------------|-----------------|------------------------|-------------------|-----------------|------------------|--------------------|
| | Blue shark | Mako sharks | Porbeagle shark | Oceanic whitetip shark | Hammerhead sharks | Thresher sharks | Others | Total |
| 2008 | - | - | - | - | - | - | - | - |
| 2009 | 94,507 /5,007 | 3,614 /78 | 3,356 /259 | 1,378 /26 | 696 /18 | 2,791 /53 | 10,031 /205 | 116,373 /5,646 |
| 2010 | 54,741 /3,415 | 3,097 /78 | 4,515 /390 | 0 /0 | 0 /0 | 0 /0 | 515 /5 | 62,868 /3,888 |
| 2011 | 107,936 /10,954 | 4,407 /102 | 0 /0 | 0 /0 | 0 /0 | 0 /0 | 83,725 7,7334 | 196,068 /18,390 |
| 2012 | 7,915 /784 | 4,798 /207 | 316 /29 | 0 /0 | 0 /0 | 0 /0 | 0 /0 | 13,029 /1,020 |

* Data were compiled by observer in 2009, 2010 and 2012, and from logsheet by fisherman in 2011.

** No observer's activity in 2008 and 2011.

Table 4: Total number of sharks, by species, released/discarded by Korean tuna longline fleet in the IOTC area of competence for 2010-2012

| Year | Released/discarded by species (inds.) | | | | | | | | |
|------|---------------------------------------|-------------|-----------------|------------------------|-------------------|-----------------------|-----------------|--------|-------|
| | Blue shark | Mako sharks | Porbeagle shark | Oceanic whitetip shark | Hammerhead sharks | Bigeye thresher shark | Thresher sharks | Others | Total |
| 2010 | 7 | 1 | 3 | 0 | 0 | 1 | 0 | 0 | 12 |
| 2012 | 142 | 4 | 19 | 0 | 0 | 0 | 14 | 0 | 179 |

* Data were compiled by observer.

** No observer's activity in 2011.

5.2 Seabirds

Korean National Plan of Action for Reducing Incidental Catch of Seabirds in Longline Fisheries (NPOA-seabirds) is under drafting so as to be established in the early of next year. Interaction and mortality of seabirds have been collected through national scientific observer program (Table 5). Although it has been encouraged fishermen to record on logsheet and report the data for seabirds, fishermen have not yet been familiar with provisions and associated works on data collection and reporting for seabirds such as species identification and interaction. Hence, it has recommended that fishermen take a picture when not being able to identify species, and the field guide for identifying seabirds was distributed on board as well. In 2011, logsheet was revised with addition of columns for ecologically related species (ERS), and since then fishermen have been educated and requested to collect and report the required data with great emphasis on ERS and implementation of mitigation measures in close cooperation with the National Fisheries Research and Development Institute (NFRDI).

5.3 Marine Turtles

Interaction and mortality of marine turtles have been collected through national scientific observer program (Table 5). The field guide for identifying marine turtles was distributed on board to encourage fishermen to collect and report the data for marine turtles, likewise the case of seabirds.

5.4 Other ecologically related species (e.g. marine mammals, whale sharks)

Interaction and mortality of marine mammals have been collected through national scientific observer program (Table 5).

Table 5. Observed annual catches of species of special interest by species (seabirds, marine turtles and marine mammals) for Korean longline fleet, in the IOTC area of competence for 2008-2012

(a) Seabirds

| Year | Seabirds | | | | | | | | | |
|------|------------------------|-----------------|------------------------|--------------------|-------------|-----------------------|--------------------------|---------------------|---------------|----------------|
| | Yellow nosed albatross | Royal albatross | Black browed Albatross | Buller's albatross | Cape petrel | Grey headed Albatross | Southern Giant Albatross | Wandering Albatross | Shy albatross | Unident -ified |
| 2008 | - | - | - | - | - | - | - | - | - | - |
| 2009 | 1 | 11 | | | | | 2 | | | 80 |
| 2010 | 14 | 0 | 24 | 9 | 1 | 2 | 1 | 9 | 3 | 9 |
| 2011 | - | - | - | - | - | - | - | - | - | - |
| 2012 | | | 3 | | 1 | | 1 | 2 | | |

* Data were compiled by observer

** No observer's activity in 2008 and 2011.

(b) Other species

| Year | Marine turtles | | Marine mammals | |
|------|-------------------|-------------------------|-----------------|--------------------|
| | Loggerhead turtle | Olive ridley sea turtle | Spinner dolphin | Pygmy killer whale |
| 2008 | - | - | - | - |
| 2009 | 7 | 29 | 1 | 1 |
| 2010 | 0 | 0 | 0 | 0 |
| 2011 | - | - | - | - |
| 2012 | 0 | 0 | 0 | 0 |

* Data were compiled by observer

** No observer's activity in 2008 and 2011.

6. NATIONAL DATA COLLECTION AND PROCESSING SYSTEMS

6.1. Logsheet data collection and verification

National Fisheries Research and Development Institute (NFRDI) has collected the data of Korean tuna fisheries. Data from logsheet are available from 1971. In 2012, Korean domestic law (Act of the Distant Sea Fisheries Development) has been revised that the time for data submission was changed from within 30 days (home-based) or 60 days (foreign-based) after completion of their operations to monthly report in electronic format for improving the data collection system to meet the timely submission of data and to have higher quality and quantity of the data. A series of subsequent has been made on logsheet updates including the amount of discard/release, the incorporation of ERS, implementation of the biological measurement and sampling required, bycatch mitigation measures implemented, etc.

6.2. Vessel Monitoring System

Korea operates VMS program to comply with the requirement of the RFMO's vessel monitoring system (VMS). All Korean flagged fishing vessels and carrier vessels are equipped with VMS and have implemented in compliance with the IOTC Resolution 06/03 and the Korean Act of the Distant Sea Fisheries Development (2008).

6.3. Observer programme

1) Observer Training

Korean scientific observer program for distant-water fisheries was started in 2002. National Fisheries Research and Development Institute (NFRDI) is responsible for implementing and developing the program. The qualification for being observers is college graduated where major field is nature science or fisheries high school graduated with at least 1-year experience on board having a certificate of qualification to deck officer. Candidates for observer who have passed the paper review (including medical check) and oral interview have to take training programs for 3 weeks. Observer training programs include basic safety training for seafaring, operations of navigation devices, biological information training for target and non-target species and data collection method for fishing activities. During the training program they have two kinds of test. One is the test on a technical term of fisheries and biology, and the other is the test on species identification. The person who scored above 70 in the two tests and attended 100% of the course timetable can be qualified and deployed on board as a scientific observer.

2) Scientific Observer Program Design and Coverage

In 2012, Korea had trained 11 observers and deployed 3 observers on 3 longline vessels operating in the Indian Ocean. They observed the total catch of 227 mt and the fishing effort of 267 thousands hooks in 89 sets during the survey, which the observer coverage was estimated to be 6.2%.

3) Observer Data Collected

The observers collected the data which are required by the IOTC scientific observer program standards. The data collected were vessel and gear characteristics, setting and catch (retained/discarded) details, incidental catch of ERS and sighting of marine mammals. The biological measurements were conducted on all species, if possible.

Table 6. Annual observer coverage of Korean longline hooks for 2008-2012

| Year | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------------|------|------|------|------|------|
| Observer coverage (%) | - | 10.3 | 7.5 | - | 6.2 |

** No observer's activity in 2008 and 2011.




Figure 4. Map showing the spatial distribution of observer coverage for 2012.

6.4. Port sampling programme

Korea has not conducted any port sampling programs within the IOTC Convention Area.

6.5. Unloading/Transshipment

Korea has not conducted any data collection during unloading/transshipment within the IOTC Convention Area.

7. NATIONAL RESEARCH PROGRAMS

In July of 2012, Korea had conducted a sea trial to facilitate the implementation of seabirds mitigation measure on weighted line and further investigate as to how this measure affects the Korean tuna longline vessel in collaboration with BirdLife International. The results will be introduced at the Technical Workshop for the Implementation of Measures to Reduce Seabirds Bycatch in IOTC Longline Fisheries which will be held in Busan, 29-30 December, 2013.

Table 8. Summary table of Korean research programs

| Project title | Period | Countries involved | Budget total | Funding source | Objectives | Short description |
|--|--------|----------------------------------|--------------|----------------|---|---|
| Sea trial on the implementation of seabirds mitigation measures on weighted line | 2013 | Korea and BirdLife International | | | Implementation of seabirds mitigation measure | See the paper presented at the workshop |

8. IMPLEMENTATION OF SCIENTIFIC COMMITTEE RECOMMENDATIONS AND RESOLUTIONS OF THE IOTC RELEVANT TO THE SC. [Mandatory]

Table 9. Respond with progress made to recommendations of the SC and specific Resolutions relevant to the work of the Scientific Committee

| Res. No. | Resolution | Scientific requirement | CPC progress |
|----------|---|------------------------|--|
| 05/05 | Concerning the conservation of sharks caught in association with fisheries managed by IOTC | Paragraphs 1–12 | Fishermen shall record and report the data by species in accordance with IOTC lobsheet template under the revised Korean domestic law in 2012. Sharks bycaught are fully utilised. Fishermen comply with paragraphs 3,4,6 and 7. |
| 10/02 | Mandatory statistical requirements for IOTC members and cooperating non contracting parties | Paragraphs 1–7 | All fishing vessels shall record the data and report to government every month, and measure biological information on 1 fish per a ton of catch. |
| 10/06 | On reducing the incidental bycatch of seabirds in longline fisheries. Reminder: Resolution 12/06 will supersede Resolution 10/06 on 1 July 2014 | Paragraphs 3–7 | Korean longline vessels use the following measures for seabirds mitigation: night setting, bird-scaring lines, control offal disposal when setting, etc. |
| 11/04 | On a regional observer scheme | Paragraph 9 | Korea reports annually the number of vessels monitored and the observer coverage (trip report). |
| 13/03 | On the recording of catch and effort by fishing vessels in the IOTC area of competence | Paragraphs 1–11 | Korean tuna fishing vessels have recorded catch and effort data on logsheet from the early 1970's. Fishermen should record and monthly report catch and effort data by species, including bycatch species, in electronic format in accordance with IOTC logbook template under the revised Korean domestic law in 2012. |
| 12/04 | On the conservation of marine turtles | Paragraphs 3, 4, 6–10 | Data and interaction on marine turtles are collected through observer programs. In addition, fishermen are encouraged to record them on logsheet. Study on use of circle hook was conducted in the Pacific longline vessels in 2006. Application to Indian Ocean will be tried in the near future. NFRDI conducts education for conservation of marine turtles, and fishing vessels carry the device for handling and releasing marine turtles on board. |
| 12/09 | On the conservation of thresher sharks (family alopiidae) caught in association with fisheries in the IOTC area of competence | Paragraphs 4–8 | Thresher sharks are prohibited to retain onboard Korean longline vessels. If bycatch occurred, fishermen should cut the line, promptly release unharmed them with proper handling and record the interaction on logbook. |

9. LITERATURE CITED

- Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Catch and effort by Korean flagged fleet. IOTC-2011-WPTmT03-12.
- Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Review of yellowfin tuna catch by Korean longline fleet in the Indian Ocean. IOTC-2011-WPTT13-51.
- Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Review of bigeye tuna catch by Korean longline fleet in the Indian Ocean. IOTC-2011-WPTT13-59.
- Lee, S.I., Z.G. Kim and T. Nishida. 2011. Bigeye tuna CPUE standardization of the Korean tuna longline fisheries in the Indian Ocean (1977-2009). IOTC-2011-WPTT13-38.
- Kim, Z.G., S.I. Lee, S.C. Yoon, M.K. Lee, J.E. Ku and D.W. Lee. 2012. Review of catch and effort for albacore tuna by Korean longline fishery in the Indian Ocean. IOTC-2012-WPTmT04-15.
- Lee, S.I., Z.G. Kim, T. Nishida and M.K. Lee. 2012. Standardization of albacore catch rates of Korean tuna longline fisheries in the Indian Ocean (1986-2010). IOTC-2012-WPTmT04-17.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2012. CPUE standardization for bigeye tuna caught by Korean tuna longline fisheries in the Indian Ocean (1978-2011). IOTC-2012-WPTT14-25.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2012. CPUE standardization for yellowfin tuna caught by Korean tuna longline fisheries in the Indian Ocean (1978-2011). IOTC-2012-WPTT14-34.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2013. CPUE standardization for bigeye tuna caught by Korean tuna longline fisheries in the Indian Ocean (1977-2012). IOTC-2013-WPTT15-24.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2013. Stock assessment on yellowfin tuna (*Thunnus albacores*) in the Indian Ocean by ASPIC and comparison to MULTIFAN-CL and ASPM. IOTC-2013-WPTT15-39.