

## STATISTICS OF THE PURSE SEINE SPANISH FLEET IN THE INDIAN OCEAN (1990–2014)

M. Soto<sup>1</sup>, F. Fernández<sup>1</sup>

### SUMMARY

This document presents summary statistics of the purse seiner Spanish fleet fishing in the Indian Ocean from 1990 to 2014. Data include catch and effort statistics as well as some fishery index by species and fishing mode. Information about the sampling scheme and the coverage of sampling, together with maps and diagrams representing the fishing pattern of this fleet by time and area strata is also included.

#### 1 Data collection

##### 1.1 Catch and effort

Catch and effort data were collected by logbooks. This system, established in the Atlantic Ocean at the end of the 70's has been implemented in a regular way by most of the Spanish fleet. In the Indian Ocean this system was established at the beginning of the fishery using the Atlantic system adapted to this Ocean. Since 1984 the coverage of the logbooks has been nearly 100%. The basic information of the logbooks is raised trip by trip to unloading data.

##### 1.2 Species composition and sizes

Until 1998 the size distribution of catches was obtained using a monospecific sampling. The sampling scheme used was two steps sampling that considered the set as primary unit of sampling and the fish as secondary unit. The samples were taken by species. The sample size was the same for all species.

In the Indian Ocean analyses made at the beginning of the fishery showed a systematic bias in the log book species composition. The main bias was related with the small yellowfin, partially declared as skipjack, and small bigeye, always declared as yellowfin or skipjack, then a procedure of counting the fishes according their species composition (during the unloading) was routinely established in order to correct the species composition of the catches.

Furthermore, during 1996 and 1997 a large scale research program, called ET, targeting the analysis of the tropical tuna sampling schemes, funded by the European Commission and coordinated by the IEO and ORSTOM, was conducted. At the end of this program a new sampling and statistical procedure to process the data has been proposed in order to improve the accuracy of statistics in the Atlantic and Indian Oceans. This new data processing will be used since 1991 and the new sampling method has been introduced in all the sampling ports in 1999. The correction of the species composition of the catches as well as the estimation of their size distribution was made using the samples taken from all the purse seine fleets combined because the statistical analysis made during the ET project showed that there was not a significant fleet effect.

#### 2 Statistics

##### 2.1 Catch

Table 1 and figure 1 show the total yearly catches by species and tables 2 and 3 and figures 2, 3 and 4 show catches by fishing mode and species. The total catch in 2014 was 133739 t, 9 % less

---

<sup>1</sup> Instituto Español de Oceanografía. Corazón de María, 8. 28002 Madrid. Spain.

than last year, due to decrease mainly of bigeye but also of yellowfin. Skipjack has been the main component of catches with 66597t, while Yellowfin and bigeye was 57892 t and 8988 t, respectively. With respect to the fishing mode, the catch on FAD was 114665 t and in free School 19074 t. Figures 5 to 7 show the distribution of total catch and catches by fishing mode, species and  $1^\circ \times 1^\circ$  squares for 2014 compared with previous years (2009- 2013). Tables 18-19 show catch and effort by FAO area.

## 2. 2 Effort

Table 4 and figure 8 show the carrying capacity and number of boats by category of the Spanish fleet, in 2014 a total of 15 Spanish vessels fished in the area. Table 5 and figure 9 show the nominal effort in fishing days and searching days. The effort (fishing days) in 2014 (4185 days) is slightly lower than last year. Table 6 and figure 10 show the number of  $1^\circ$  by  $1^\circ$  degree square explored by the Spanish fleet under different filtering criteria. The fishing area has been maintained since 1996 but the number of  $1^\circ \times 1^\circ$  squares prospected has been reduced in 2014 around a 20% with respect to 2013. Effort measured in fishing days hasn't changed regarding 2013. Figure 11 compare the distribution of effort by  $1^\circ \times 1^\circ$  squares in 2014 with the average of the period 2009 – 2013.

## 2. 3 Yield

Table 7 shows total number of sets and number of sets by fishing mode. The frequency distribution of sets by catch size is shown in Table 8, 9 and 10. Figures 12, 13 and 14 show total number of positives and nulls sets. Tables 11 to 16 show different catch rates by species and fishing mode.

## 2. 4 Mean weight

Table 17 and figures 15, 16 and 17 show the mean weight by species and fishing mode, as usual catches on logs have a lower mean weight than catches on free school.

## 2. 5 Length

Figure 18 shows, 2014 and average over 2009-2013 period, length distribution of yellowfin, skipjack and bigeye, for total and fishing mode.

Table1 Spanish purse seiners total catch by species in the Indian Ocean, 1990-2014.

TOTAL CATCH BY SPECIES					
YEAR	YFT	SKJ	BET	ALB	TOTAL
1990	43728	47926	4867	145	96666
1991	44023	41790	6005	1066	92923
1992	37836	46694	3638	1461	89629
1993	47792	51272	5418	904	105385
1994	43128	61608	5924	1773	112433
1995	65143	69587	12233	561	147524
1996	59431	66276	11374	826	139134
1997	60977	62914	15897	1029	141025
1998	38565	58646	11245	269	108725
1999	51875	74285	16034	232	142426
2000	52070	77187	10769	410	140872
2001	47571	68346	7930	339	124389
2002	53205	91462	11096	217	156386
2003	78968	88035	8544	520	176200
2004	80810	64393	8634	76	154106
2005	77519	94312	10290	48	182562
2006	70924	118857	9952	438	200543
2007	37763	65006	9756	246	112848
2008	46051	65096	12490	299	124004
2009	33511	66570	11781	52	111951
2010	45209	75131	10022	130	130519
2011	52256	67247	10702	121	130349
2012	57745	42892	7589	378	108608
2013	68352	64632	13880	117	146982
2014	57892	66597	8988	188	133739

Table 2. Spanish purse seiners catch on FADs by species in the Indian Ocean, 1990-2014.

CATCH ON FADs BY SPECIES					
YEAR	YFT	SKJ	BET	ALB	TOTAL
1990	11789	35320	2375	40	49524
1991	9900	33906	3748	55	47634
1992	13726	37055	3118	6	53906
1993	13932	36839	2753	0	53524
1994	12822	43072	4117	39	60050
1995	36328	56534	10280	29	103171
1996	25996	45944	9396	12	81348
1997	38170	54240	14654	63	107127
1998	22043	49422	8562	18	80046
1999	34689	63459	14301	1	112450
2000	32046	67961	8719	43	109119
2001	18860	56964	6404	4	82415
2002	24710	84063	9566	4	118718
2003	32808	73288	5590	2	111797
2004	20264	56556	7597	0	84610
2005	29367	76328	6775	15	112833
2006	37072	104022	6843	0	148272
2007	18861	54232	7569	1	80711
2008	17647	58032	8220	32	83987
2009	21623	62096	9692	14	93461
2010	34448	70458	8580	9	113523
2011	36854	63709	7822	0	108409
2012	32946	41298	4948	17	79214
2013	55758	61364	12431	17	129570
2014	43478	63454	7558	124	114665

Table 3. Spanish purse seiners catch on free schools by species in the Indian Ocean, 1990-2014.

CATCH ON FREE SCHOOL BY SPECIES					
YEAR	YFT	SKJ	BET	ALB	TOTAL
1990	31939	12606	2492	105	47142
1991	34123	7883	2257	1011	45289
1992	24110	9638	520	1455	35724
1993	33860	14432	2664	904	51861
1994	30306	18536	1807	1734	52383
1995	28815	13054	1953	531	44353
1996	33435	20332	1977	814	57786
1997	22807	8673	1243	966	33898
1998	16522	9224	2683	250	28679
1999	17186	10826	1732	231	29976
2000	20024	9225	2050	367	31753
2001	28712	11382	1526	335	41974
2002	28494	7398	1530	212	37668
2003	46160	14746	2954	517	64403
2004	60546	7837	1036	76	69496
2005	48152	17984	3515	33	69729
2006	33852	14835	3109	438	52271
2007	18902	10774	2187	245	32138
2008	28405	7064	4271	267	40017
2009	11888	4475	2089	39	18490
2010	10761	4672	1442	121	16995
2011	15402	3538	2880	121	21940
2012	24728	1594	2641	361	29394
2013	12595	3268	1449	100	17412
2014	14414	3143	1430	65	19074

Table 4. Number of Spanish Purse seiners by category, carrying capacity in tons and number of supplies vessels used in association with Spanish boat 1990 - 2014.

Class	50-400	401-600	601-800	801-1200	1201-2000	>2000	total	C.Cap.	Supp
1990	-	-	3	8	9	0	20	17908	-
1991	0	0	3	6	8	0	17	16568	-
1992	0	0	1	6	11	0	18	16711	-
1993	0	0	1	6	11	1	19	18953	-
1994	0	0	2	4	11	1	18	18779	-
1995	0	0	2	5	11	1	19	20908	-
1996	0	0	2	6	13	1	22	24090	-
1997	0	0	2	6	14	1	23	26128	-
1998	0	0	2	6	12	0	20	21243	-
1999	0	0	2	6	12	0	20	20260	6
2000	0	0	1	7	9	0	17	19473	7
2001	0	0	1	7	9	0	17	20479	5
2002	0	0	1	6	10	1	18	20490	8
2003	0	0	1	6	9	2	18	21007	8
2004	0	0	1	4	10	5	20	23832	15
2005	0	0	1	4	10	5	20	29052	13
2006	0	0	1	5	11	5	22	31224	13
2007	0	0	1	4	11	5	21	29438	13
2008	0	0	0	3	10	4	17	24212	11
2009	0	0	0	2	9	4	15	20805	11
2010	0	0	0	1	8	4	13	20677	6
2011	0	0	0	1	8	4	13	20458	7
2012	0	0	0	1	9	4	14	21657	6
2013	0	0	0	1	9	4	14	22056	6
2014	0	0	0	2	9	4	15	20761	

Table 5. Nominal fishing effort in fishing days and searching days of the purse seine Spanish fleet.

YEAR	F.DAYS	S.DAYS
1990	5006	4205
1991	4325	3544
1992	4296	3591
1993	4565	3842
1994	4463	3771
1995	5221	4470
1996	5793	4925
1997	6407	5584
1998	5644	4888
1999	5224	4496
2000	4526	3825
2001	4940	4214
2002	4570	3889
2003	4468	3671
2004	4730	3891
2005	5808	4619
2006	6462	5180
2007	5895	4916
2008	4792	3882
2009	3784	2992
2010	3825	2938
2011	3851	2944
2012	3991	3150
2013	4224	3326
2014	4185	3340

Table 6. Number of 1x1 degree squares explored by the purse seine Spanish fleet. The same, considering different minimum effort limits and number of squares with sets and with catch.

NUMBER OF 1°X1° SQUARE PROSPECTED BY THE SPANISH FLEET					
YEA R	N. CWP VISITED	N. CWP with SET	N. CWP with CATCH	N. CWP Eff >12hrs	N. CWP Eff >60hrs
1990	395	319	199	301	286
1991	370	290	197	289	277
1992	419	347	223	338	324
1993	415	318	202	317	308
1994	479	380	218	359	348
1995	447	357	210	343	339
1996	574	459	280	446	437
1997	627	490	281	454	437
1998	742	547	263	525	512
1999	584	438	247	459	442
2000	585	428	223	450	430
2001	506	412	262	426	405
2002	534	448	430	436	259
2003	511	421	403	396	252
2004	492	376	359	368	221
2005	514	414	383	391	250
2006	563	473	464	449	275
2007	579	488	466	457	263
2008	577	504	483	476	276
2009	629	524	517	485	239
2010	531	480	464	411	232
2011	522	458	452	405	221
2012	500	416	405	398	224
2013	568	503	493	456	233
2014	460	390	382	352	200

Table 7. Total number of sets, positive sets and null sets. Same statistics by fishing mode.

YEAR	ALL			FADs			FREE SCHOOL		
	Nº SETS	Nº SETS +	Nº SETS -	Nº SETS	Nº SETS +	Nº SETS -	Nº SETS	Nº SETS +	Nº SETS -
<b>1990</b>	4131	2876	1255	1612	1461	151	2519	1415	1104
<b>1991</b>	3291	2402	889	1409	1311	98	1882	1091	791
<b>1992</b>	3422	2594	828	1435	1377	58	1987	1217	770
<b>1993</b>	3756	2693	1063	1425	1372	53	2331	1321	1010
<b>1994</b>	3974	2814	1160	1413	1328	85	2561	1486	1075
<b>1995</b>	4197	3341	856	2287	2151	136	1910	1190	720
<b>1996</b>	4929	3824	1105	2166	2102	64	2763	1722	1041
<b>1997</b>	4592	3900	692	3004	2892	112	1588	1008	580
<b>1998</b>	4339	3381	958	2651	2512	139	1688	869	819
<b>1999</b>	4040	3219	821	2363	2267	96	1677	952	725
<b>2000</b>	3856	3169	687	2331	2236	95	1525	933	592
<b>2001</b>	4050	3105	945	2088	2004	84	1962	1101	861
<b>2002</b>	3681	3088	593	2331	2239	92	1350	849	501
<b>2003</b>	3801	2926	875	1932	1822	110	1869	1104	765
<b>2004</b>	4247	3021	1226	1884	1775	109	2363	1246	1117
<b>2005</b>	5815	4228	1587	2768	2620	148	3047	1608	1439
<b>2006</b>	6244	4688	1556	3333	3100	233	2911	1588	1323
<b>2007</b>	4940	3647	1293	2955	2624	331	1985	1023	962
<b>2008</b>	4495	3505	990	2564	2369	195	1931	1136	795
<b>2009</b>	3824	3347	477	2940	2773	167	884	574	310
<b>2010</b>	4309	3706	603	3442	3219	223	867	487	380
<b>2011</b>	4393	3750	643	3402	3196	206	991	554	437
<b>2012</b>	4135	3415	720	2855	2643	212	1280	772	508
<b>2013</b>	4253	3785	468	3626	3419	207	627	366	261
<b>2014</b>	4040	3472	568	3271	3045	226	769	427	342

Table 8. Frequency of positive sets by size of catch.

<b>TOTAL SET FREQUENCY BY CATCH.</b>												
<b>YEAR</b>	<b>0.1-10</b>	<b>10.1-20</b>	<b>20.1-30</b>	<b>30.1-40</b>	<b>40.1-50</b>	<b>50.1-60</b>	<b>60.1-70</b>	<b>70.1-80</b>	<b>80.1-90</b>	<b>90.1-100</b>	<b>&gt;100.</b>	
<b>1990</b>	562	648	490	345	235	155	101	87	54	48	150	
<b>1991</b>	474	462	374	258	213	145	96	79	58	50	187	
<b>1992</b>	518	538	421	316	199	153	124	72	51	54	148	
<b>1993</b>	443	518	400	316	217	177	119	107	63	82	251	
<b>1994</b>	513	556	419	286	208	171	117	104	89	71	278	
<b>1995</b>	469	603	500	391	300	204	166	122	113	84	389	
<b>1996</b>	681	865	594	463	292	225	159	118	105	80	242	
<b>1997</b>	716	901	614	488	317	218	147	125	70	72	226	
<b>1998</b>	672	837	620	417	221	168	103	94	66	30	153	
<b>1999</b>	466	621	544	341	264	205	175	125	97	75	305	
<b>2000</b>	441	638	502	348	256	216	145	127	96	67	331	
<b>2001</b>	534	685	502	366	226	179	125	89	76	63	257	
<b>2002</b>	346	594	454	373	281	217	150	117	93	63	398	
<b>2003</b>	290	462	404	337	264	201	173	113	97	75	510	
<b>2004</b>	325	567	508	346	231	204	151	128	117	49	395	
<b>2005</b>	552	924	698	488	354	265	218	160	116	62	391	
<b>2006</b>	676	1050	791	539	396	286	187	148	103	103	421	
<b>2007</b>	797	972	636	390	251	151	108	100	52	31	159	
<b>2008</b>	620	877	603	393	276	190	133	89	64	60	200	
<b>2009</b>	623	876	592	368	241	174	111	91	61	33	177	
<b>2010</b>	710	936	563	431	266	195	131	91	60	48	225	
<b>2011</b>	614	993	704	419	278	197	134	87	62	54	208	
<b>2012</b>	791	853	550	381	249	185	101	79	42	45	139	
<b>2013</b>	520	941	650	452	307	214	156	109	83	64	289	
<b>2014</b>	565	767	604	413	303	167	154	115	84	50	250	

Table 9. Frequency of positive sets in FADs by size of catch.

<b>SET FREQUENCY BY CATCH. FADs.</b>											
<b>YEAR</b>	<b>0.1-10</b>	<b>10.1-20</b>	<b>20.1-30</b>	<b>30.1-40</b>	<b>40.1-50</b>	<b>50.1-60</b>	<b>60.1-70</b>	<b>70.1-80</b>	<b>80.1-90</b>	<b>90.1-100</b>	<b>&gt;100.</b>
<b>1990</b>	229	336	268	176	137	74	47	55	33	29	77
<b>1991</b>	242	295	201	135	122	81	49	42	37	25	78
<b>1992</b>	223	263	221	191	107	87	77	37	39	32	100
<b>1993</b>	223	287	204	160	117	93	66	52	34	33	103
<b>1994</b>	181	241	204	154	117	88	59	58	46	34	145
<b>1995</b>	252	363	314	266	203	133	116	89	70	64	281
<b>1996</b>	330	476	323	269	160	142	97	71	51	52	131
<b>1997</b>	499	665	451	377	236	164	112	91	58	57	178
<b>1998</b>	499	637	464	311	154	126	75	69	45	20	112
<b>1999</b>	232	397	381	242	205	167	143	101	77	60	262
<b>2000</b>	244	393	359	257	191	159	113	101	85	51	281
<b>2001</b>	300	441	341	247	154	118	81	58	52	42	168
<b>2002</b>	210	424	313	280	203	169	117	92	72	49	309
<b>2003</b>	170	271	246	215	174	125	105	76	62	50	328
<b>2004</b>	175	344	326	209	138	125	94	83	54	27	200
<b>2005</b>	314	579	434	317	227	169	125	109	66	37	243
<b>2006</b>	390	644	492	378	260	202	137	99	79	67	352
<b>2007</b>	582	711	447	277	182	108	77	69	39	16	116
<b>2008</b>	394	626	395	270	187	126	93	60	42	43	133
<b>2009</b>	514	726	496	300	194	141	96	72	55	30	149
<b>2010</b>	621	806	471	379	225	175	118	84	52	42	196
<b>2011</b>	531	872	606	351	226	167	117	69	51	44	162
<b>2012</b>	667	671	420	279	185	141	77	56	28	27	92
<b>2013</b>	468	866	602	409	282	182	141	93	74	55	247
<b>2014</b>	517	680	528	368	265	140	125	95	70	44	213

Table 10. Frequency of positive sets in free schools by size of catch.

<b>SET FREQUENCY BY CATCH. FREE SCHOOL</b>											
<b>YEAR</b>	<b>0.1-10</b>	<b>10.1-20</b>	<b>20.1-30</b>	<b>30.1-40</b>	<b>40.1-50</b>	<b>50.1-60</b>	<b>60.1-70</b>	<b>70.1-80</b>	<b>80.1-90</b>	<b>90.1-100</b>	<b>&gt;100.</b>
<b>1990</b>	333	312	222	169	98	81	54	32	21	19	73
<b>1991</b>	232	167	173	123	91	64	47	37	21	25	109
<b>1992</b>	295	275	200	125	92	66	47	35	12	22	48
<b>1993</b>	220	231	196	156	100	84	53	55	29	49	148
<b>1994</b>	332	315	215	132	91	83	58	46	43	37	133
<b>1995</b>	217	240	186	125	97	71	50	33	43	20	108
<b>1996</b>	351	389	271	194	132	83	62	47	54	28	111
<b>1997</b>	217	236	163	111	81	54	35	34	12	15	48
<b>1998</b>	173	200	156	106	67	42	28	25	21	10	41
<b>1999</b>	234	224	163	99	59	38	32	24	20	15	43
<b>2000</b>	197	245	143	91	65	57	32	26	11	16	50
<b>2001</b>	234	244	161	119	72	61	44	31	24	21	89
<b>2002</b>	136	170	141	93	78	48	33	25	21	14	89
<b>2003</b>	120	191	158	122	90	76	68	37	35	25	182
<b>2004</b>	150	223	182	137	93	79	57	45	63	22	195
<b>2005</b>	238	345	264	171	127	96	93	51	50	25	148
<b>2006</b>	286	406	299	161	136	84	50	49	24	24	69
<b>2007</b>	215	261	189	113	69	43	31	31	13	15	43
<b>2008</b>	226	251	208	123	89	64	40	29	22	17	67
<b>2009</b>	109	150	96	68	47	33	15	19	6	3	28
<b>2010</b>	89	130	92	52	41	20	13	7	8	6	29
<b>2011</b>	83	121	98	68	52	30	17	18	11	10	46
<b>2012</b>	124	182	130	102	64	44	24	23	14	18	47
<b>2013</b>	52	75	48	43	25	32	15	16	9	9	42
<b>2014</b>	48	87	76	45	38	27	29	20	14	6	37

Table 11. Catch rate (catch/fishing day) by species and total.

<b>NOMINAL CATCH RATE (F.DAYS) ALL</b>					
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	8.35	10.65	0.29	0.03	19.32
<b>1991</b>	10.18	9.66	1.39	0.25	21.49
<b>1992</b>	8.81	10.87	0.85	0.34	20.86
<b>1993</b>	10.47	11.23	1.19	0.2	23.09
<b>1994</b>	9.66	13.8	1.33	0.4	25.19
<b>1995</b>	12.48	13.33	2.34	0.11	28.26
<b>1996</b>	10.26	11.44	1.96	0.14	24.02
<b>1997</b>	9.52	9.82	2.48	0.16	22.01
<b>1998</b>	6.83	10.39	1.99	0.05	19.26
<b>1999</b>	9.93	14.22	3.07	0.04	27.26
<b>2000</b>	11.5	17.05	2.38	0.09	31.12
<b>2001</b>	9.63	13.84	1.61	0.07	25.18
<b>2002</b>	11.64	20.01	2.43	0.05	34.22
<b>2003</b>	17.67	19.7	1.91	0.12	39.44
<b>2004</b>	17.08	13.61	1.83	0.02	32.58
<b>2005</b>	13.35	16.24	1.77	0.01	31.44
<b>2006</b>	10.98	18.39	1.54	0.07	31.03
<b>2007</b>	6.41	11.03	1.66	0.04	19.14
<b>2008</b>	9.61	13.59	2.61	0.06	25.88
<b>2009</b>	8.86	17.59	3.11	0.01	29.58
<b>2010</b>	11.82	19.64	2.62	0.03	34.12
<b>2011</b>	13.57	17.46	2.78	0.03	33.85
<b>2012</b>	14.47	10.75	1.9	0.09	27.21
<b>2013</b>	16.18	15.3	3.29	0.03	34.8
<b>2014</b>	13.83	15.91	2.15	0.05	31.96

Table 12. Catch by positive set by species and total.

<b>NOMINAL CATCH RATE (Nº POSITIVES SETS) ALL</b>					
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	14.53	18.54	0.51	0.05	33.62
<b>1991</b>	18.33	17.4	2.5	0.44	38.69
<b>1992</b>	14.59	18	1.4	0.56	34.55
<b>1993</b>	17.75	19.04	2.01	0.34	39.13
<b>1994</b>	15.33	21.89	2.11	0.63	39.95
<b>1995</b>	19.5	20.83	3.66	0.17	44.16
<b>1996</b>	15.54	17.33	2.97	0.22	36.38
<b>1997</b>	15.64	16.13	4.08	0.26	36.16
<b>1998</b>	11.41	17.35	3.33	0.08	32.16
<b>1999</b>	16.12	23.08	4.98	0.07	44.25
<b>2000</b>	16.43	24.36	3.4	0.13	44.45
<b>2001</b>	15.32	22.01	2.55	0.11	40.06
<b>2002</b>	17.23	29.62	3.59	0.07	50.64
<b>2003</b>	26.99	30.09	2.92	0.18	60.22
<b>2004</b>	26.75	21.32	2.86	0.03	51.01
<b>2005</b>	18.33	22.31	2.43	0.01	43.18
<b>2006</b>	15.13	25.35	2.12	0.09	42.78
<b>2007</b>	10.35	17.82	2.68	0.07	30.95
<b>2008</b>	13.14	18.57	3.56	0.09	35.38
<b>2009</b>	10.01	19.89	3.52	0.02	33.45
<b>2010</b>	12.2	20.27	2.7	0.04	35.22
<b>2011</b>	13.93	17.93	2.85	0.03	34.76
<b>2012</b>	16.91	12.56	2.22	0.11	31.8
<b>2013</b>	18.06	17.08	3.67	0.03	38.83
<b>2014</b>	16.67	19.18	2.59	0.05	38.52

Table 13. Catch rate (catch/fishing day) in FAD by species and total.

<b>NOMINAL CATCH RATE (F.DAYS) FADS</b>					
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	1.58	8.54	0.14	0.01	10.26
<b>1991</b>	2.29	7.84	0.87	0.01	11.01
<b>1992</b>	3.19	8.62	0.73	0	12.55
<b>1993</b>	3.05	8.07	0.6	0	11.73
<b>1994</b>	2.87	9.65	0.92	0.01	13.46
<b>1995</b>	6.96	10.83	1.97	0.01	19.76
<b>1996</b>	4.49	7.93	1.62	0	14.04
<b>1997</b>	5.96	8.47	2.29	0.01	16.72
<b>1998</b>	3.91	8.76	1.52	0	14.18
<b>1999</b>	6.64	12.15	2.74	0	21.52
<b>2000</b>	7.08	15.02	1.93	0.01	24.11
<b>2001</b>	3.82	11.53	1.3	0	16.68
<b>2002</b>	5.41	18.39	2.09	0	25.98
<b>2003</b>	7.34	16.4	1.25	0	25.02
<b>2004</b>	4.28	11.96	1.61	0	17.89
<b>2005</b>	5.06	13.14	1.17	0	19.43
<b>2006</b>	5.74	16.1	1.06	0	22.94
<b>2007</b>	3.2	9.2	1.28	0	13.69
<b>2008</b>	3.68	12.11	1.72	0.01	17.53
<b>2009</b>	5.71	16.41	2.56	0	24.7
<b>2010</b>	9	18.42	2.24	0	29.26
<b>2011</b>	9.57	16.54	2.03	0	28.15
<b>2012</b>	8.25	10.35	1.24	0	19.85
<b>2013</b>	13.2	14.53	2.94	0	30.68
<b>2014</b>	10.39	15.16	1.81	0.03	27.40

Table 14. Catch in FADs by positive set by species and total.

<b>NOMINAL CATCH RATE (Nº POSITIVES SETS) FADS</b>					
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	5.4	29.27	0.46	0.03	35.16
<b>1991</b>	7.55	25.86	2.86	0.04	36.33
<b>1992</b>	9.97	26.91	2.26	0	39.15
<b>1993</b>	10.15	26.85	2.01	0	39.01
<b>1994</b>	9.66	32.43	3.1	0.03	45.22
<b>1995</b>	16.89	26.28	4.78	0.01	47.96
<b>1996</b>	12.37	21.86	4.47	0.01	38.7
<b>1997</b>	13.2	18.76	5.07	0.02	37.04
<b>1998</b>	8.78	19.67	3.41	0.01	31.87
<b>1999</b>	15.3	27.99	6.31	0	49.6
<b>2000</b>	14.33	30.39	3.9	0.02	48.8
<b>2001</b>	9.41	28.43	3.2	0	41.13
<b>2002</b>	11.04	37.55	4.27	0	53.02
<b>2003</b>	18.01	40.22	3.07	0	61.36
<b>2004</b>	11.42	31.86	4.28	0	47.67
<b>2005</b>	11.21	29.13	2.59	0.01	43.07
<b>2006</b>	11.96	33.56	2.21	0	47.83
<b>2007</b>	7.19	20.67	2.88	0	30.76
<b>2008</b>	7.45	24.5	3.47	0.02	35.45
<b>2009</b>	7.8	22.39	3.5	0	33.7
<b>2010</b>	10.7	21.89	2.67	0	35.27
<b>2011</b>	11.53	19.93	2.45	0	33.92
<b>2012</b>	12.47	15.63	1.87	0.01	29.97
<b>2013</b>	16.31	17.95	3.64	0.01	37.9
<b>2014</b>	14.28	20.84	2.48	0.04	37.66

Table 15. Catch rate (catch/fishing day) in free school by species and total.

<b>NOMINAL F.SCHOOL</b>	<b>CATCH</b>	<b>RATE</b>	<b>(F.DAYS)</b>		
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	6.77	2.11	0.16	0.02	9.05
<b>1991</b>	7.89	1.82	0.52	0.23	10.47
<b>1992</b>	5.61	2.24	0.12	0.34	8.31
<b>1993</b>	7.42	3.16	0.58	0.2	11.36
<b>1994</b>	6.79	4.15	0.4	0.39	11.74
<b>1995</b>	5.52	2.5	0.37	0.1	8.5
<b>1996</b>	5.77	3.51	0.34	0.14	9.98
<b>1997</b>	3.56	1.35	0.19	0.15	5.29
<b>1998</b>	2.93	1.63	0.48	0.04	5.08
<b>1999</b>	3.29	2.07	0.33	0.04	5.74
<b>2000</b>	4.42	2.04	0.45	0.08	7.02
<b>2001</b>	5.81	2.3	0.31	0.07	8.5
<b>2002</b>	6.24	1.62	0.33	0.05	8.24
<b>2003</b>	10.33	3.3	0.66	0.12	14.41
<b>2004</b>	12.8	1.66	0.22	0.02	14.69
<b>2005</b>	8.29	3.1	0.61	0.01	12.01
<b>2006</b>	5.24	2.3	0.48	0.07	8.09
<b>2007</b>	3.21	1.83	0.37	0.04	5.45
<b>2008</b>	5.93	1.47	0.89	0.06	8.35
<b>2009</b>	3.14	1.18	0.55	0.01	4.89
<b>2010</b>	2.81	1.22	0.38	0.03	4.44
<b>2011</b>	4	0.92	0.75	0.03	5.7
<b>2012</b>	6.21	0.4	0.66	0.09	7.36
<b>2013</b>	2.98	0.77	0.34	0.02	4.12
<b>2014</b>	3.44	0.75	0.34	0.02	4.56

Table 16. Catch in free school by positive set by species and total.

<b>NOMINAL CATCH RATE (Nº POSITIVES SETS) F.SCHOOL</b>					
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>
<b>1990</b>	23.95	7.45	0.55	0.07	32.03
<b>1991</b>	31.28	7.23	2.07	0.93	41.51
<b>1992</b>	19.81	7.92	0.43	1.2	29.35
<b>1993</b>	25.63	10.93	2.02	0.68	39.26
<b>1994</b>	20.39	12.47	1.22	1.17	35.25
<b>1995</b>	24.21	10.97	1.64	0.45	37.27
<b>1996</b>	19.42	11.81	1.15	0.47	33.56
<b>1997</b>	22.63	8.6	1.23	0.96	33.63
<b>1998</b>	19.01	10.61	3.09	0.29	33
<b>1999</b>	18.05	11.37	1.82	0.24	31.49
<b>2000</b>	21.46	9.89	2.2	0.39	34.03
<b>2001</b>	26.08	10.34	1.39	0.3	38.12
<b>2002</b>	33.56	8.71	1.8	0.25	44.37
<b>2003</b>	41.81	13.36	2.68	0.47	58.34
<b>2004</b>	48.59	6.29	0.83	0.06	55.78
<b>2005</b>	29.95	11.18	2.19	0.02	43.36
<b>2006</b>	21.32	9.34	1.96	0.28	32.92
<b>2007</b>	18.48	10.53	2.14	0.24	31.42
<b>2008</b>	25	6.22	3.76	0.24	35.23
<b>2009</b>	20.71	7.8	3.64	0.07	32.21
<b>2010</b>	22.1	9.59	2.96	0.25	34.9
<b>2011</b>	27.8	6.39	5.2	0.22	39.6
<b>2012</b>	32.12	2.06	3.42	0.47	38.08
<b>2013</b>	34.41	8.93	3.96	0.27	47.57
<b>2014</b>	33.76	7.36	3.35	0.15	44.67

Table 17. Mean weight by species and fishing mode (kg).

	<b>YFT</b>		<b>SKJ</b>		<b>BET</b>	
<b>YEAR</b>	<b>FAD</b>	<b>F.SCHOOL</b>	<b>FAD</b>	<b>F.SCHOOL</b>	<b>FAD</b>	<b>F.SCHOOL</b>
<b>1990</b>	6.1	31.8	2.8	3	4.3	25.2
<b>1991</b>	8	37	2.7	2.7	5.5	20.6
<b>1992</b>	9.9	36.8	3	2.9	5.2	13.5
<b>1993</b>	10.8	40.2	2.7	3.1	4.3	26.7
<b>1994</b>	6.2	39.8	2.5	3.5	4.9	34.4
<b>1995</b>	9.7	27.3	2.4	3	5.3	21.7
<b>1996</b>	5.2	27.8	2.4	3.2	4.7	11.3
<b>1997</b>	4.8	26.6	2.3	2.8	3.7	13
<b>1998</b>	6.9	14.5	2.6	2.5	5.3	9.2
<b>1999</b>	4.6	22.5	2.5	2.5	4.9	8.9
<b>2000</b>	6	23.6	3	3.2	4.9	13.7
<b>2001</b>	4.6	29.7	2.6	3.6	3.6	14.5
<b>2002</b>	3.7	34.8	2.4	3.3	3.7	30.5
<b>2003</b>	5.6	34.6	3.1	3.9	4.4	24.4
<b>2004</b>	4.2	39.7	2.5	3.6	4.8	30.4
<b>2005</b>	5.6	34.5	2.9	3.3	4.8	29.6
<b>2006</b>	4.8	35.2	3	3.8	4.6	34
<b>2007</b>	5.2	36.6	2.4	3	3.5	34.1
<b>2008</b>	3.8	36.1	2	2.7	3.2	30.2
<b>2009</b>	4.2	27.1	2.4	2.4	3.7	15.9
<b>2010</b>	4.5	20.4	2.3	2.3	3.7	14
<b>2011</b>	4.5	22.9	2.3	2.5	3.6	22.8
<b>2012</b>	5	33.3	2.5	2.8	3.5	33.3
<b>2013</b>	4.9	29.6	2.5	3	4.1	21.5
<b>2014</b>	4.9	33.2	2.9	3.6	4	22.8

Table 18. Spanish purse seiners total catch by species in the FAO area 57, 1991-2014.

<b>CATCH AND EFFORT PS DATA AREA: F57</b>							
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>	<b>FISH. DAYS</b>	<b>#SETS+</b>
<b>1991</b>	0	0	0	0	0	1	0
<b>1992</b>	0	0	0	0	0	0	0
<b>1993</b>	0	0	0	0	0	0	0
<b>1994</b>	0	0	0	0	0	0	0
<b>1995</b>	0	0	0	0	0	0	0
<b>1996</b>	27	107	23	0	157	21	6
<b>1997</b>	123	147	35	0	305	33	14
<b>1998</b>	5736	4468	2716	6	12926	762	328
<b>1999</b>	59	149	40	0	248	33	11
<b>2000</b>	67	88	13	0	167	30	9
<b>2001</b>	0	0	0	0	0	0	0
<b>2002</b>	0	0	0	0	0	0	0
<b>2003</b>	0	0	0	0	0	0	0
<b>2004</b>	1	4	1	0	5	1	1
<b>2005</b>	0	0	0	0	0	0	0
<b>2006</b>	0	0	0	0	0	0	0
<b>2007</b>	0	0	0	0	0	0	0
<b>2008</b>	0	0	0	0	0	0	0
<b>2009</b>	464	961	216	0	1641	47	51
<b>2010</b>	12	0	0	0	12	3	1
<b>2011</b>	15	62	16	0	94	1	3
<b>2012</b>	0	0	0	0	0	0	0
<b>2013</b>	29	129	26	0	184	16	9
<b>2014</b>	0	0	0	0	0	0	0

Table 19. Spanish purse seiners total catch by species in the FAO area 51, 1991-2014.

<b>CATCH AND EFFORT PS DATA AREA: F51</b>							
<b>YEAR</b>	<b>YFT</b>	<b>SKJ</b>	<b>BET</b>	<b>ALB</b>	<b>TOTAL</b>	<b>FISH. DAYS</b>	<b>#SETS+</b>
<b>1991</b>	44023	41790	6005	1066	92923	4324	2402
<b>1992</b>	37836	46694	3638	1461	89629	4296	2594
<b>1993</b>	47792	51272	5418	904	105385	4565	2693
<b>1994</b>	43128	61608	5924	1773	112433	4463	2814
<b>1995</b>	65143	69587	12233	561	147524	5221	3341
<b>1996</b>	59404	66169	11351	826	138977	5771	3818
<b>1997</b>	60855	62767	15862	1029	140720	6374	3886
<b>1998</b>	32829	54179	8529	262	95799	4882	3053
<b>1999</b>	51816	74137	15994	232	142179	5192	3208
<b>2000</b>	52004	77099	10756	410	140705	4496	3160
<b>2001</b>	47571	68346	7930	339	124389	4940	3105
<b>2002</b>	53205	91462	11096	217	156386	4570	3088
<b>2003</b>	78968	88035	8544	520	176200	4468	2926
<b>2004</b>	80809	64389	8633	76	154101	4729	3020
<b>2005</b>	77519	94312	10290	48	182562	5808	4228
<b>2006</b>	70924	118857	9952	438	200543	6462	4688
<b>2007</b>	37763	65006	9756	246	112848	5895	3647
<b>2008</b>	46051	65096	12490	299	124004	4792	3505
<b>2009</b>	33047	65609	11566	52	110311	3737	3296
<b>2010</b>	45197	75131	10022	130	130507	3822	3705
<b>2011</b>	52241	67184	10686	121	130255	3850	3747
<b>2012</b>	57745	42892	7589	378	108608	3991	3415
<b>2013</b>	68323	64503	13854	114	146798	4208	3776
<b>2014</b>	57892	66597	8988	188	133739	4185	3472




Figure 1. Catch by species and effort in searching days of the purse seine Spanish fleet.




Figure 2. Catch by species on logs and effort in searching days of the purse seine Spanish fleet.




Figure 3. Catch by species on free school and effort in searching days of the purse seine Spanish fleet.




Figure 4. Catch by fishing mode (floating object and free school) of the purse seine Spanish fleet.




Figure 5. Distribution of the catches by species of de PS Spanish fleet, on log schools in 2014 (left) and on average over the 2009-2013 period (right).




Figure 6. Distribution of the catches by species of de PS Spanish fleet, on free schools in 2014 (left) and on average over the 2009-2013 period (right).




Figure 7. Distribution of the catches by species of de PS Spanish fleet in 2014 (left) and on average over the 2009-2013 period (right).




Fig. 8. Spanish purse seiners number by carrying capacity.




Fig. 9. Fishing and searching days and carrying




Fig.10. Number of one degree squares visited with different efforts.




Figure 11. Distribution of the effort (fishing days) by  $1^\circ \times 1^\circ$  squares of the purse seine Spanish fleet in 2014 (left) and on average over the 2009–2013 period (right).




Figure12. Number of positives and nulls sets.




Fig.13. Number of positives and nulls sets on logs.




Fig. 14. Number of positives and nulls sets on free school.




Fig.15 Yellowfin mean weight by fishing mode (log and free school) for the period 1990-2014.




Fig. 16. Skipjack mean weight by fishing mode (log and free school) for the period 1990-2014.




Fig. 17. Bigeye mean weight by fishing mode (log and free school) for the period 1990-2014.




Figure 18. Size distribution of the catches by species (YFT, left; SKJ, middle; BET, right), by fishing mode (combined, top; Logs, middle; Free schools, bottom), in 2014 and on average over 2009 – 2013 period.