Received: 10 & 18 November 2015

Korea National Report to the Scientific Committee of the Indian Ocean Tuna Commission, 2015

Doo Nam KIM, Sung II LEE, Jeong Eun KU, Hee Won PARK, Mi Kyung LEE, YouJung KWON and Du Hae AN

National Institute of Fisheries Science

216 Gijang-Haeanro, Gijang-eup, Gijang-gun, Busan 46083, Republic of Korea

INFORMATION ON FISHERIES, RESEARCH AND STATISTICS

In accordance with IOTC Resolution 15/02, final	YES
scientific data for the previous year was provided	
to the Secretariat by 30 June of the current year,	30/06/2015
for all fleets other than longline [e.g. for a	
National report submitted to the Secretariat in	
2015, final data for the 2014 calendar year must be	
provided to the Secretariat by 30 June 2015)	
In accordance with IOTC Resolution 15/02,	YES
provisional longline data for the previous year	
was provided to the Secretariat by 30 June of the	30/06/2015
current year [e.g. for a National report submitted	
to the Secretariat in 2015, preliminary data for the	
2013 calendar year was provided to the Secretariat	
by 30 June 2015).	
REMINDER: Final longline data for the previous	
year is due to the Secretariat by 30 Dec of the	
current year [e.g. for a National report submitted	
to the Secretariat in 2015, final data for the 2014	
calendar year must be provided to the Secretariat	
by 30 December 2015).	
If no, please indicate the reason(s) and intended acti	ons:



Executive Summary

The number of active vessels in 2014 was 10 for longline fishery and 4 for purse seine fishery. With this fishing capacity, Korean tuna longline fishery caught 3,191 mt in 2014, which was 31% higher than that of 2013. The fishing efforts in 2014 were 5,999 thousand hooks and distributed in the western and eastern Indian Ocean around 20°S-40°S, while the fishing efforts averaged for 5 recent years (2010-2014) were 5,480 thousand hooks and distributed in the tropical areas around 0-20°S as well as in the western and eastern areas around 20°S-40°S. It was noted that fishing efforts had not been deployed in the western Indian Ocean around 20°N-20°S in recent years. As results, the catch of bigeye tuna and yellowfin tuna significantly decreased, and albacore tuna increased in catch. Korean tuna purse seine fishery in the Indian Ocean recorded about 16 thousand mt in 2014. In 2014, 4 purse seine vessels operated mainly in the western and central tropical areas around 10°N-10°S to fish for skipjack tuna and yellowfin tuna. The fishing efforts in 2014 were 828 sets, which mainly distributed in the tropical areas around 45°E-70°E. In 2014, 2 scientific observers for longline fishery and 1 scientific observer for purse seine fishery were dispatched on board for implementing observer program and scientific data collection, which carried out 5.1% and 7.2% of observer coverage in terms of the number of hooks and sets, respectively.

Contents

1.	BAC	KGROUND/GENERAL FISHERY INFORMATION 3
2.	FLEE	ET STRUCTURE3
3.	CAT	CH AND EFFORT (BY SPECIES AND GEAR)3
4.	REC	REATIONAL FISHERY
5.	Ecos	SYSTEM AND BYCATCH ISSUES7
	5.1.	Sharks 7
	5.2.	Seabirds 8
	5.3.	Marine Turtles9
	5.4.	Other ecologically related species (e.g. marine mammals, whale sharks)9
6.	NATI	IONAL DATA COLLECTION AND PROCESSING SYSTEMS9
	6.1.	Logsheet data collection and verification9
	6.2.	Vessel Monitoring System10
	6.3.	Observer programme 10
	6.4.	Port sampling programme11
	6.5.	Unloading/Transhipment 11
7.	NATI	IONAL RESEARCH PROGRAMS11
8.	IMPI	EMENTATION OF SCIENTIFIC COMMITTEE RECOMMENDATIONS AND RESOLUTIONS OF THE IOTC
	RELE	EVANT TO THE SC12
9.	LITE	RATURE CITED12



1. BACKGROUND/GENERAL FISHERY INFORMATION

Korean tuna longline fishery in the Indian Ocean commenced in 1957, and its target species were yellowfin tuna, bigeye tuna and albacore tuna from the beginning. Since 1991 southern bluefin tuna has been targeted because of the highest value in market. And Korean tuna purse seine fishery initiated operating in 2012, and has targeted skipjack tuna and yellowfin tuna.

The traditional fishing grounds of Korean tuna longline fishery were mainly distributed in the central tropical area between 20°N and 20°S, and extended south to 45°S and east to 120°E for fishing for southern bluefin tuna in recent years. The number of active vessels peaked at 185 in 1975, but after then gradually decreased to 21 in 2009, 7 in 2011, and has increased to 9-10 since 2013. The catch recorded the highest with about 70 thousands mt in 1978, since then also has gradually decreased, and is showing a level of about 3 thousands mt in recent years.

Since 2012 Korean tuna purse seine fishery has operated mainly in the central and western tropical area. In 2014, 4 vessels operated and recorded about 16 thousand mt in catch.

2. FLEET STRUCTURE

Korean tuna longline fleets in the Indian Ocean are all deep freezing tuna vessels. The size ranges from 500 to 1,000 gross tonnage classes (Table 1). Total number of vessels had decreased from 185 in 1975 to 7 in 2011, but it is showing somewhat of increasing after 2013. In 2014, 10 vessels of Korean tuna longline fishery operated in the Indian Ocean.

Korean tuna purse seine fishery initiated operating in 2012, and 4 vessels operated in 2014 (Table 1).

Table 1: Number of vessels operating in the IOTC area of competence, by gear type and size, 2010-2014

Coor type	CT	Year						
Gear type	G1	2010	2011	2012	2013	2014		
Longline	500-1,000	13	7	7	9	10		
Purse seine	1,000-2,000	-	-	1	1	1		
ruise seine	2,000-3,500	-	-	2	3	3		

3. CATCH AND EFFORT (BY SPECIES AND GEAR)

Total annual catch of Korean tuna longline fishery steeply increased from the mid-1960s, and peaked at about 70 thousands mt in 1978, and then has decreased with large fluctuations, where the decadal average of catch was about 39 thousands mt in the 1970's, 33 thousands mt in the 1980's, 12 thousands mt in the 1990's and 5 thousands mt in the 2000's, respectively (Fig. 1a). In 2014, the total catch was 3,191 mt, which accounted for 31% increasing from that of 2013 (2,437 mt). The changes in the number of active vessels closely coincided with the catch trend throughout the periods, in which the number were 185 vessels in 1975 and then decreased to 7 vessels in 2011-2012, but increased to 9-10 vessels in 2013-2014. In 2014, the fishing efforts were 5,999 thousand hooks and distributed in the western and eastern Indian Ocean around 20°S-40°S, while the fishing efforts averaged for 5 recent years (2010-2014) were 5,480 thousand hooks and distributed in the tropical areas around 0-20°S as well as in the western and eastern areas around 20°S-40°S (Table 2a, Figs. 2a and 2b). It was appeared that fishing efforts had not been deployed in the western Indian Ocean around 20°N-20°S in recent years. As results, the catch of bigeye tuna and yellowfin tuna significantly decreased and albacore tuna increased in catch (Table 2a, Figs. 1a, 3a and 3b).

Korean tuna purse seine fishery in the Indian Ocean commenced in 2012 and recorded about 16 thousand mt in 2014 (Table 2b, Fig. 1b). In 2014, 4 vessels of Korean tuna purse seine fishery operated mainly in the western and central tropical areas around 10°N-10°S to fish for skipjack tuna and yellowfin tuna (Table 1, Fig. 3a). The fishing efforts in 2014 were 828 sets, which mainly distributed in the tropical areas around 45°E-70°E (Table 2b, Figs. 2a).



Table 2a. Annual catch (in number) and effort of Korean tuna longline fishery by primary species in the IOTC area of competence, 2010-2014

Year	No. hooks (X10 ³)	BET	YFT	SKJ	ALB	SBF	SWO	BLM	BUM	MLS	SFA	NEI	Total
2010	6,323	7,805	21,791	104	24,089	12,777	791	25	415	456	710	20,530	89,493
2011	5,361	6,738	5,442	108	33,870	12,689	422	9	154	210	50	28,947	88,639
2012	4,290	3,941	13,372	100	32,701	12,173	496	36	204	491	720	24,536	88,770
2013	5,429	8,815	23,245	156	46,954	6,347	952	43	275	220	398	13,081	100,486
2014	5,999	5,869	40,198	608	44,656	5,139	1,515	241	527	284	1,574	24,184	124,795

Table 2b. Annual catch (in metric ton) and effort of Korean tuna purse fishery by primary species in the IOTC area of competence, 2012-2014

Year	No. sets	SKJ	BET	YFT	OTH	Total
2012	150	1,263	260	1,202	-	2,725
2013	724	8,605	1,205	2,437	4	12,251
2014	828	6,674	882	8,847	18	16,421




Figure 1a. Historical annual catch for Korean tuna longline fishery by primary species, for the IOTC area of competence.




Figure 1b. Historical annual catch for Korean tuna purse seine fishery by primary species, for the IOTC area of competence.







Figure 2a. Map of the distribution of fishing effort by Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence, 2014.








Figure 2b. Map of the distribution of fishing effort by Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence for average of 5 previous years.




Figure 3a. Map of distribution of fishing catch by species for Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence, 2014.






Figure 3b. Map of distribution of fishing catch by species for Korean tuna longline fishery (a) and purse seine fishery (b) in the IOTC area of competence for average of 5 previous years.

4. RECREATIONAL FISHERY

Korea has no recreational fishery.

5. ECOSYSTEM AND BYCATCH ISSUES

Environmental issues have been administrated with various individual laws since the 1960's. In relation to Korean national fisheries, there are the law of preservation and management of marine ecosystem (2007), the framework act on marine fishery development (2009) and the law of fisheries management (2010). In particular, with regard to Korean distant water fisheries, they comply with the measures related to ecosystem and bycatch, taken by the 5 tuna Regional Fisheries Management Organizations (RFMOs) to which Korea acceded, in accordance with Article 16 of the Distant Water Fisheries Development Act (2008). And to address the increasing data collection and reporting requirement by the tuna RFMOs for ecologically related species such as sharks, seabirds, marine turtles, etc., the Act on Fisheries Information and Data Reporting was revised in December, 2012.

5.1 Sharks

Korean National Plan of Action for the Conservation and Management of Sharks (NPOA-sharks) was developed and approved in August 2011. According to the IOTC Resolution 05/05 and the NPOA-sharks, fishing



vessels should do not to have onboard fins that total more than 5% of the weight of sharks onboard, up to the first point of landing. Biological and ecological informations on sharks have been collected through national scientific observer program and logsheet compiled from fishermen onboard (Tables 3 and 4). Especially, in 2011, logsheet was revised with addition of format for ecologically related species (ERS), and since then fishermen have been educated and requested to collect and report the required data with great emphasis on ERS and implementation of mitigation measures in close cooperation with the National Institute of Fisheries Science (NIFS, former NFRDI).

Table 3: Total number and weight of sharks by species, retained by Korean tuna longline fishery and purse seine fishery in the IOTC area of competence for the most recent five years

manery in the	islicity in the 1012 area of competence for the most recent rive years												
			Retained catch by species (kg/inds.)										
Fishery	Year	Blue	Mako Porbeagle		Oceanic	Hammerhead	Thresher	Others	Total				
		shark	sharks	shark	whitetip shark	sharks	sharks	Oulers					
	2010	54,741	3,097	4,515	0	0	0	515	62,868				
	2010	/3,415	/78	/390	/0	/0	/0	/5	/3,888				
	2011	107,936	4,407	0	0	0	0	83,725	196,068				
	2011	/10,954	/102	/0	/0	/0	/0	7,334	/18,390				
Longline	2012	7,915	4,798	316	0	0	0	0	13,029				
Longinie		/784	/207	/29	/0	/0	/0	/0	/1,020				
	2013	80,415	30,971	4,319	0	249	0	3191	119,145				
	2013	/5,082	/693	/147	/0	/22	/0	/118	/6,062				
	2014	127,361	48,663	11,768	0	0	0	2,591	190,383				
	2014	/7,281	/1,086	/400	/0	/0	/0	/217	/8,984				
	2013	0	0	0	0	0	0	0	0				
Purse seine	2013	/0	/0	/0	/0	/0	/0	/0	/0				
ruise seine	2014	0	0	0	0	0	0	0	0				
	2014	/0	/0	/0	/0	/0	/0	/0	/0				

^{*} Data were compiled by observer in 2010, 2012, and from logsheet by fishermen in 2011, 2013, 2014.

Table 4: Total number of sharks by species, released/discarded by Korean tuna longline fishery and purse seine fishery in the IOTC area of competence for the most recent five years

			Released/discarded by species										
Fishery	Year	Blue shark	Mako sharks	Porbeagle shark	Silky shark	Oceanic whitetip shark	Hammerhead sharks	Bigeye thresher shark	Thresher sharks	Others	Total		
	2010	7	1	3	0	0	0	1	0	0	12		
	2011	-	-	-	-	-	-	-	-	-	-		
Longline (inds.)	2012	142	4	19	0	0	0	0	14	0	179		
(mus.)	2013	1,017	0	0	0	0	1	0	0	0	1,018		
	2014	992	29	59	0	0	0	0	4	0	1,084		
Purse seine	2013	0.072	0.04	0	2.664	0	0	0	0	1.77	4.549		
(mt)	2014	0.024	0.043	0	5.712	0.205	0	0	0	0.02	6.004		

^{*} Data were compiled by observer in 2010, 2012, and from logsheet by fishermen in 2013, 2014.

5.2 Seabirds

Korean National Plan of Action for Reducing Incidental Catch of Seabirds in Longline Fisheries (NPOA-seabirds) was established in January 2014. Interactions and mortality of seabirds have been collected through national scientific observer program and logsheet compiled from fishermen onboard (Table 5). Although it has been encouraged fishermen to record on logsheet and report the data for seabirds, fishermen have not been yet familiar with provisions and associated works on data collection and reporting for seabirds such as species identification and interaction. Hence, it has recommended that fishermen take a picture when not being able to identify seabirds species, and the field guide for identifying seabirds was distributed on board as well. In 2011, logsheet was revised with addition of format for ecologically related species (ERS), and since then fishermen have been educated and requested to collect and report the required data with great emphasis on ERS and implementation of mitigation measures in close cooperation with the NIFS.

^{**} No data in 2011.



5.3 Marine Turtles

Interactions and mortality of marine turtles have been collected through national scientific observer program and logsheet compiled from fishermen onboard (Table 5). The field guide for identifying marine turtles was distributed on board to encourage fishermen to collect and report the data for marine turtles, likewise the case of seabirds.

5.4 Other ecologically related species (e.g. marine mammals, whale sharks)

Interaction and mortality of marine mammals have been collected through national scientific observer program and logsheet compiled from fishermen onboard (Table 5).

Table 5. Observed annual catches of species of special interest by species (seabirds, marine turtles and marine mammals) by Korean tuna longline fishery and purse seine fishery in the IOTC area of competence for the most recent five years

(a) Seabirds

			Seabirds											
Fishery	Year	Yellow nosed albatross	Royal albatross	Black browed Albatross	Buller's albatross	Cape petrel	Grey headed Albatross	Southern Giant Albatross	Wandering Albatross	Shy albatross	Unidenti- fied			
	2010	14	0	24	9	1	2	1	9	3	9			
	2011	-	-	-	-	-	-	-	-	-	-			
Longline	2012	0	0	3	0	1	0	1	2	0	0			
	2013	2	0	1	0	0	0	0	0	3	0			
	2014	0	0	2	0	0	0	0	0	0	0			

^{*} Data were compiled by observer.

(b) Other species

Fishery	Year		Marine turtles	Marine mammals		
1 islici y	1 Cai	Loggerhead turtle	Olive ridley sea turtle	Unidentified	Spinner dolphin	Pygmy killer whale
	2010	0	0	0	0	0
	2011	-	-	-	-	-
Longline	2012	0	0	0	0	0
	2013	0	0	0	0	0
	2014	0	1	0	0	0
Durga gaina	2013	0	0	1	0	0
Purse seine	2014	0	0	0	0	0

^{*} Data were compiled by observer, and 2013 PS data were from by fishermen.

6. NATIONAL DATA COLLECTION AND PROCESSING SYSTEMS

6.1. Logsheet data collection and verification

NIFS has collected the data of Korean tuna fisheries. Data from logsheet are available from 1971. In 2012, Korean domestic law (Distant Water Fisheries Development Act) was revised that the time for data submission was changed from within 30 days (home-based) or 60 days (foreign-based) after completion of their operations to monthly report for improving the data collection to meet the timely submission of data and to have higher quality and quantity of the data. A series of subsequent has been made on logsheet updates including the amount of

^{**} No data in 2011.

^{***} No seabird was bycaught by purse seine fishery.

^{**} No data in 2011.

discard/release, the incorporation of ERS, implementation of the biological measurement and sampling required, bycatch mitigation measures implemented, etc. After September 2014, the Act obliged fishers to report the catch statistics to NIFS every week, and it has been changed to a daily basis since September 2015.

Catch statistics of Korean fishing vessels are obtained from two sources of data reporting. Korea Overseas Fisheries Association (KOSFA) collects monthly catch by species and vessels from fishery industries, and NIFS collects logsheet data from vessels filled out by captain onboard. The data collected are verified and confirmed through cross-checking between NIFS and KOSFA. In addition, catch data are cross-checked between those of NIFS and National Fishery Products Quality Management Service (NFQS) prior to issuing Catch Documentation Scheme (CDS).

6.2. Vessel Monitoring System

Korea operates Vessel Monitoring System (VMS) program to comply with the requirement of the RFMO's VMS. All Korean flagged fishing vessels and carrier vessels are equipped with VMS and have implemented in compliance with the IOTC Resolution 06/03 and the Korean Act of the Distant Water Fisheries Development (2008). And Korea established the Fisheries Monitoring Center (FMC) in March 2014 to monitor/manage the VMS data so that the data are cross-checked with fishing position from logbook.

6.3. Observer programme

1) Observer Training

Korean scientific observer program for distant water fisheries was started in 2002. National Institute of Fisheries Science (NIFS) is responsible for implementing and developing the observer program. The qualification for being observers is college graduated where major field is nature science or fisheries high school graduated with at least 1-year experience on board having a certificate of qualification to deck officer. Candidates for observer who have passed the paper review (including medical check) and oral interview have to take training programs for 3 weeks. Observer training programs include basic safety training for seafaring, operations of navigation devices, biological information training for target and non-target species and data collection method for fishing activities. During the training program they have two kinds of test. One is the test on a technical term of fisheries and biology, and the other is the test on species identification. The person who scored above 70 in the two tests and attended 100% of the course timetable can be qualified and deployed on board as a scientific observer.

2) Scientific Observer Program Design and Coverage

In 2014, Korean had deployed 2 observers on 2 longline vessels and 1 observer on 2 purse seine vessels operating in the Indian Ocean (Fig. 4). They observed the fishing effort of 306 thousands hooks in 112 sets for longline fishery and 60 sets in 96 days for purse seine fishery, which their observer coverages were estimated to be 5.1% and 7.2%, respectively (Table 6).

3) Observer Data Collected

The observers collected the data which are required by the IOTC scientific observer program standards. The data collected were vessel and gear characteristics, setting and catch (retained/discarded) details, incidental catch of ERS and sighting of marine mammals. The biological measurements were conducted on all species, if possible.

Table 6. Annual observer coverage (%) by Korean tuna longline fishery and purse seine fishery for the most recent five years

Fishery	2010	2011	2012	2013	2014
Longline	7.5	0	6.2	10.1	5.1
Purse seine	-	-	-	6.2	7.2






Figure 4. Map showing the spatial distribution of observer coverage for 2014.

6.4. Port sampling programme

Korea has not conducted any port sampling programs within the IOTC Convention Area.

6.5. Unloading/Transhipment

The information on the transhipment of Korean tuna fleets within the IOTC Convention Area for 2014 is summarized in Table 7.

Table 7. Total amount of transhipment of Korean tuna longline fleets in the IOTC area of competence for 2014

Species	At sea transshipment (kg)	In port transshipment(kg)
Albacore tuna	498,496	11,046
Yellowfin tuna	1,054,426	1,102
Bigeye tuna	105,349	-
Skipjack	324	-
Southern bluefin tuna	80,712	491,652
Blue marlin	31,324	6,305
Black marlin	6,065	6,221
Striped marlin	3,638	2,202
Sailfish	364	
Swordfish	37,527	9,190
Others	83,326	70,810

7. NATIONAL RESEARCH PROGRAMS

During 2013-2015, Korea has conducted a sea trial to facilitate the implementation of seabirds mitigation measure on weighted line and further investigate as to how this measure affects the Korean tuna longline vessel in collaboration with BirdLife International.

Table 8. Summary table of Korean research programs

Project title	Period	Countries involved	Budget total	Funding source	Objectives	Short description
Sea trial on the implementation of seabirds mitigation measures on weighted line	2013-2015	Korea and BirdLife International			Implementation of seabirds mitigation measure	See the paper of IOTC-2015-SC-XX[E]



8. IMPLEMENTATION OF SCIENTIFIC COMMITTEE RECOMMENDATIONS AND RESOLUTIONS OF THE IOTC RELEVANT TO THE SC

Table 9. Scientific requirements contained in Resolutions of the Commission, adopted between 2005 and 2015.

Res. No.	Resolution	Scientific requirement	CPC progress
15/01	On the recording of catch and effort by fishing vessels in the IOTC area of competence	Paragraphs 1–10	Fishermen shall record catch and effort data on logbook and keep it on board. And they shall daily report logbook data, in accordance with IOTC logbook template, to NIFS, Korea. Korea has submitted the official logbook template used in Korean vessel and catch and effort data on an aggregated basis to the Secretariat.
15/02	Mandatory statistical reporting requirements for IOTC Contracting Parties and Cooperating Non-Contracting parties (CPCs)	Paragraphs 1–7	All Korean fishing vessels shall record the data and report to government on daily basis, and measure biological information on 1 fish per a ton of catch.
15/05	On conservation measures for striped marlin, black marlin and blue marlin	Paragraph 4	N/A
13/04	On the conservation of cetaceans	Paragraphs 7– 9	Korea collects the data on cetaceans through logsheet and observer programs.
13/05	On the conservation of whale sharks (Rhincodon typus)	Paragraphs 7– 9	Korea collects the data on cetaceans through logsheet and observer programs
13/06	On a scientific and management framework on the conservation of shark species caught in association with IOTC managed fisheries	Paragraph 5–6	Fishermen shall record and report the incidental catch with interaction information in accordance with IOTC logsheet template.
12/09	On the conservation of thresher sharks (family alopiidae) caught in association with fisheries in the IOTC area of competence	Paragraphs 4–8	Thresher sharks are prohibited to retain onboard Korean longline vessels. If bycatch occurred, fishermen should cut the line, promptly release unharmed them with proper handling and record the interaction on logbook.
12/06	On reducing the incidental bycatch of seabirds in longline fisheries.	Paragraphs 3–7	Korea has provided information on how we are implementing this measure and have conducted sea trials for developing seabirds mitigation measure since 2013. Korean longline fishing vessels have used seabirds mitigation measures in accordance with IOTC resolution.
12/04	On the conservation of marine turtles	Paragraphs 3, 4, 6–10	Data and interaction on marine turtles are collected through observer programs. In addition, fishermen are encouraged to record them on logsheet. Study on use of circle hook was conducted in the Pacific longline vessels in 2006. Application of circle hook in the Indian Ocean will be tried in the near future. NIFS conducts education for conservation of marine turtles to the fishermen, and fishing vessels carry the device for handling and releasing marine turtles on board.
11/04	On a regional observer scheme	Paragraph 9	Korea reports annually the number of vessels monitored, observer coverage with its trip report.
05/05	Concerning the conservation of sharks caught in association with fisheries managed by IOTC	Paragraphs 1–12	Fishermen shall record and report the data by species in accordance with IOTC logsheet template. Sharks bycaught are fully utilised. Fishermen comply with paragraphs 3, 4, 6 and 7.

9. LITERATURE CITED

Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Catch and effort by Korean flagged fleet. IOTC-2011-WPTmT03-12.



- Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Review of yellowfin tuna catch by Korean longline fleet in the Indian Ocean. IOTC-2011-WPTT13-51.
- Kim, Z.G., S.I. Lee, D.Y. Moon and D.W. Lee. 2011. Review of bigeye tuna catch by Korean longline fleet in the Indian Ocean. IOTC-2011-WPTT13-59.
- Lee, S.I., Z.G. Kim and T. Nishida. 2011. Bigeye tuna CPUE standardization of the Korean tuna longline fisheries in the Indian Ocean (1977-2009). IOTC-2011-WPTT13-38.
- Kim, Z.G., S.I. Lee, S,C. Yoon, M.K. Lee, J.E. Ku and D.W. Lee. 2012. Review of catch and effort for albacore tuna by Korean longline fishery in the Indian Ocean. IOTC-2012-WPTmT04-15.
- Lee, S.I., Z.G. Kim, T. Nishida and M.K. Lee. 2012. Standardization of albacore catch rates of Korean tuna longline fisheries in the Indian Ocean (1986-2010). IOTC-2012-WPTmT04-17.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2012. CPUE standardization for bigeye tuna caught by Korean tuna longline fisheries in the Indian Ocean (1978-2011). IOTC-2012-WPTT14-25.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2012. CPUE standardization for yellowfin tuna caught by Korean tuna longline fisheries in the Indian Ocean (1978-2011). IOTC-2012-WPTT14-34.
- Lee, S.I., Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2013. CPUE standardization for bigeye tuna caught by Korean tuna longline fisheries in the Indian Ocean (1977-2012). IOTC-2013-WPTT15-24.
- Lee, S.I. Z.G. Kim, M.K. Lee, D.W. Lee and T. Nishida. 2013. Stock assessment on yellowfin tuna (*Thunnus albacores*) in the Indian Ocean by ASPIC and comparison to MULTIFAN-CL and ASPM. IOTC-2013-WPTT15-39.
- Lee, S.I., Z.G. Kim, J.E. Ku, M.K. Lee, H.W. Park, S.C. Yoon and D.W. Lee. 2014. Review of catch and effort for albacore tuna by Korean tuna longline fishery in the Indian Ocean (1965-2013). IOTC-2014-WPTmT05-17 Rev_1.
- Lee, S.I., Z.G. Kim, M.K. Lee, J.E. Ku and D.W. Lee. 2014. CPUE standardization of albacore tuna caught by Korean tuna longline fishery in the Indian Ocean. IOTC-2014-WPTmT05-20 Rev 1.
- Lee, S.I., Z.G. Kim, M.K. Lee, J.E. Ku, H.W. Park and D.W. Lee. 2014. CPUE standardization of bigeye tuna caught by Korean tuna longline fishery in the Indian Ocean. IOTC-2014-WPTT16-30.
- Lee, S.I., Z.G. Kim, M.K. Lee, S.C. Yoon, Y.K. Jeong and D.W. Lee. 2014. CPUE standardization of yellowfin tuna caught by Korean tuna longline fishery in the Indian Ocean. IOTC–2014–WPTT16–49.
- Tamini, L., R.M. Wanless, O. Yates, G.C. Choi, Z.G. Kim, S.I. Lee and B.J. Sullivan. 2013. Outcomes of at-sea trials into different line-weighting options for Korean tuna longline vessels. IOTC-2013-SC16-10 Rev_1.