



REVISION OF THE WPTT PROGRAM OF WORK

PREPARED BY: IOTC SECRETARIAT¹, 11 OCTOBER 2018

PURPOSE

To ensure that the participants at the 20th Working Party on Tropical Tunas (WPTT20) revise the Program of Work for the WPTT by taking into consideration the specific requests of the Commission and Scientific Committee.

BACKGROUND

Scientific Committee

At the 20th Session of the SC:

(Para. 203) The SC noted paper IOTC-2017-SC20-09 which provided the Scientific Committee (SC) with a proposed Program of Work for each of its Working Parties (WP), including prioritisation of the elements requested by each WP.

(Para. 204) The SC noted the proposed Program of Work and priorities for the Scientific Committee and each of the Working Parties and **AGREED** to a consolidated Program of Work as outlined in <u>Appendix XXXVIa-g</u>. The Chairpersons and Vice-Chairpersons of each working party shall ensure that the efforts of their working party are focused on the core areas contained within the appendix, taking into account any new research priorities identified by the Commission at its next Session.

(Para. 207) The SC noted that the consolidated table of priorities does not replace the full programme of work of each Working Party (<u>Appendix XXXVIa-g</u>) and that adequate attention and focus should still be allocated to those activities where possible. The SC further noted that Table 4 has been developed by the SC and WP Chairs to provide more specific direction to the IOTC Secretariat and the SC Chair as to the priorities of the SC so that, if and when external funding becomes available intersessionally, it is possible to clearly prioritise across all WPs based on the objectives of the SC (as agreed in IOTC-2014-SC17-R, para. 179).

(Para. 209) The SC noted Table 4 outlining the highest priorities from each WP in terms of funding requirements. The complete set of research priorities identified (and ranked according their importance) by each WP are detailed more fully in Appendix XXXVIa-g

Commission

At Sessions of the Commission, Conservation and Management Measures adopted contained elements that call on the Scientific Committee, via the WPTT, to undertake specific tasks. These requests will need to be incorporated into a revised Program of Work for the WPTT:

Resolution 15/10 On target and limit reference points and a decision framework

Interim Target and Limit Reference Points (TRPs and LRPs)

(para. 1) When assessing stock status and providing recommendations to the Commission, the IOTC Scientific Committee should, where possible, apply MSY-based target and limit reference points for tuna and tuna-like species and in particular the interim reference points agreed by the Commission in 2013 for albacore, swordfish and the three (3) tropical tunas (Bigeye tuna, Skipjack tuna, Yellowfin tuna) (per Resolution 13/10 *On interim target and limit reference points and a decision framework*) [superseded by Resolution 15/10]), as listed in **Table 1**. B_{MSY} refers to the biomass level for the stock that would produce the Maximum Sustainable Yield; F_{MSY} refers to the level of fishing mortality that produces the Maximum Sustainable Yield.

¹ secretariat@iotc.org, James Geehan (james.geehan@iotc.org)



Table 1. Interim target and limit reference points.

	r P	
Stock	Target Reference Point	Limit Reference Point
Albacore		
Yellowfin tuna	$B_{TARGET} = B_{MSY};$	$B_{LIM} = 0.40 \ B_{MSY}$
Swordfish	$F_{TARGET} = F_{MSY}$	$F_{\text{LIM}} = 1.40 \; F_{\text{MSY}}$
Bigeye tuna	$B_{TARGET} = B_{MSY}$	$B_{LIM} = 0.50 B_{MSY}$
Digeye tuna	$F_{TARGET} = F_{MSY}$	$F_{LIM} = 1.30 F_{MSY}$
Claimia als tuma	$B_{TARGET} = B_{MSY}$	$B_{LIM} = 0.40 \ B_{MSY}$
Skipjack tuna	$F_{TARGET} = F_{MSY}$	$F_{LIM} = 1.50 F_{MSY}$

Alternate interim Target and Limit Reference Points

(para. 2) Where the IOTC Scientific Committee considers that MSY-based reference points cannot be robustly estimated, biomass limit reference points will be set at a rate of B_0 . Unless the IOTC Scientific Committee advises the Commission of more suitable limit reference point for a particular species, by default, the interim B_{LIM} will be set at 0.2 B_0 and fishing mortality rate limit reference point at $F_{0.2\,B_0}$ (the value corresponding to this biomass limit reference point). These interim limit reference points will be reviewed no later than 2018.

(para. 3) Where the IOTC Scientific Committee considers that MSY-based reference points cannot be robustly estimated, target reference points based on the depletion proportion (i.e. reference points with respect to the ratio of current biomass to B_0 , B_0 being the virgin biomass estimate) should be used as a basis for B_{TARGET} and F_{TARGET} , as follows:

- a) the interim biomass target reference point B_{TARGET} could be set at a ratio of B₀, the virgin biomass;
- b) the interim fishing mortality rate target reference point F_{TARGET} could be set at a level consistent with the target biomass reference point, the fishing mortality rate corresponding then to the adopted ratio of B_0 , the virgin biomass).

(para.4) These target and limit reference points, referred to in paragraphs 1, 2 and 3, shall be further reviewed by the IOTC Scientific Committee according to the program of work at **Annex 1** and in accordance with paragraph 6. The results shall be presented to the Commission for adoption of species-specific reference points.

(para. 5) The IOTC Scientific Committee shall continue to provide advice on the status of stocks and on recommendations for management measures in relation to the reference points referred to in paragraphs 1, 2 and 3, where available, until the Commission adopts other reference points that achieve the IOTC's conservation and management objectives and are consistent with paragraph 6.

(para. 6) The IOTC Scientific Committee shall recommend to the Commission for its consideration options for harvest control rules for IOTC species in relation to agreed reference points and, in doing so, shall take into account:

- c) the provisions set forth in the UNFSA and in Article V of the IOTC Agreement;
- d) the following objectives and any other objective identified through the Science and Management Dialogue process designed in Resolution 14/03 [superseded by <u>Resolution 16/09</u>] (or any revision thereof) and agreed thereafter by the Commission:
 - i. Maintain the biomass at or above levels required to produce MSY or its proxy and maintain the fishing mortality rate at or below F_{MSY} or its proxy;



- ii. Avoid the biomass being below B_{LIM} and the fishing mortality rate being above F_{LIM} ;
- e) the following guidelines:
 - i. For a stock where the assessed status places it within the lower right (green) quadrant of the Kobe Plot, aim to maintain the stock with a high probability within this quadrant;
 - ii. For a stock where the assessed status places it within the upper right (orange) quadrant of the Kobe Plot, aim to end overfishing with a high probability in as short a period as possible;
 - iii. For a stock where the assessed status places it within the lower left (yellow) quadrant of the Kobe plot, aim to rebuild these stocks in as short a period as possible;
 - iv. For a stock where the assessed status places it within the upper left quadrant (red), aim to end overfishing with a high probability and to rebuild the biomass of the stock in as short a period as possible.

Final Clauses

(para 7.) Bearing in mind Article 64 of UNCLOS and Article 8 of UNFSA, the entirety of this Resolution is subject to Article XVI (Coastal States' Rights) of the IOTC Agreement for the Establishment of the Indian Ocean Tuna Commission, and Articles 87 and 116 of the UN Convention of the Law of the Sea regarding the right to fish on the high seas;

(para. 8) The IOTC Scientific Committee is requested to evaluate the performance of any harvest control rules with respect to the species specific target and limit reference points adopted for IOTC species, but not later than 10 years following their adoption, and the Commission will consider, as appropriate and consistent with the scientific advice, these harvest control rules.

(para 9.) As soon as advice from the IOTC Scientific Committee regarding the appropriateness of TRPs and LRPs, as required under **Annex 1**, is available to the Commission, and where possible no later than at the IOTC Commission meeting in 2020, this Resolution will be reviewed with the view to adopting revised TRPs and LRPs.

Resolution 17/01 On an interim plan for rebuilding the Indian Ocean Yellowfin tuna stock in the IOTC area of competence

(para 8) CPCs shall monitor the yellowfin tuna catches from their vessels in conformity with Resolution 15/01 "On the recording of catch and effort data by fishing vessels in the IOTC area of competence" and Resolution 15/02 "Mandatory statistical reporting requirements for IOTC Contracting Parties and Cooperating Non-Contracting Parties (CPCs)" and will provide a summary of most-recent yellowfin catches for the consideration of the IOTC Compliance Committee.

(para 9) Each year, the Compliance Committee shall evaluate the level of compliance with the catch limits deriving from this Resolution and shall make recommendations to the Commission accordingly. The Scientific Committee via its Working Party on Tropical Tunas, shall in 2018, conduct a new assessment of the status of the Yellowfin stock using all available data.

(para 10) The Scientific Committee via its Working Party on Tropical Tunas shall in 2018 undertake an evaluation of the effectiveness of the measures detailed in this Resolution, taking into account all sources of fishing mortality and possible alternatives aiming at returning and maintaining biomass levels at the Commission's target level. After consideration of the results of this evaluation, the Commission shall take corrective measures accordingly.



(para 11) The Commission shall, based on the improved artisanal fishery data and the assessment of the state and impact of the artisanal fishery on the yellowfin stocks, take appropriate measures on the management of the artisanal yellowfin tuna fishery, at its Commission meeting in 2018. (para 12) The measures contained within this Resolution shall be considered as interim measure and will be reviewed by the Commission no later than at its annual Session in 2019.

Resolution 16/02 On harvest control rules for skipjack tuna in the IOTC Area of Competence

(para. 15) The IOTC Scientific Committee shall:

- a) Include the LRP and TRP as part of any analysis when undertaking all future assessments of the status of the IOTC skipjack tuna stock.
- b) Undertake and report to the Commission a model-based skipjack tuna stock assessment every three (3) years, commencing with the next stock assessment in 2017.
- c) Undertake a programme of work to further refine Management Strategy Evaluation (MSE) for the IOTC skipjack tuna fishery as required in paragraph 12, including, but not limited to,
 - i. Refinement of operating model(s)/ used,
 - ii. Alternative management procedures,
 - iii. Refining performance statistics.

Overview of the 2017 SC Report

In addition, several other items were raised by the Commission that require the WPTTs attention and planning.

(Para. 30) The Commission **CONSIDERED** working paper IOTC-2018-S22-08 by the European Union and **REQUESTED** the Scientific Committee to review the effect of the revised interim plan for rebuilding yellowfin tuna in the IOTC Area (Resolution 17/01) as amended in the proposal.

(Para. 31) The Commission NOTED that the revised interim rebuilding plan in Resolution 17/01 *On an interim plan for rebuilding the Indian Ocean yellowfin tuna stock in the IOTC area of competence*, which directs the Working Party on Tropical Tunas of the Scientific Committee to evaluate the effectiveness of the measures contained in the resolution, taking into account all sources of fishing mortality and possible alternatives aimed to restore and maintain biomass levels at the target levels, as stipulated in IOTC Resolution 15/10 *On target and limit reference points and a decision framework.*

DISCUSSION

Participants at the WPTT20 are requested to consider the priorities set by the Commission and the Scientific Committee, via Conservation and Management Measures, and revise its Program of Work (previously outlined in paper IOTC–2018–WPTT20–03) to match those priorities.

RECOMMENDATION/S

That the WPTT:

- 1) **NOTE** paper IOTC-2018-WPTT20-09, which encouraged the WPTT to further develop and refine its Program of Work for 2019-2023 to align with the requests and directives from the Commission and Scientific Committee.
- 2) **RECOMMEND** a revised Program of Work for 2019–2023 to the Scientific Committee for its consideration and potential endorsement.

APPENDICES

Appendix A: DRAFT: Working Party on Tropical Tunas Program of Work (2019–2023)



APPENDIX A

DRAFT: WORKING PARTY ON TROPICAL TUNAS PROGRAM OF WORK (2019–2023)

The following is the Draft WPTT Program of Work (2019–2023) and is based on the specific requests of the Commission and Scientific Committee, and will need to be modified to incorporate topics identified during the WPTT20. The Program of Work consists of the following, noting that a timeline for implementation would be developed by the SC once it has agreed to the priority projects across all of its Working Parties:

- Table 1: Priority topics for obtaining the information necessary to develop stock status indicators for tropical tunas in the Indian Ocean;
- **Table 2**: Stock assessment schedule.

Table 1. Priority topics for obtaining the information necessary to develop stock status indicators for bycatch species in the Indian Ocean.

				Priority	T 1	Est. budget	TIMING					
Topic		Sub-topic and project		ranking	Lead	(potential source)	2019	2020	2021	2022	2023	
1.	Stock structure (connectivity and diversity)	1.1 Genetic research to determine the connectivity of tropical tuna species throughout their distribution (including in adjacent Pacific Ocean waters as appropriate) and the effective population size.		High (ongoing)	CSIRO/AZ TI/IRD/RI TF	1.3 m Euro: (European Union; 20% additional co- financing)						
		1.1.1	Next Generation Sequencing (NGS) to determine the degree of shared stocks for tropical tuna species in the Indian Ocean. Population genetic analyses to decipher inter- and intraspecific evolutionary relationships, levels of gene flow (genetic exchange rate), genetic divergence, and effective population sizes. Nuclear markers (i.e. microsatellite) to determine the degree of									
		1.1.2	shared stocks for tropical tuna species in the Indian Ocean with the Pacific Ocean, as appropriate.									



			Priority		Est. budget	TIMING					
	Topic		Sub-topic and project	ranking	Lead	(potential source)	2019	2020	2021	2022	2023
		1.2 Connectivity, movements and habitat use									
		1.2.1	Connectivity, movements, and habitat use, including identification of hotspots and investigate associated environmental conditions affecting the tropical tuna species distribution, making use of conventional and electronic tagging (P-SAT).	Medium		US\$?? (TBD)					
		1.2.2	Investigation into the degree of local or open population in main fishing areas (e.g., the Maldives and Indonesia – archipelagic and open ocean) by using techniques such flux in FAD arrays or used of morphological features such as shape of otoliths.	Medium		Some work ongoing – MDV, IDN					
2.	Biological	eal 2.1 Age and growth									
and ecologica informati (incl. paramete for stock	ecological information	2.1.1 Design and develop a plan for a biological sampling program to support research on tropical tuna biology. The plan would consider the need for the sampling program to provide representative coverage of the distribution of the different tropical tuna species within the Indian Ocean and make use of samples and data collected through observer programs, port	High	CPCs directly	US\$?? (TBD)						
		2.2 Age-ar	t-Maturity								



		Priority		Est. budget	TIMING					
Topic	Sub-topic and project		ranking	Lead	(potential source)	2019	2020	2021	2022	2023
	bio mat	Cs to provide further research reports on tropical tuna clogy, namely age and growth studies including gonad turity studies, or through use of fish otoliths, either from data lected through observer programs or other research programs.	High	CPCs directly	US\$?? (TBD)					
3. Ecological information										
	spa	llect gonad samples from tropical tunas to confirm the wining periods and location of the spawning area that are sently hypothesised for each tropical tuna species.	Medium		US\$?? (TBD)					
4. Historical data review	4.1 Changes in	fleet dynamics need to be documented by fleet								
	stoo pot stat	ovide an evaluation of fleet-specific fishery impacts on the ck of bigeye tuna, skipjack tuna and yellowfin tuna. Project tential impact of realizing fleet development plans on the tus of tropical tunas based upon most recent stock essments.	Medium	Consultant	US\$30K					
5. CPUE standardisati on	5.1 Develop st for the Ind	tandardised CPUE series for each tropical tuna fleet/fishery lian Ocean								
	CP	rther development and validation of the collaborative longline UE indices using the data from multiple fleets and to provide and CPUE series for longline fleets where possible	High (on-going)	SC and consultants	US\$40K (IOTC)					
	big and	at standardised CPUE index for juvenile yellowfin tuna and geye tuna caught by the EU purse seiner fleets, be estimated all submitted to the WPTT before the next round of stock essments of tropical tunas.		CPCs directly	US\$?? (TBD)					
		velopment of minimum criteria (e.g. 10% using a simple		CPCs	US\$??					



		Priority		Est. budget	TIMING					
Topic	Sub-topic and project	ranking	Lead	(potential source)	2019	2020	2021	2022	2023	
	random stratified sample) for logbook coverage to use data in standardisation processes; and 2) identifying vessels through exploratory analysis that were misreporting, and excluding them from the dataset in the standardisation analysis.		directly	(TBD)						
	5.1.4 Vessel identity information for the Japanese fleets for the period prior to 1979 should be obtained either from the original logbooks or from some other source, to the greatest extent possible to allow estimation of catchability change during this period and to permit cluster analysis using vessel level data.		Japan	US\$?? (TBD)						
	Bigeye tuna: High priority fleets	High	CPCs directly	US\$?? (TBD)						
	Skipjack tuna: High priority fleets	High	CPCs directly	US\$?? (TBD)						
	Yellowfin tuna: High priority fleets	High	CPCs directly	US\$?? (TBD)						
	5.2 That methods be developed for standardising purse seine catch species composition using operational data, so as to provide alternative indices of relative abundance (see Terms of Reference, Appendix IXb below).	High	Consultant and CPCs directly	US\$?? (TBD)						
	5.3 Investigate the potential to use the Indian longline survey as a fishery-independent index of abundance for tropical tunas.	High	Consultant And CPCs directly	US\$30K (TBD)						
	5.4 Further investigate and use of gillnet CPUE series from Sri Lankan gillnet fishery	High	Consultant And CPCs directly	US\$ (TBD)						
6. Stock assessment / stock	 6.1 Develop and compare multiple assessment approaches to determine stock status for tropical tunas 6.2 Scoping of ageing studies of tropical tunas to provide information on 	Medium	Consultant and CPCs directly							



	Sub tonic and project	Priority	bea I	Est. budget	TIMING					
Topic		Sub-topic and project	ranking	Lead	(potential source)	2019	2020	2021	2022	2023
indicators	population age structure (based on species and age composition of sampled catches) 6.3 Develop a high resolution age structured operating model that can be used to test the spatial assumptions including potential effects of limited tags mixing on stock assessment outcomes (see Terms of Reference, Appendix IXa below). 6.4 Stock assessment priorities – detailed review of the existing data sources, including: i. Size frequency data: Evaluation of the reliability of length composition from the longline fisheries (including recent and historical data), review of anomalies in the (EU) PS length composition data, and the need for a thorough review of the size frequency data held by IOTC, in collaboration with the fleets involved, to improve the utilization of these data in tropical tuna stock assessments. ii. Tagging data: Further analysis of the tag release/recovery data set. iii. Alternative CPUE series: a review of the available data from the		Medium	Consultant and CPCs directly						
7. Fishery independent monitoring	7.1	Develop fishery independent estimates of stock abundance to validate the abundance estimates of CPUE series. All of the tropical tuna stock assessments are highly dependent on relative abundance estimates derived from commercial fishery catch rates, and these could be substantially biased despite efforts to standardise for operational variability (e.g. spatio-temporal variability in operations, improved efficiency from new technology, changes in species targeting). Accordingly, the IOTC should continue to explore fisheries independent monitoring options which may be viable through new technologies. There are various options, among which		Consultant and CPCs directly	US\$?? (TBD) US\$60K					



			T J	Est. budget	TIMING					
Topic	Sub-topic and project	Priority ranking	Lead	(potential source)	2019	2020	2021	2022	2023	
	some are already under test. Not all of these options are rated with the			US\$??						
	same priority, and those being currently under development need to			(TBD)						
	be promoted, as proposed below:									
	i. Acoustic FAD monitoring, with the objective of deriving									
	abundance indices based on the biomass estimates provided by	High								
	echo-sounder buoys attached to FADs									
	ii. Longline-based surveys (expanding on the Indian model) or									
	"sentinel surveys" in which a small number of commercial sets	High								
	follow a standardised scientific protocol									
	iii. Aerial surveys, potentially using remotely operated or									
	autonomous drones	Medium								
	iv. Studies (research) on flux of tuna around anchored FAD arrays									
	to understand standing stock and independent estimates of the	Medium								
	stock abundance.	Mediam								
	v. Genetics-based tagging techniques using recaptured individuals									
	or identification of close-related pairs. Use of Close Kin Mark	Medium								
	Recapture (CKMR) methods to study fishery independent									
	methods of generating spawner abundance estimates based on									
	genotyping individuals to a level that can identify close relatives									
	(e.g. parent-offspring or half-siblings). The method avoids many									
	of the problems of conventional tagging, e.g. live handling is not									
	required (only catch needs to be sampled), tag shedding, tag-									
	induced mortality and recovery reporting rates are irrelevant. It								i	
	has been cost-effective in a successful application to southern									
	bluefin tuna, but it remains unknown how the cost scales with									
	population size. It would be valuable to conduct a scoping									
	exercise to evaluate the applicability to the tropical tuna species									
8 Target and	8.1 To advise the Commission, on Target Reference Points (TRPs) and	High	CPC's	US\$??						





		Priority ranking Lead		Est. budget (potential source)	TIMING						
Topic	Sub-topic and project		Lead		2019	2020	2021	2022	2023		
Limit reference	Limit Reference Points (LRPs).		directly	(TBD)							
points	8.1.1 Used when assessing tropical tuna stock status and when establishing the Kobe plot and Kobe matrices										

iotc ctoi



 Table 2. Assessment schedule for the IOTC Working Party on Tropical Tunas (WPTT)

Species	2019	2020	2021	2022	2023
Bigeye tuna	Full assessment	Indicators	Indicators	Full assessment	Indicators
Skipjack tuna	Indicators	Full assessment	Indicators	Indicators	Full assessment
Yellowfin tuna	Indicators	Indicators	Full assessment	Indicators	Indicators