




सत्यमेव जयते

India's National Report to the Scientific Committee of the Indian Ocean Tuna Commission 2020



India's National Report to the Scientific Committee of the Indian Ocean Tuna Commission 2020

Report prepared by:

L. Ramalingam*, Vinod Kumar Mudumala*, Ansuman Das*, A. Siva*, Rajashree B Sanadi*, Rahul Kumar B Tailor*, Kiran S. Mali*, Prathiba Rohit#, T V Sathianandan#, Sijo P Varghese*, Sanjay Pandey\$

*** Fishery Survey of India**

Government of India

Mumbai, Maharashtra, India

ICAR-Central Marine Fisheries Research Institute

Kochi, Kerala, India

\$ Department of Fisheries

Ministry of Fisheries, Animal Husbandry and Dairying,

Government of India, New Delhi, India

INFORMATION ON FISHERIES, RESEARCH AND STATISTICS

<p>In accordance with the IOTC Resolution 15/02, the final scientific data for the previous year was provided to the IOTC Secretariat by 30 June of the current year, for all fleets other than longline [e.g. for a National Report submitted to the IOTC Secretariat in 2020, the final data for the 2019calendar year must be provided to the Secretariat by 30 June 2020)</p>	<p>YES 30/06/2020</p>
<p>In accordance with the IOTC Resolution 15/02, the provisional longline data for the previous year was provided to the IOTC Secretariat by 30 June of the current year [e.g. for a National Report submitted to the IOTC Secretariat in 2020, the preliminary data for the 2019 calendar year was provided to the IOTC Secretariat by 30 June 2020).</p> <p>REMINDER: The final longline data for the previous year is due to the IOTC Secretariat by 30 Dec of the current year [e.g. for a National Report submitted to the IOTC Secretariat in 2020, the final data for the 2019 calendar year must be provided to the Secretariat by 30 December 2020).</p>	<p>YES 30/06/2020</p>
<p>If no, please indicate the reason(s) and intended actions:</p>	

Executive Summary

The total landings of tuna and tuna-like species (hereinafter referred to as tuna fishery) in India for 2019 was estimated at 199898 tonnes, showing a marginal decrease of 4.32percent over the previous year (208 928tonnes in 2018). Gillnets contributed 37.19 percentto the total landings of tuna fishery, followed by trawls (18.51%) and smalllonglines (12.14%). Pole and line fishing, practiced exclusively in the waters of the Lakshadweep Group of Islands, contributed 5.51percent to the total tuna landings. Other gears like small purse seines, ringseinesandgillnet-cum-longlines also contributed to the tuna landings in small quantities during the year.

Marginal spatial variation was observed in the tuna landings along the mainland coastline. The western coast of India (FAO area 51) contributed a larger share to the landings (51.29%) and the balance 48.71percentcame from the east coast (FAO area 57). Tuna landings in 2019comprisedseven species, four representing the neritic (27.91%) and three from the oceanic group (30.11%). Yellowfin tuna (*Thunnus albacares*) (16.84%) and Kawakawa (*Euthynnus affinis*)contributed the maximum (16.9%),followed by Skipjack (*Katsuwonus pelamis*; 12.74%).

There was no reporting of sea bird interactions with the tuna fishery during the reporting period. Similarly, there was no reporting of the mortality of sea turtles, marine mammals and whale sharks, which are protected under Schedule 1 of the Wildlife (Protection) Act of 1972 of India. The Central Marine Fisheries Research Institute of the Indian Council of Agricultural Research (ICAR-CMFRI), Fishery Survey of India (FSI) of the Department of Fisheries, Ministry of Fisheries, Animal Husbandry & Dairying, Government of India and the Department of Fisheries of the coastal States and Union Territories (UTs) are the main agencies responsible for data collection and collation on tuna fishery.

Contents

Executive Summary	3
List of Tables	5
List of Figures.....	5
1.0 Background/General Fishery Information.....	6
2.0 Fleet Structure.....	7
3.0 Catch and Effort by Species and Gear.....	7
3.1 Longline tuna fishery in India.....	11
4.0 Recreational Fishery.....	12
5.0 Ecosystem and By-catch Issues.....	12
5.1 Sharks.....	12
5.1.1. NPOA sharks.....	12
5.1.2. Sharks finning regulation.....	12
5.1.3. Blue shark.....	13
5.2 Sea birds.....	13
5.3 Marine turtles.....	13
5.4 Marine mammals.....	13
6.0 National Data Collection and Processing Systems.....	13
6.1 Log Sheet data collection and verification.....	13
6.2 Vessel Monitoring System.....	13
6.3 Observer programme.....	14
6.4 Port sampling programme	14
6.5 Unloading /Transshipment.....	14
6.6. Actions taken to monitor catches & manage fisheries for Striped Marlin, Black Marlin, Blue Marlin and Indo-pacific Sailfish.....	14
6.7. Gillnet observer coverage and monitoring.....	14
6.8 . Sampling plans for mobulid rays.....	14
7. 0. National Research Programmes.....	14
8.0. Status of Implementation of the Recommendations/Resolutions of the IOTC.....	18
9.0. Literature Cited	20

List of Tables

Table 1: Fishing fleet structure of India, 2018.....	7
Table 2: Tuna and allied resources nominal catch – gear-wise (in tonnes) from the Coastal and oceanic fishery 2019	16
Table 3. Annual trends in the nominal catch (tonnes) of tuna and allied resources (2016-2019)	10
Table 4: Shark species (No.& Weight in kg) caught in the exploratory survey of FSI, 2014-2019	17

List of Figures

Figure 1: Exclusive Economic Zone of India	6
Figure 2: Gear-wise catch composition in tuna fishery in 2019.....	8
Figure 3: Group-wise catch composition of tunas and tuna-like fishes, 2019..	8
Figure 4: Pattern of tropical tuna catch in the west and east coasts of India (2019)	8
Figure 5a. Pattern of tropical tuna catch in west and east coasts of India (2019)	9
Figure 5b: Map showing group-wise catch composition of tunas and tuna-like fishes, 2019	9
Figure 6: Tropical tuna catch (2019) by different gears	10
Figure7: Area-wise composition of major groups/species	10
Figure 8: Map showing locations of samplings by exploratory longline survey by FSI vessels (2019)	11

1.0 Background/General Fishery Information

The potential contributions of marine resources to the food and nutritional security, livelihoods and economic prosperity of the country has been recognised at the highest levels of the Government in India. Marine fisheries are a major source of employment and livelihoods for 1 million coastal fishermen and households, who also generate further multiplier employment in the ancillary activities like fish processing and marketing.




Figure 1: Exclusive Economic Zone of India

Fisheries contribute about 0.9 percent to the GDP. In 2018-19, the total marine fish production was 4.18 million tonnes (GOI, 2020), and the estimated value of marine fish landings during 2018 was estimated at INR 526.36 billion (approx. USD 7.35 billion) at point of first sale and INR 803.20 billion (approx. USD 11.20 billion) at retail market. India has also become a major global player in the seafood trade, with total seafood exports amounting to over 1.39 million tonnes, valued at over US\$ 6728.5 million during 2018-19.

India's Exclusive Economic Zone (EEZ) covering 2.02 million sq.km contains diverse and multi-species fish stocks, exploited by multi-gear fisheries, which are mostly concentrated in the coastal areas (<100m depth). Major fisheries exploit small pelagics (e.g. sardines, mackerels), demersals (e.g. ribbonfish) and crustaceans (e.g. shrimps). The fishing fleet structure is mainly comprised of mechanized (42,651 nos), motorized (95,957 nos) and non-motorized (25,689 nos), operating from 1,547 landing centers in the 9 coastal States, 2 Union Territories (UTs) and the 2 Island groups.

In India, the small-scale and artisanal sectors largely contribute to the tuna fishery, deploying both mechanized¹ and motorized² boats, using a variety of gear. The Lakshadweep group of Islands located in the Arabian Sea (FAO Area 51) use artisanal pole and line targeting the surface swimming oceanic species, primarily the skipjack tunas. In the past one decade, efforts were made to convert the small-scale trawlers into longliners to promote resource specific fishing within the country's EEZ.

¹In India, the mechanized fleet pertains to fishing vessels fitted with inboard engines that are used for both propulsion and hauling the gear. The mechanized boats have a wheel house and the entire fleet is below 24-meter length overall (LoA).

²The Indian motorized fleet comprises undecked boats using outboard motors for propulsion only. The entire fleet is below 24 meter LoA.

2.0 Fleet Structure

The Indian fishing fleet comprises an assemblage of fishing boats that mainly include trawlers, gillnetters, small purse/ring seiners, hook and line boats, etc. Other than pole and line boats and to some extent hook and line boats, all other gear catch a variety of species including tunas. Table 1 below provides the data on the fishing fleet structure.

Table 1: Fishing fleet structure of India

#	Craft/Gear	East coast	West coast	Total
Mainland India				
Mechanized				
1	Trawlers	9,815	20,671	30,486
2	Gillnetters	2,563	3,939	6,502
3	Dol/Bagnetters	191	3,203	3,394
4	Liners	47	2	49
5	Ring seiners	297	646	943
6	Purse seiners	0	1,189	1,189
7	Others	31	57	88
				Total
8	Total mechanized (1 to 7)	12,944	29,707	42,651
9	Motorized	56,961	38,996	95,957
10	Non-motorized	15,468	10,221	25,689
11	Mainland Total	85,373	78,924	1,64,297
Islands (A&N Islands and the Lakshadweep)				
12	Mechanized			162
13	Motorized			3464
14	Non-motorized			1848
15	Island Total			5474
National				
16	Mechanized			42,813
17	Motorized			99,421
18	Non-motorized			27,537
19	Grand Total			1,69,771

3.0 Catch and effort by species and gear

The Indian fishery of tuna and tuna-like species (hereinafter referred to as tuna fishery) comprises a complement of 12 types of gear (plus some minor gears operated locally) harvesting a total of 19 tuna and tuna like species in 2019. **Table 2** provides the composition of species/groups harvested by different gear type.

The total landings of tuna and tuna-like species along the mainland coast for 2019 was estimated at 1,99,898tonnes, showing a marginal decrease of 4.32percent over the previous year (2,08,928tonnes in 2018). Gillnets contributed 37.19 percentto the total landings of tuna fishery, followed by trawls (18.51%) and small longlines (12.14%). Pole and line fishing, practiced exclusively in the waters of the Lakshadweep Group of Islands, contributed 5.51

percent to the total tuna landings. Other gears like small purse seines, ringseines and gillnet-cum-longlines also contributed to the tuna landings in small quantities during the year (**Fig. 2 & Table 2**).




Figure 2: Gear-wise catch composition in tuna fishery in 2019

The oceanic tunas comprising three species (yellowfin [YFT], skipjack [SKJ] and bigeye [BET] tunas) contributed to 30.01 percent of the total tuna landings during 2019. The neritic tunas comprising four species contributed to 27.83 percent during the same period. The Spanish mackerels also contributed significantly (23.54%) to the total tuna and tuna-like species landings of India during the year 2019. The billfishes, including Indo-Pacific sailfish, marlins and swordfish collectively formed 8.52 percent, whereas pelagic sharks (7.63%) and the other species (2.47%) constituted the rest of the landings (**Fig. 3**).




Figure 3: Group-wise catch composition of tunas and tuna-like fishes. 2019

The nominal catch of tropical tunas (yellowfin, skipjack and bigeye tunas), in 2019 was 59980.76 t, comprising 33,554 t of yellowfin tuna, 25,383 t of skipjack tuna and 1,044 t of bigeye tuna (**Fig. 4**). Area-wise landings indicate that 57.28 percent of the total landings were from the west coast of India including the Lakshadweep Islands (FAO Area 51),




Figure 4: Pattern of tropical tuna catch in the west and east coasts of India (2019)

whereas the remaining 42.72 percent was from the east coast, including the Andaman and Nicobar Islands (FAO Area 57) (Figs. 5a, b).

The landings on the west coast of India comprised 58.94 percent of yellowfin, 53.42 percent of skipjack and 98.10 percent of bigeye tuna, whereas the east coast landings constituted 41.06 percent of yellowfin, 46.58 percent of skipjack and 1.90 percent of bigeye during 2019.




Figure 5a. Pattern of tropical tuna catch in west and east coasts of India (2019)

Eleven types fishing gears were employed for catching the tropical tuna species. Drift gillnet remained the principal gear for exploitation of tropical tunas in India. This gear contributed 40.63 percent of the total landings of tropical tunas, that comprised 35.53 percent of yellowfin, 47.59 percent of skipjack, and 2.74 percent of bigeye tuna. Share of handline in the Indian tropical tuna catch was 9.60 percent (total catch), 14.99 percent YFT, 1.41 percent SKJ and 35.17 percent BET.




Figure 5b: Map showing group-wise catch composition of tunas and tuna-like fishes, 2019

The pole and line fishery practiced in the Lakshadweep Islands

(South-eastern Arabian Sea) contributed 14.01 percent of the total tropical tuna catch, which included 2.88 percent YFT and 27.68 percent SKJ. Small longlines catching tuna and bringing them ashore preserved in ice contributed 11.86 percent to the total tropical tuna catch, which included 16.11 percent YFT, 6.39 percent SKJ and 8.14 percent BET. Boats using gillnet-cum-longline gear contributed to 10.96 percent of the total, comprising 10.87 percent YFT and 11.53 percent SKJ. Contributions by the other gears, including small purse seines to the tropical tuna catch of India during 2019 was marginal (12.96%). The exploratory longline fishing carried out by the vessels of the Fishery Survey of India contributed a meagre 0.02 percent to the total tropical tuna catch of India during 2019 (Fig. 6).

Considerable spatial variation was observed in the landings of the tuna and tuna-like species during 2019 in India. The west coast of India (FAO area 51) contributed the larger share (54.01%) and the balance 45.99 percent landings came from the east coast (FAO area 57). West coast, where fishing fleet is more mechanized, dominates the landing across all the groups (Fig. 7). Neritic tunas were the dominant group in the landings of the west coast. More than 98 percent of the longtail tuna (*Thunnus tonggol*) catch was from the west coast,

while *Auxis rochei*, *A. thazard* and *Acanthocybium solandri* were increasingly caught from the east coast.

Analysis of trends in the catch over the years 2016-2019 revealed no remarkable variation in the total landings of tuna and tuna like species (Table 3). However, the catch of tropical tunas, sailfish and swordfish indicated increasing trend in the recent years, whereas catch of

pelagic sharks showed a declining trend in recent years.




Figure 6: Tropical tuna catch (2019) by different gears




Figure 7: Area-wise composition of major groups/species

Table 3. Annual trends in the nominal catch (tonnes) of Tuna and allied resources (2016-2019)

Species/group	2016	2017	2018	2019
<i>T. albacares</i>	16,722.24	14,697	37,488.1	33,553.95
<i>K. pelamis</i>	16,233.27	18,322.1	36,387.7	25,383.16
<i>T. obesus</i>	30	89	610.4	1043.64
Marlins	7,179.093	2,032.7	5,454.5	6,027.16
<i>I. platypterus</i>	6,148.309	6,852.8	10,025.9	8,699.516
<i>X. gladius</i>	1,692.092	2,462.7	2,876.7	2,310.335
Pelagic sharks	22,336.8	18,983	959.3	15,247.98
<i>S. commerson</i>	37,524	30,169.1	29,959.9	30,780
<i>S. guttatus</i>	16,835	18,162	15,101.3	16,279
<i>A. thazard</i>	6,900	5,499	8,806	8,669

<i>E. affinis</i>	35,393	27,680	33,208	33,863
<i>T. tonggol</i>	8,090	7,349	7,678.3	5,852
<i>A. rochei</i>	6,505	11,307	8,296.8	7,242
Rays	0.543	0.8	0.2	0.065
NEI	1,089.25	38,335.60	12,074.70	4,947.32
Total	1,82,678.6	2,01,941.8	2,08,927.8	1,99,898.1

NEI – not elsewhere included

3.1 Longline tuna fishery in India

In India, the dedicated longline fishery is practiced by the four fishing vessels of the Fishery Survey of India. The key attributes of these four vessels are as follows:

Name	<i>Matsya Vrushti</i>	Yellow Fin	<i>Matsya Drushti</i>	Blue Marlin
LoA (Meter)	37.5	36	37.5	36
GRT (Tonnage)	465	290	465	290
BHP	1100	800	1100	800
Base of operation	Mumbai	Mormugao	Chennai	Port Blair
IOTC Registration Number	IOTC 003604	IOTC 003602	IOTC 003605	IOTC 003603

The above-referred four longliners undertake exploratory surveys in the Indian EEZ for tuna and tuna-like species. The surveys undertaken during 2019 to assess the resource availability in the Indian EEZ are shown in the following figure (Fig. 8). Due to several reasons, the survey operations were limited during the reporting year.




Figure 8: Map showing sampling locations by exploratory longline survey by the FSI vessels (2019)

4.0 Recreational Fishery

Presently, recreational fishery for tunas is limited to few licenses issued in the Andaman and Nicobar Islands vide Notification No. 222/2017/F. No. 3-85/2015-16/TS/DF/PF-II) dated 20th September 2017 under the Marine Fishing Regulation Act 2003 of the UT Administration³.

The National Policy on Marine Fisheries, 2017⁴ in its guidance on the promotion of additional/alternative sources of livelihoods, has focused on eco-tourism and in particular game fishing and the concept of Catch, Photograph and Release (CPR) while undertaking such fishing. Further, the government also proposes to promote CPR schemes among fishermen in suitable areas and will also consider harmonizing tourism plans related to coastal and marine waters with the livelihood needs of the fishers.

5.0 Ecosystem and by-catch issues

5.1 Sharks

The landings of pelagic sharks in India during 2019 were estimated at 15,248.04 tonnes. The west coast (FAO Area 51) accounted for 67.13 percent, and the rest (32.87%) from the east coast (FAO Area 57). The mechanized sector contributed to more than 80 percent of the total landings. Trawls, gillnets, longlines, and gillnet-cum-longlines were the major gears contributing to pelagic shark landings. Targeted shark fishery along the north Kerala coast has almost stopped, following the relocation of fishermen from Tamil Nadu who were engaged in this fishing (Annual Report CMFRI, 2018).

5.1.1. NPOA sharks

The National Plan of Action for Conservation and Management of Sharks (NPOA-Sharks⁵) has been prepared by the Bay of Bengal Programme Inter-Governmental Organisation in collaboration with the Bay of Bengal Large Marine Ecosystem Project (Phase 1).

5.1.2. Sharks finning regulation

In India, the following three species of marine sharks are listed under Schedule I of the Indian Wildlife (Protection) Act, 1972.

Common name	Scientific name
Whale shark	<i>Rhincodon typus</i>
Long nosed shark / Pondicherry shark	<i>Carcharhinus hemiodon</i>
Speartooth shark	<i>Glyphis glyphis</i>

Further, with a view to stop the hunting of sharks and to enable the enforcement agencies to monitor the illegal hunting/poaching of the species of Elasmobranchs listed in Schedule I of the Wild Life (Protection) Act, 1972, the then Ministry of Environment and Forest vide its Policy Circular No. F. No. 4-36/2013 WL dated 25th of August 2013 has prohibited the

³ http://andsw1.and.nic.in:8081/sfpermit/pdf/gazette_notification.pdf

⁴ <http://dahd.nic.in/news/notification-national-policy-marine-fisheries-2017>

⁵ <https://www.boblme.org/documentRepository/BOBLME-2015-Ecology-65.pdf>

removal of shark fins on board the vessels in the sea. The policy also prohibits any possession of shark fins that are not naturally attached to the body of the shark. In addition, the Ministry of Commerce, Government of India has also notified vide its Order No. 110 (RE.-2013)/2009-2014 dated 6 February 2015 prohibiting export of shark fins of all species of sharks.

5.1.3. Blue shark

Blue sharks are sporadically reported in the shark bycatch in the Indian tuna fishery. However, India has a well-established fishery data collection system, regularly collecting the data on fish catch, including blue sharks and the catches are being monitored domestically. Data on the blueshark catch is recorded and furnished to the IOTC as and when reported. Scientific research on blue sharks is being undertaken and results have been published (e.g., Varghese *et al.*, 2017)

5.2 Sea birds

There were no reported instances of sea bird interactions in any of the Indian tuna fishery. Indian vessels are not engaged in tuna fishing in the Southern Indian Ocean where the sea bird interactions are reported to be more.

5.3 Marine turtles

All the five species of marine turtles occurring in the Indian waters are listed in the Schedule I of the Indian Wildlife(Protection)Act, 1972, hence protected from capture. Further, the bycatch of sea turtles in the Indian longline fishery was remarkably lower than those reported elsewhere (Varghese *et al.*, 2010). However, during the reporting period, no interaction has been observed in the longline catches.

5.4 Marine mammals

Like marine turtles, all the marine mammal species occurring in the Indian waters are protected under the Wildlife (Protection) Act, 1972. The Government of India through its R&D agencies also undertakes several programmes for conservation of the marine mammal habitats. One such programme pertains to the 'marine mammal stranding interactive map', which provides scientific information on the attributes of the species, its habitat and standard operating procedure in case of stranding (CMFRI, 2018).

6.0 National Data collection and processing systems

The ICAR-CMFRI collects the landing data in the mainland following a stratified multi-stage random sampling method. The Fishery Survey of India undertakes exploratory surveys and the data from such surveys is also added to the national data processing system. Besides this, the FSI also compiles the landing data received from the two Island Territories – the Lakshadweep and the Andaman & Nicobar Group of Islands.

6.1 Log Sheet data collection and verification

The authorized tuna fishing vessels in India are reporting their catch on log sheets as per the IOTC Resolutions.

6.2 Vessel Monitoring System

While several coastal states in India have installed Vessel Tracking System (VTS) and Automatic Identification System (AIS), a full-fledged Vessel Monitoring System (VMS) is

under planning and will be implemented once necessary regulatory approvals are received from other concerned Ministries/Departments within the Government system.

6.3 Observer programme

In India, observers are placed on-board on all the authorized tuna longlining vessels.

6.4 Port sampling programme

The ICAR-CMFRI and the Department of Fisheries of the coastal State/UTs undertakesampling programmes at the designated centers, following a standard methodology. Besides estimating the landings, important biological and socio-economic information is also collected on a regular basis.

6.5 Unloading / Transshipment

Both unloading by foreign fishing vessels and mid-sea transshipment are not permitted under the prevailing rules/regulations.

6.6 Actions taken to monitor catches & manage fisheries for Striped Marlin, Black Marlin, Blue Marlin and Indo-pacific Sailfish

The landings of Striped Marlin, Black Marlin, Blue Marlin and Indo-pacific Sailfish are monitored through the sampling programme listed in 6.4.

6.7 Gillnet observer coverage and monitoring

India does not have a large-scale gillnet fishery registered in the IOTC RAV.

6.8 Sampling plans for mobulid rays

India has a national sampling programme, for all the fish caught, including mobulid rays caught by the artisanal fishery. The fishery and biology data is being collected at national as well as State (Province) levels.

7.0 National Research Programmes

India has a long-standing research programme on land-based sampling and sea-based exploratory surveys of tuna fishery. The ICAR-CMFRI along with the coastal States/UTs undertakes regular sampling and estimation of the tuna fishery resources from designated landing points along the Indian coastline. Besides estimating the tuna fishery landings, studies on biological and socio-economic attributes of tuna fisheries are also carried out by the Institute on a regular basis. The survey of oceanic resources is undertaken by FSI through its four dedicated longliners, two based on the east coast and two on the west coast. These modern longliners undertake exploratory surveys on a regular basis through pre-determined sampling programmes. The exploratory surveys provide information on the distribution of tuna resources in the Indian EEZ, effort, by-catch and also various environmental parameters to correlate with the exploitation of tuna fishery resources.

Besides the above two dedicated institutions, various other agencies, both governmental and non-governmental also undertake R&D activities on tuna fishery. The Centre for Marine Living Resources and Ecology under the Ministry of Earth Sciences (MoES) also undertakes exploratory surveys of the fishery resources in the Indian EEZ. These surveys often include programmes on tuna fishery. In addition, the Department of Science & Technology of the

Ministry of Science & Technology, the Indian National Centre for Ocean Information Services and the National Institute of Ocean Technology under the MoES also undertake dedicated research and development activities on tuna fisheries. Further, the Wildlife Institute of India, an autonomous body under the Ministry of Environment, Forest and Climate Change is working on development of programmes to monitor the marine mammals in the Indian EEZ.

Table 2: Tuna and allied resources nominal catch – gear-wise (in tonnes) from the coastal andoceanic fishery 2019

Species/group	Gillnet	Trawl	Small longline	Small purse seines	Ring seine	Gillnet-cum-longline	Pole & Line	Handline	Beach seine	Troll	Harpoon	Ex longline	Miscellaneous	Grand total
<i>Thunnus albacares</i>	12,256	3,120	5,406	1,484	919	3,647	968	5,031		701		12.95	9	33,553.95
<i>Katsuwonus pelamis</i>	12079	181	1,623		681	2,926	7,027	358		508		0.16		25,383.16
<i>Thunnus obesus</i>	28.64		85				407	367		156				1,043.64
<i>Makaira nigricans</i>												0.69		0.692
<i>Makaira indica</i>												0.34		0.34
<i>Makaira spp.</i>	2,218	145	2,934	5		704		1		19		0.13		6,026.128
<i>Istiophorus platypterus</i>	5,615	240	1,423	1		1,272	30	3		115		0.52		8,699.516
<i>Xiphias gladius</i>	1,061	397	187.05			664				0.3		0.99		2,310.335
<i>Scomberomorus commerson</i>	8,695	13,728	3,858	3,359	591	469			74				6	30,780
<i>Scomberomorus guttatus</i>	5,918	7,856	377	913	473	66			289				387	16,279
<i>Auxis thazard</i>	2,487	203	1,378	477	2,998	78	751	93		203			1	8,669
<i>Euthynnus affinis</i>	10,040	3,507	4,058	6,888	6,650	1,165	999	183	29	341			3	33,863
<i>Thunnus tonggol</i>	4,420	189	12	1,196	3	14							18	5,852
<i>Auxis rochei</i>	2,933	36	755	896	2,511	111								7,242
Pelagic sharks	4,816	7,145	1,329	23	8	1,133	1	4	532	6	4.5	1.48	245	15,247.98
Rays												0.07		0.065
<i>Coryphaena hippurus</i>												0.19		0.187
<i>Sphyræna spp</i>												0.06		0.057
<i>Acanthocybium solandri</i>	1768	255	855	2	12	86	822	570		505	72	0.08		4,947.076
Total	74,334.64	37,002	24,280.05	15,244	14,846	12,335	11,005	6,610	924	2,554.3	76.5	17.64	669	1,99,898.1

Table 4: Shark species (No.& Weight in kg) caught in the exploratory survey of FSI, 2014-2019

Sl.No	Year Name of Species	2015		2016		2017		2018		2019	
		No	Wt	No	Wt	No	Wt	No	Wt	No	Wt
1	<i>Alopias pelagicus</i>	64	2,964	24	1,081	145	522	47	1,582	4	149
2	<i>Alopias superciliosus</i>	2	120	4	375	8	436	42	1,681	2	139
3	<i>Alopias vulpinus</i>	11	473	1	145	2					
4	<i>Carcharhinus albimarginatus</i>										
5	<i>Carcharhinus sorrah</i>	4	55								
6	<i>Carcharhinus amblyrhynchos</i>	8	159								
7	<i>Carcharhinus dussumieri</i>	15	214	20	330					4	27
8	<i>Carcharhinus longimanus</i>	1	26	1	50						
9	<i>Carcharhinus brevipinna</i>										
10	<i>Carcharhinus falciformis</i>	79	2,990	37	486	1	60	85	3175	9	163
11	<i>Carcharhinus hemiodon*</i>	3	168	1	40						
12	<i>Galeocerdo cuvier</i>	6	383	5	282	1	213			4	141
13	<i>Isurus oxyrinchus</i>	23	750	11	255	2	131			1	70
14	<i>Sphyrna lewini</i>					1	45				
15	<i>Triaenodon obesus</i>					17	58				
Total		216	8,302	104	3,044	177	1,465	174	6,438	24	689

*Released live

8.0 Status of Implementation of the recommendations/Resolutions of the IOTC

Res. No.	Resolution	Scientific requirement	CPC progress
11/04	On a regional observer scheme	Paragraph 9	All authorized tuna longliners are covered by the observer programme. Further, the requirements for monitoring the artisanal fishing vessels landing at the landing sites are also carried out by the field samplers.
12/04	On the conservation of marine turtles	Paragraphs 3, 4, 6–10	<ul style="list-style-type: none"> - All the five species of marine turtles reported from the Indian waters are protected under the law. - The authorised longliners regularly record and report interactions with marine turtles and this information is reported to the IOTC. - The Central Institute of Fisheries Technology is carrying out research on use of circle hooks and the findings have been reported in Journal of Fishery Technology (53 (2016): 284 – 289) and the Indian Journal of Fisheries (Vol. 60(1), 2013 Pp 21-27). - FSI also carries out research on the use of circle hooks and research finding have been published in the Journal 'Current Science' (Vol. 98, No. 10, Pp – 1378-1384 Varghese et al., 2010). -To create awareness, FSI also brings out popular articles in its in-house publications namely, Meena News and Bulletin of the Fishery Survey of India. -The entire stretch of the coastline where mass stranding of turtles takes place in India is protected through national and state legislations and no fishing activity is permitted to be carried out in such areas. Further, the Department of Forest and the Indian Coast Guard monitors the implementation of the conservation measures for protection of marine turtles. - The coastal states where mass stranding takes place have also made it mandatory on the use of Turtle Excluder Devices in the trawl nets.
12/06	On reducing the incidental bycatch of seabirds in longline fisheries.	Paragraphs 3–7	There were no reported instances of sea bird interactions in any of the Indian tuna fishery.
12/09	On the conservation of thresher sharks (family alopiidae) caught in association with fisheries in the IOTC area of competence	Paragraphs 4–8	The Indian authorized longline vessels are implementing this resolution and the same is reported to IOTC.
13/04	On the conservation of cetaceans	Paragraphs 7– 9	The national legislation prohibits capture and trade of marine mammals in Indian waters.
13/05	On the conservation of whale sharks (<i>Rhincodontypus</i>)	Paragraphs 7– 9	The national legislation prohibits capture and trade of whale sharks in Indian waters.
13/06	On a scientific and management framework on the conservation of shark species caught in association with IOTC managed fisheries	Paragraph 5–6	The Wild Life (Protection) Act, 1972 and various orders issued by the Ministry of Environment, Forest and Climate Change and the Ministry of Commerce provide for conservation of shark species in Indian EEZ. Further, a National Plan of Action (NPOA) on Conservation and Management of Sharks is under finalization.
15/01	On the recording of catch	Paragraphs	The authorized longline vessels are collecting the catch

	and effort by fishing vessels in the IOTC area of competence	1-10	and effort data and providing the same to the IOTC on regular basis.
15/02	Mandatory statistical reporting requirements for IOTC Contracting Parties and Cooperating Non-Contracting Parties (CPCs)	Paragraphs 1-7	The mandatory statistical reporting is carried out on regular basis.
17/05	On the conservation of sharks caught in association with fisheries managed by IOTC	Paragraphs 6, 9, 11	<ul style="list-style-type: none"> - The data collected from the authorised longlining vessels are submitted to IOTC to meet the reporting requirements. - The national legislation provided for conservation of shark species, including landing of sharks with fin attached. -India has a national programme on elasmobranchs that includes stock assessment and conservation. A decision on India's participation in the proposed project will be taken after the details on the project are known.
18/02	On management measures for the conservation of blue shark caught in association with IOTC fisheries	Paragraphs 2-5	<ul style="list-style-type: none"> -Data is recorded and furnished to the IOTC -Data collection programmes are in place -Catches are being monitored domestically -Scientific research on blue sharks is being undertaken and results has been published (e.g., Varghese et al., 2017)
18/05	On management measures for the conservation of the Billfishes: Striped marlin, black marlin, blue marlin and Indo-Pacific sailfish	Paragraphs 7 – 11	<p>India is adopting a number of management measures for conservation of fishery resources (including billfishes) in its seas, most important of which is annual ban on fishing for two months.</p> <p>Catches are being monitored and reported to the IOTC</p>
18/07	On measures applicable in case of non-fulfilment of reporting obligations in the IOTC	Paragraphs 1, 4	<p>India is regularly reporting the fishery and other data in respect of all IOTC fisheries; including shark species caught in association with IOTC fisheries, and is working in collaboration with the IOTC Secretariat to improve the data collection for direct and incidental catches.</p> <p>India had submitted the zero/positive matrix by IOTC species as well as the most commonly caught elasmobranch species in the IOTC format while submitting the mandatory catch, effort and size data</p>
19/01	On an Interim Plan for Rebuilding the Indian Ocean Yellowfin Tuna Stock in the IOTC Area of Competence	Paragraph 22	The provisions under this Resolutions do not apply on India
19/03	On the Conservation of Mobulid Rays Caught in Association with Fisheries in the IOTC Area of Competence	Paragraph 11	India has a national sampling programme, for all the fish caught, including mobulid rays caught by artisanal fishery. The fishery and biology data is being collected at national as well as state (province) levels

9.0. Literature cited

Anon, 2011. Report of the Working Group for revalidating the potential of fishery resources in the Indian EEZ. Report submitted to the Dept of Animal Husbandry Dairying and Fisheries, Ministry of Agriculture, Government of India. Pp. 69.

CMFRI, 2018. *CMFRI Annual Report 2017-2018*. Technical Report. CMFRI, Kochi.

FAO Fisheries and Aquaculture Department, 2009. Guidelines to reduce sea turtle mortality in fishing operations. Rome, FAO. 2009. 128pp.

FAO Fisheries and Aquaculture Department, 2018. Report of the Expert Workshop on means and methods for reducing marine mammal mortality in fishing and aquaculture operations, Rome, 20-23 March 2018. FAO Fisheries and Aquaculture Report No. 1231 FIAO/R1231 (En).

Government of India, Department of Fisheries, 2020. States/UTs wise Inland and Marine Fish Production during 2014-15 to 2018-19(In lakhs Tonnes). <http://dof.gov.in/statistics>

Kizhakudan, SJ, Zacharia PU, Thomas S, Vivekanandan E and Muktha M, 2015. CMFRI Marine Fisheries Policy Series -2; Guidance on National Plan of Action for Sharks in India. Central Marine Fisheries Research Institute, Kochi, pp. 1-102. ISBN ISSN 2394-8019.

Rohit, P., Abdussamad, EM, Koya KPS, Sivadas M. and Ghosh S, 2011. Tuna Fishery of India with Special Reference to Biology and Population Characteristics of Neritic Tunas Exploited from Indian EEZ. Central Marine Fisheries Research Institute, IOTC-2011-WPNT01-10.

Varghese S., Somvanshi, V.S. and Varghese, S. P., 2007. Bycatch of sharks and incidental catches of sea turtle in the long line fishery of Indian waters as observed during tuna resources survey. IOTC2007-WPEB-13-rev.

Varghese S.P., Unnikrishnan N., Gulati DK and Ayoob AE, 2017. Size, sex and reproductive biology of seven pelagic sharks in the eastern Arabian Sea. *Journal of the Marine Biological Association of the United Kingdom*, 97 (1): 181–196.

Varghese SP, Varghese S and Somvanshi VS, 2010. Impact of tuna longline fishery on the sea turtles of Indian seas. *Current Science*, (10), 1378-1384.
