

SELECTED LIST OF RECENT PUBLICATIONS ON FAD-RELATED FISHERIES

Prepared by [IOTC Secretariat](#)¹

- Assan, C., Lucas, J., Augustin, E., Delgado de Molina, A., Maufroy, A., and Chassot, E. 2015. Seychelles auxiliary vessels in support of purse seine fishing in the Indian Ocean during 2005-2014. *In* IOTC Proceedings. IOTC, Montpellier, France, 23-28 October 2015. p. 12. Available from <http://www.documentation.ird.fr/hor/fdi:010063283>.
- Baidai, Y., Dagorn, L., Amande, M.J., Gaertner, D., and Capello, M. 2020a. Machine learning for characterizing tropical tuna aggregations under Drifting Fish Aggregating Devices (DFADs) from commercial echosounder buoys data. *Fish Res* **229**: 105613. doi:10.1016/j.fishres.2020.105613.
- Baidai, Y., Dagorn, L., Amandè, M.J., Gaertner, D., and Capello, M. 2020b. Tuna aggregation dynamics at Drifting Fish Aggregating Devices: a view through the eyes of commercial echosounder buoys. *ICES J. Mar. Sci (fsaa178)*. doi:10.1093/icesjms/fsaa178.
- Balderson, S.D., and Martin, L.E.C. 2015. Environmental impacts and causation of “beached” drifting fish aggregating devices around Seychelles Islands: A preliminary report on data collected by Island Conservation Society. IOTC, Olhao, Portugal, 7-11 September 2015. p. 15. Available from <https://www.iotc.org/documents/environmental-impacts-and-causation-%E2%80%98beached%E2%80%99-drifting-fish-aggregating-devices-around>.
- Bonnin, L., Lett, C., Dagorn, L., Filmalter, J.D., Forget, F., Verley, P., and Capello, M. 2021. Can drifting objects drive the movements of a vulnerable pelagic shark? *Aquat. Conserv.* **31**(1): 74–82. doi:10.1002/aqc.3420.
- Boyra, G., Moreno, G., Orue, B., Sobradillo, B., and Sancristobal, I. 2019. In situ target strength of bigeye tuna (*Thunnus obesus*) associated with fish aggregating devices. *ICES J Mar Sci* **76**(7): 2446–2458. Oxford Academic. doi:10.1093/icesjms/fsz131.
- Boyra, G., Moreno, G., Sobradillo, B., Pérez-Arjona, I., Sancristobal, I., and Demer, D.A. 2018. Target strength of skipjack tuna (*Katsuwonus pelamis*) associated with fish aggregating devices (FADs). *ICES J Mar Sci* **75**(5): 1790–1802. doi:10.1093/icesjms/fsy041.
- Bromhead, D., Foster, J., Attard, R., Findlay, J., and Kalish, J. 2003. A Review of the impact of fish aggregating devices (FADs) on tuna fisheries. Final report to Fisheries Resources Research Fund. Australian Bureau of Rural Science, Canberra. Available from <http://adl.brs.gov.au/brsShop/data/PC12777.pdf>.
- Chassot, E., Goujon, M., Maufroy, A., Cauquil, P., Fonteneau, A., and Gaertner, D. 2014. The use of artificial fish aggregating devices by the French tropical tuna purse seine fleet: Historical perspective and current practice in the Indian Ocean. *In* Sixteenth Session of the IOTC Working Party on Tropical Tunas. IOTC, Bali, Indonesia, 15-19 October 2014. p. 18. Available from <https://www.iotc.org/documents/use-artificial-fish-aggregating-devices-french-tropical-tuna-purse-seine-fleet-historical>.
- Curnick, D.J., Feary, D.A., and Cavalcante, G.H. 2021. Risks to large marine protected areas posed by drifting fish aggregation devices. *Cons Biol* **35**(4): 1222–1232. doi:10.1111/cobi.13684.
- Dagorn, L., Bez, N., Fauvel, T., and Walker, E. 2013a. How much do fish aggregating devices (FADs) modify the floating object environment in the ocean? *Fish. Oceanogr.* **22**(3): 147–153. doi:10.1111/fog.12014.
- Dagorn, L., Holland, K.N., and Filmalter, J. 2010. Are drifting FADs essential for testing the ecological trap

¹ IOTC-Statistics@fao.org

- hypothesis? *Fish Res* **106**: 60–63. doi:10.1016/j.fishres.2010.07.002.
- Dagorn, L., Holland, K.N., Restrepo, V., and Moreno, G. 2013b. Is it good or bad to fish with FADs? What are the real impacts of the use of drifting FADs on pelagic marine ecosystems? *Fish Fish* **14**(3): 391–415. doi:10.1111/j.1467-2979.2012.00478.x.
- Davies, T., Curnick, D., Barde, J., and Chassot, E. 2017. Potential environmental impacts caused by beaching or drifting fish aggregating devices and identification of management solutions and uncertainties. IOTC, Madrid, Spain, 18 April 2017. p. 18. Available from <https://www.iotc.org/documents/potential-environmental-impacts-caused-beaching-dfads-and-identification-management>.
- Davies, T.K., Mees, C.C., and Milner-Gulland, E.J. 2014. The past, present and future use of drifting fish aggregating devices (FADs) in the Indian Ocean. *Marine Policy* **45**: 163–170. doi:10.1016/j.marpol.2013.12.014.
- Dupaix, A., Capello, M., Lett, C., Andrello, M., Barrier, N., Viennois, G., and Dagorn, L. 2021. Surface habitat modification through industrial tuna fishery practices. *ICES J Mar Sci (fsab175)*. doi:10.1093/icesjms/fsab175.
- Escalle, L., Hare, S.R., Vidal, T., Brownjohn, M., Hamer, P., and Pilling, G. 2021. Quantifying drifting Fish Aggregating Device use by the world’s largest tuna fishery. *ICES J Mar Sci (fsab116)*. doi:10.1093/icesjms/fsab116.
- Escalle, L., Phillips, J.S., Brownjohn, M., Brouwer, S., Gupta, A.S., Sebille, E.V., Hampton, J., and Pilling, G. 2019. Environmental versus operational drivers of drifting FAD beaching in the Western and Central Pacific Ocean. *Sci Rep* **9**(1): 1–12. doi:10.1038/s41598-019-50364-0.
- Filmalter, J.D., Bauer, R.K., Forget, F., Cowley, P.D., and Dagorn, L. 2021. Movement behaviour and fishery interaction of silky sharks (*Carcharhinus falciformis*) in the tropical tuna purse seine fishery in the Western Indian Ocean. *ICES Journal of Marine Science (fsab119)*. doi:10.1093/icesjms/fsab119.
- Fonteneau, A., Chassot, E., and Bodin, N. 2013. Global spatio-temporal patterns in tropical tuna purse seine fisheries on drifting fish aggregating devices (DFADs): Taking a historical perspective to inform current challenges. *Aquat. Living Resour.* **26**(1): 37–48. doi:10.1051/alr/2013046.
- Forget, F., Cowley, P., Capello, M., Filmalter, J.D., and Dagorn, L. 2020. Drifting along in the open-ocean: The associative behaviour of oceanic triggerfish and rainbow runner with floating objects. *Mar. Environ. Res.*: 104994. doi:10.1016/j.marenvres.2020.104994.
- Forget, F.G., Capello, M., Filmalter, J.D., Govinden, R., Soria, M., Cowley, P.D., and Dagorn, L. 2015. Behaviour and vulnerability of target and non-target species at drifting fish aggregating devices (FADs) in the tropical tuna purse seine fishery determined by acoustic telemetry. *Can. J. Fish. Aquat. Sci.* **72**(9): 1398–1405. doi:10.1139/cjfas-2014-0458.
- Franco, J., Dagorn, L., Sancristobal, I., and Moreno, G. 2009. Design of ecological FADs. IOTC, Mombasa, Kenya, 12-14 October 2009. p. 22. Available from <https://www.iotc.org/documents/design-ecological-fads>.
- Goujon, M., Maufroy, A., Relot-Stirnermann, A., Moëc, E., Bach, P., Cauquil, P., and Sabarros, P.S. 2017. Collecting data on board French and Italian tropical purse seiners with common observers: Results of Orthongel’s voluntary observer program OCUP (2013-2017) in the Indian Ocean. IOTC, Victoria, Seychelles, 26-28 November 2017. p. 22. Available from <https://www.iotc.org/documents/collecting-data-board-french-and-italian-tropical-tuna-purse-seiners-common-observers>.
- Govinden, R., Capello, M., Forget, F., Filmalter, J.D., and Dagorn, L. 2021. Behavior of skipjack (*Katsuwonus pelamis*), yellowfin (*Thunnus albacares*), and bigeye (*T. obsesus*) tunas associated with drifting fish aggregating devices (dFADs) in the Indian Ocean, assessed through acoustic telemetry. *Fish Oceanogr* **30**(5): 542–555. doi:10.1111/fog.12536.

- Grande, M., Ruiz, J., Baez, J.-C., Ramos, M.L., Krug, I., Zudaire, I., Santiago, J., Pascual, P.J., Abascal, F.J., Gaerner, D., Cauquil, P., Floch, L., Maufroy, A., Muniategi, A., Herrera, M., and Murua, H. 2018. Best standard for data collection and reporting requirements on FOBs: Towards a science-based FOB fishery management. IOTC, Victoria Mahé, 29 November - 01 December 2018. p. 23. Available from <https://www.iotc.org/documents/WPTT/20/20>.
- Hallier, J.P., and Gaertner, D. 2008. Drifting fish aggregation devices could act as an ecological trap for tropical tuna species. *Mar. Ecol. Prog. Ser.* **353**: 255–264. doi:10.3354/meps07180.
- Imzilen, T., Chassot, E., Barde, J., Demarcq, H., Maufroy, A., Roa-Pascuali, L., Ternon, J.-F., and Lett, C. 2019. Fish aggregating devices drift like oceanographic drifters in the near-surface currents of the Atlantic and Indian Oceans. *Prog Oceanogr* **171**: 108–127. doi:10.1016/j.pocean.2018.11.007.
- Imzilen, T., Lett, C., Chassot, E., and Barde, J. 2016. Modeling trajectories of Fish Aggregating Devices with satellite images: Use cases related to Fisheries. IOTC, Victoria, Seychelles, 28-30 November 2016. p. 11. Available from <https://www.iotc.org/documents/modeling-trajectories-fish-aggregating-devices-satellite-images-use-cases-related>.
- Imzilen, T., Lett, C., Chassot, E., and Kaplan, D.M. 2021. Spatial management can significantly reduce dFAD beachings in Indian and Atlantic Ocean tropical tuna purse seine fisheries. *Biol Conserv* **254**: 108939. doi:10.1016/j.biocon.2020.108939.
- Jaquemet, S., Potier, M., and Ménard, F. 2011. Do drifting and anchored Fish Aggregating Devices (FADs) similarly influence tuna feeding habits? A case study from the western Indian Ocean. *Fish Res* **107**(1–3): 283–290. doi:10.1016/j.fishres.2010.11.011.
- Lennert-Cody, C.E., Moreno, G., Restrepo, V., Román, M.H., and Maunder, M.N. 2018. Recent purse-seine FAD fishing strategies in the eastern Pacific Ocean: what is the appropriate number of FADs at sea? *ICES Journal of Marine Science* **75**(5): 1748–1757. doi:10.1093/icesjms/fsy046.
- Lopez, J., Ferarios, J.M., Santiago, J., Ubis, M., Moreno, G., and Murua, H. 2019. Evaluating potential biodegradable twines for use in the tropical tuna FAD fishery. *Fish Res* **219**: 105321. doi:10.1016/j.fishres.2019.105321.
- Lopez, J., Moreno, G., Boyra, G., and Dagorn, L. 2016. A model based on data from echosounder buoys to estimate biomass of fish species associated with fish aggregating devices. *Fishery Bulletin* **114**(2): 166–178. doi:10.7755/FB.114.2.4.
- Lopez, J., Moreno, G., Ibaibarriaga, L., and Dagorn, L. 2017a. Diel behaviour of tuna and non-tuna species at drifting fish aggregating devices (DFADs) in the Western Indian Ocean, determined by fishers' echo-sounder buoys. *Marine Biology* **164**(3). doi:10.1007/s00227-017-3075-3.
- Lopez, J., Moreno, G., Lennert-Cody, C., Maunder, M., Sancristobal, I., Caballero, A., and Dagorn, L. 2017b. Environmental preferences of tuna and non-tuna species associated with drifting fish aggregating devices (DFADs) in the Atlantic Ocean, ascertained through fishers' echo-sounder buoys. *Deep Sea Res. Part II Top.* **140**: 127–138. doi:10.1016/j.dsr2.2017.02.007.
- Lopez, J., Moreno, G., Sancristobal, I., and Murua, J. 2014. Evolution and current state of the technology of echo-sounder buoys used by Spanish tropical tuna purse seiners in the Atlantic, Indian and Pacific Oceans. *Fish Res* **155**: 127–137. doi:10.1016/j.fishres.2014.02.033.
- Maufroy, A., Chassot, E., Joo, R., and Kaplan, D.M. 2015a. Large-scale examination of spatio-temporal patterns of drifting Fish Aggregating Devices (dFADs) from tropical tuna fisheries of the Indian and Atlantic Oceans. *PLOS ONE* **10**(5): e0128023. doi:10.1371/journal.pone.0128023.
- Maufroy, A., Gaertner, D., Kaplan, D.M., Bez, N., Lucas, J., Soto, M., Assan, C., and Chassot, E. 2015b. Evaluating the efficiency of UE tropical tuna purse seiners in the Indian Ocean: first steps towards a measure of fishing effort. IOTC, Montpellier, France, 23-28 October 2015. p. 18. Available from

<https://www.iotc.org/documents/evaluating-efficiency-tropical-tuna-purse-seiners-indian-ocean-first-steps-towards-measu-0>.

- Maufroy, A., Kaplan, D.M., Bez, N., and Chassot, E. 2016. Integrating scientific and French tropical tuna purse seine skippers knowledge for a better management of dFAD fisheries in the Indian Ocean. IOTC, Victoria, Seychelles, 5-10 November 2016. p. 33. Available from <https://www.iotc.org/documents/integrating-scientific-and-french-tropical-tuna-purse-seine-skippers-knowledge-better>.
- Maufroy, A., Kaplan, D.M., Bez, N., Molina, D., Delgado, A., Murua, H., Floch, L., and Chassot, E. 2017. Massive increase in the use of drifting Fish Aggregating Devices (dFADs) by tropical tuna purse seine fisheries in the Atlantic and Indian oceans. *ICES J Mar Sci* **74**(1): 215–225. doi:10.1093/icesjms/fsw175.
- Ménard, F., Stéquent, B., Rubin, A., Herrera, M., and Marchal, É. 2000. Food consumption of tuna in the Equatorial Atlantic ocean: FAD-associated versus unassociated schools. *Aquat Living Resour* **13**(4): 233–240. doi:10.1016/S0990-7440(00)01066-4.
- Moreno, G., Dagorn, L., Capello, M., Lopez, J., Filmalter, J., Forget, F., Sancristobal, I., and Holland, K. 2016a. Fish aggregating devices (FADs) as scientific platforms. *Fish Res* **178**: 122–129. doi:10.1016/j.fishres.2015.09.021.
- Moreno, G., Dagorn, L., Sancho, G., and Itano, D. 2007. Fish behaviour from fishers' knowledge: the case study of tropical tuna around drifting fish aggregating devices (DFADs). *Can. J. Fish. Aquat. Sci.* **64**(11): 1517–1528. NRC Research Press. doi:10.1139/f07-113.
- Moreno, G., Herrera, M., and Morón, J. 2016b. To FAD or not to FAD: A challenge to the Marine Stewardship Council and its Conformity Assessment Bodies on the use of Units of Assessment and Units of Certification for industrial purse seine tuna fisheries. *Mar Pol* **73**: 100–107. doi:10.1016/j.marpol.2016.08.001.
- Orue, B., Lopez, J., Moreno, G., Santiago, J., Boyra, G., Uranga, J., and Murua, H. 2019a. From fisheries to scientific data: A protocol to process information from fishers' echo-sounder buoys. *Fish Res* **215**: 38–43. doi:10.1016/j.fishres.2019.03.004.
- Orue, B., Lopez, J., Moreno, G., Santiago, J., Soto, M., and Murua, H. 2019b. Aggregation process of drifting fish aggregating devices (DFADs) in the Western Indian Ocean: Who arrives first, tuna or non-tuna species? *PLOS ONE* **14**(1): e0210435. doi:10.1371/journal.pone.0210435.
- Phillips, J.S., Escalle, L., Pilling, G., Gupta, A.S., and Sebille, E. van. 2019. Regional connectivity and spatial densities of drifting fish aggregating devices, simulated from fishing events in the Western and Central Pacific Ocean. *Environ. Res. Commun.* **1**(5): 055001. doi:10.1088/2515-7620/ab21e9.
- Robert, M., Dagorn, L., Bodin, N., Pernet, F., Arsenaault-Pernet, E.J., and Deneubourg, J.L. 2014a. Comparison of condition factors of skipjack tuna (*Katsuwonus pelamis*) associated or not with floating objects in an area known to be naturally enriched with logs. *Can. J. Fish. Aquat. Sci.* **71**(3): 472–478. doi:10.1139/cjfas-2013-0389.
- Robert, M., Dagorn, L., Deneubourg, J., Itano, D., and Holland, K. 2012. Size-dependent behavior of tuna in an array of fish aggregating devices (FADs). *Mar Biol* **159**(4): 907–914. doi:10.1007/s00227-011-1868-3.
- Robert, M., Dagorn, L., and Deneubourg, J.L. 2014b. The aggregation of tuna around floating objects: What could be the underlying social mechanisms? *Journal of Theoretical Biology* **359**: 161–170. doi:10.1016/j.jtbi.2014.06.010.
- Robert, M., Dagorn, L., Lopez, J., Moreno, G., and Deneubourg, J.-L. 2013. Does social behavior influence the dynamics of aggregations formed by tropical tunas around floating objects? An experimental approach. *J. Exp. Mar. Biol. Ecol.* **440**: 238–243. doi:10.1016/j.jembe.2013.01.005.
- Sempo, G., Dagorn, L., Robert, M., and Deneubourg, J.-L. 2013. Impact of increasing deployment of artificial floating objects on the spatial distribution of social fish species. *J Appl Ecol* **50**(5):

- 1081–1092. doi:10.1111/1365-2664.12140.
- Snouck-Hurgronje, J.E., Kaplan, D.M., Chassot, E., Maufroy, A., and Gaertner, D. 2018. Fishing on floating objects (FOBs): how French tropical tuna purse seiners split fishing effort between GPS-monitored and unmonitored FOBs. *Can. J. Fish. Aquat. Sci.* **75**(11): 1849–1858. doi:10.1139/cjfas-2017-0152.
- Tolotti, M.T., Forget, F., Capello, M., Filmalter, J.D., Hutchinson, M., Itano, D., Holland, K., and Dagorn, L. 2020. Association dynamics of tuna and purse seine bycatch species with drifting fish aggregating devices (FADs) in the tropical eastern Atlantic Ocean. *Fisheries Research* **226**: 105521. doi:10.1016/j.fishres.2020.105521.
- Wain, G., Guéry, L., Kaplan, D.M., and Gaertner, D. 2021. Quantifying the increase in fishing efficiency due to the use of drifting FADs equipped with echosounders in tropical tuna purse seine fisheries. *ICES Journal of Marine Science* **78**(1): 235–245. doi:10.1093/icesjms/fsaa216.
- Zudaire, I., Santiago, J., Grande, M., Murua, H., Adam, P.-A., Nogués, P., Collier, T., Morgan, M., Kahn, N., Baguette, F., Moron, J., Moniz, I., and Herrera, M. 2018. FAD Watch: a collaborative initiative to minimize the impact of FADs in coastal ecosystems. IOTC, Cape Town, South Africa, 10-17 September 2018. p. 21. Available from <https://www.iotc.org/documents/WPEB/14/12>.