

APPENDIX 26

EXECUTIVE SUMMARY: CETACEANS (2021)

Table A 1. Cetaceans: IUCN Red List status and records of interaction (including entanglements and, for purse seines, encirclements) with tuna fishery gear types for all cetacean species that occur within the IOTC area of competence.

Family	Common name	Species	IUCN Red List status*	Interactions by Gear Type**
Balaenidae	Southern right whale	<i>Eubalaena australis</i>	LC	GN
Neobalaenidae	Pygmy right whale	<i>Caperea marginata</i>	LC	-
Balaenopteridae	Common minke whale	<i>Balaenoptera acutorostrata</i>	LC	-
	Antarctic minke whale	<i>Balaenoptera bonaerensis</i>	NT	-
	Sei whale	<i>Balaenoptera borealis</i>	EN	PS
	Bryde's whale	<i>Balaenoptera edeni/brydei</i>	LC	-
	Blue whale	<i>Balaenoptera musculus</i>	EN	-
	Fin whale	<i>Balaenoptera physalus</i>	VU	-
	Omura's whale	<i>Balaenoptera omurai</i>	DD	-
	Humpback whale	<i>Megaptera novaeangliae</i>	LC***	GN
Physeteridae	Sperm whale	<i>Physeter macrocephalus</i>	VU	GN
Kogiidae	Pygmy sperm whale	<i>Kogia breviceps</i>	LC	GN
	Dwarf sperm whale	<i>Kogia sima</i>	LC	GN
Ziphiidae	Arnoux's beaked whale	<i>Berardius arnuxii</i>	DD	-
	Southern bottlenose whale	<i>Hyperoodon planifrons</i>	LC	-
	Longman's beaked whale	<i>Indopacetus pacificus</i>	DD	GN
	Andrew's beaked whale	<i>Mesoplodon bowdoini</i>	DD	-
	Blainville's beaked whale	<i>Mesoplodon densirostris</i>	DD	-
	Gray's beaked whale	<i>Mesoplodon grayi</i>	DD	-
	Hector's beaked whale	<i>Mesoplodon hectori</i>	DD	-
	Deraniyagala's beaked whale	<i>Mesoplodon hotaula</i>	DD	-
	Strap-toothed whale	<i>Mesoplodon layardii</i>	DD	-
	True's beaked whale	<i>Mesoplodon mirus</i>	DD	-
	Spade-toothed whale	<i>Mesoplodon traversii</i>	DD	-

	Shepherd's beaked Whale	<i>Tasmacetus shepherdi</i>	DD	-
	Cuvier's beaked whale	<i>Ziphius cavirostris</i>	LC	GN
Delphinidae	Long-beaked common dolphin	<i>Delphinus capensis</i>	DD	GN
	Short-beaked common dolphin	<i>Delphinus delphis</i>	LC	GN
	Pygmy killer whale	<i>Feresa attenuata</i>	LC	GN
	Short-finned pilot whale	<i>Globicephala macrorhynchus</i>	LC	LL, GN
	Long-finned pilot whale	<i>Globicephala melas</i>	LC	-
	Risso's dolphin	<i>Grampus griseus</i>	LC	LL, GN
	Fraser's dolphin	<i>Lagenodelphis hosei</i>	LC	-
	Irrawaddy dolphin	<i>Orcaella brevirostris</i>	EN	GN
	Australian snubfin dolphin	<i>Orcaella heinsohni</i>	VU	GN
	Killer whale	<i>Orcinus orca</i>	DD	LL, GN
	Melon-headed whale	<i>Peponocephala electra</i>	LC	LL, GN
	False killer whale	<i>Pseudorca crassidens</i>	NT	LL, GN
	Indo-Pacific humpback dolphin	<i>Sousa chinensis</i>	VU	GN
	Indian Ocean humpback dolphin	<i>Sousa plumbea</i>	EN	GN
	Australian humpback dolphin	<i>Sousa sahalensis</i>	VU	GN
Delphinidae	Pantropical spotted dolphin	<i>Stenella attenuata</i>	LC	PS, GN, LL
	Striped dolphin	<i>Stenella coeruleoalba</i>	LC	-
	Spinner dolphin	<i>Stenella longirostris</i>	LC	GN
	Rough-toothed dolphin	<i>Steno bredanensis</i>	LC	GN
	Indo-Pacific bottlenose dolphin	<i>Tursiops aduncus</i>	NT	GN
	Bottlenose dolphin	<i>Tursiops truncatus</i>	LC	LL, GN
Phocoenidae	Indo-Pacific finless porpoise	<i>Neophocaena phocaenoides</i>	VU	GN

* The assessment of the status level in IUCN is independent of IOTC processes

** Published bycatch records only (reference at the end of the document)

*** Arabian Sea population: EN

The IUCN Red List of Threatened species. <www.iucnredlist.org>.

Downloaded on 16 September 2020.

Stock status. The current¹ International Union for Conservation of Nature (IUCN) Red List status for each of the cetacean species reported in the IOTC Area of Competence is provided in Table A 1. Information on their interactions with IOTC fisheries is also provided. It is important to note that a number of international global environmental accords (e.g., Convention on Migratory Species (CMS), Convention on Biological Diversity (CBD), International Whaling Commission (IWC)), as well as numerous fisheries agreements obligate States to provide protection for these species. The status of cetaceans is affected by a range of factors such as direct harvesting and habitat degradation, but the level of cetacean mortality due to capture in tuna drift gillnets is likely to be substantial and is also a major cause for concern (Anderson, 2014). Many reports (e.g., Sabarros et al., 2013) also suggest some level of cetacean mortality for species involved in depredation of pelagic longlines, and these interactions need to be further documented throughout the IOTC Area of Competence. Recently published information suggests that the incidental capture of cetaceans in purse seines is low (e.g., Escalle et al., 2015), but should be further monitored.

Outlook. Resolution 13/04 *On the conservation of cetaceans* highlights the concerns of the IOTC regarding the lack of accurate and complete data collection and reporting to the IOTC Secretariat of interactions and mortalities of cetaceans in association with tuna fisheries in the IOTC Area of Competence. In this resolution, the IOTC have agreed that CPCs shall prohibit their flagged vessels from intentionally setting a purse seine net around a cetacean if the animal is sighted prior to the commencement of the set. The IOTC also agreed that CPCs using other gear types targeting tuna and tuna-like species found in association with cetaceans shall report all interactions with cetaceans to the relevant authority of the flag State and that these will be reported to the IOTC Secretariat by 30 June of the following year. It is acknowledged that the impact on cetacean populations from fishing for tuna and tuna-like species may increase if fishing pressure increases (which is already clear for tuna gillnet fisheries from IOTC data) or if the status of cetacean populations worsens due to other factors such as an increase in external fishing pressure or other anthropogenic or climatic impacts.

The following should be noted:

- The number of fisheries interactions involving cetaceans is highly uncertain and should be addressed as a matter of priority as it is a prerequisite for the WPEB to determine a status for any Indian Ocean cetacean species.
- Available evidence indicates considerable risk to cetaceans in the Indian Ocean, particularly from tuna drift gillnets (Anderson, 2014).
- Current reported interactions and mortalities are scattered but are most likely severely underestimated.
- Maintaining or increasing fishing effort in the Indian Ocean without appropriate mitigation measures in place will likely result in further declines in a number of cetacean species. An increasing effort by tuna drift gillnet fisheries has been reported to the IOTC, which is a major cause of concern for a number of species, particularly in the northern Indian Ocean.
- Appropriate mechanisms should be developed by the Compliance Committee to ensure CPCs comply with their data collection and reporting requirements for cetaceans.

RELEVANT LITERATURE

¹ September 2020

- Allen, S.J., Cagnazzi, D.D., Hodgson, A.J., Loneragan, N.R. and Bejder, L., 2012. Tropical inshore dolphins of north-western Australia: Unknown populations in a rapidly changing region. *Pacific Conservation Biology*, 18: 56-63.
- Amir, O.A., 2010. Biology, ecology and anthropogenic threats of Indo-Pacific bottlenose dolphins in East Africa (Doctoral Dissertation, Department of Zoology, Stockholm University).
- Anderson C.R. 2014. Cetaceans and tuna fisheries in the western and central Indian Ocean. IOTC-2014-WPEB10-31.
- Atkins, S., Cliff, G. and Pillay, N., 2013. Humpback dolphin bycatch in the shark nets in KwaZulu-Natal, South Africa. *Biological Conservation*, 159: 442-449.
- Beasley, I., Jedensjö, M., Wijaya, G.M., Anamiato, J., Kahn, B. and Krebs, D., 2016. Chapter Nine- Observations on Australian Humpback Dolphins (*Sousa sahalensis*) in Waters of the Pacific Islands and New Guinea. *Advances in Marine Biology*, 73: 219-271.
- Braulik, G.T., Findlay, K., Cerchio, S. and Baldwin, R., 2015. Assessment of the Conservation Status of the Indian Ocean Humpback Dolphin (*Sousa plumbea*) Using the IUCN Red List Criteria. *Advances in Marine Biology* 72: 119-141.
- Braulik, G.T., Ranjbar, S., Owfi, F., Aminrad, T., Dakhteh, S.M.H., Kamrani, E. and Mohsenizadeh, F. 2010. Marine mammal records from Iran. *Journal of Cetacean Research and Management*, 11:49-63.
- Collins, T., Minton, G., Baldwin, R., Van Waerebeek, K., Hywel-Davies, A. and Cockcroft, V., 2002. A preliminary assessment of the frequency, distribution and causes of mortality of beach cast cetaceans in the Sultanate of Oman, January 1999 to February 2002. IWC Scientific Committee document SC/54/O4.
- Collins, T., Preen, A., Willson, A., Braulik, G. and Baldwin, R. M. 2005. Finless porpoise (*Neophocaena phocaenoides*) in waters of Arabia, Iran and Pakistan. IWC Scientific Committee document SC/57/SM6.
- Escalle, L., Capietto, A., Chavance, P., Dubroca, L., De Molina, A.D., Murua, H., Gaertner, D., Romanov, E., Spitz, J., Kiszka, J.J., Floch, L., Damiano, D. and Merigot, B., 2015. Cetaceans and tuna purse seine fisheries in the Atlantic and Indian Oceans: interactions but few mortalities. *Marine Ecology Progress Series*, 522: 255-268.
- Hamer, D.J., Childerhouse, S.J. and Gales, N.J., 2012. Odontocete bycatch and depredation in longline fisheries: a review of available literature and of potential solutions. *Marine Mammal Science*, 28: 345-374.
- Kiszka, J., Pelourdeau, D. and Ridoux, V., 2008. Body Scars and Dorsal Fin Disfigurements as Indicators Interaction Between Small Cetaceans and Fisheries Around the Mozambique Channel Island of Mayotte. *Western Indian Ocean Journal of Marine Science*, 7: 185-193.
- Kiszka, J., Bein, A., Bach, P., Jamon, A., Layssac, K., Labart, S. and Wickel, J., 2010. Catch and bycatch in the pelagic longline fishery around Mayotte (NE Mozambique Channel), July 2009-September 2010. IOTC WPEB-19.
- Kiszka, J., Muir, C., Poonian, C., Cox, T.M., Amir, O.A., Bourjea, J., Razafindrakoto, Y., Wambitji, N. and Bristol, N., 2009. Marine mammal bycatch in the southwest Indian Ocean: review and need for a comprehensive status assessment. *Western Indian Ocean Journal Marine Science*, 7: 119-136.
- Kruse, S., Leatherwood, S., Prematunga, W.P., Mendes, C. and Gamage, A., 1991. Records of Risso's dolphins, *Grampus griseus*, in the Indian Ocean, 1891–1986. *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*. UNEP Marine Mammal Technical Report, 3: 67-78.
- Leatherwood, S., McDonald, D., Prematunga, W.P., Girton, P., Ilangakoon, A. and McBrearty, D., 1991. Recorded of the " Blackfish" (Killer, False Killer, Pilot, Pygmy Killer and Melon-headed whales) in

- the Indian Ocean, 1772-1986. Cetaceans and Cetacean Research in the Indian Ocean. UNEP Marine Mammal Technical Report, 3: 33-65.
- Meÿer, M.A., Best, P.B., Anderson-Reade, M.D., Cliff, G., Dudley, S.F.J. and Kirkman, S.P., 2011. Trends and interventions in large whale entanglement along the South African coast. *African Journal of Marine Science*, 33: 429-439.
- Razafindrakoto, Y., Andrianarivelo, N., Cerchio, S., Rasoamananto, I. and Rosenbaum, H., 2008. Preliminary assessment of cetacean incidental mortality in artisanal fisheries in Anakao, southwestern region of Madagascar. *Western Indian Ocean Journal of Marine Science*, 7: 175-184.
- Reeves, R.R., McClellan, K. and Werner, T.B., 2013. Marine mammal bycatch in gillnet and other entangling net fisheries, 1990 to 2011. *Endangered Species Research*, 20: 71-97.
- Romanov, E.V., 2002. Bycatch in the tuna purse-seine fisheries of the western Indian Ocean. *Fishery Bulletin*, 100: 90-105.
- Sabarros, P.S., Romanov, E., Le Foulgoc, L., Richard, E., Lamoureux, J.P. and Bach, P., 2013. Commercial catch and discards of pelagic longline fishery of Reunion Island based on the self-reporting data collection program. 9th IOTC Working Party on Ecosystems and Bycatch, La Réunion, France. IOTC-2013-WPEB09-37 Rev_1
- Slooten, E., Wang, J.Y., Dungan, S.Z., Forney, K.A., Hung, S.K., Jefferson, T.A., Riehl, K.N., Rojas-Bracho, L., Ross, P.S., Wee, A. and Winkler, R., 2013. Impacts of fisheries on the Critically Endangered humpback dolphin *Sousa chinensis* population in the eastern Taiwan Strait. *Endangered Species Research*, 22: 99-114