



REVISION OF THE PROGRAM OF WORK (2025–29) FOR THE IOTC SCIENCE PROCESS

PREPARED BY: IOTC SECRETARIAT, SC CHAIR AND WP CHAIRS, 01 NOVEMBER 2024

PURPOSE

To provide the Scientific Committee (SC) with a proposed Program of Work for each of its Working Parties (WP), including preliminary prioritisation of the elements requested by each WP. The aim is to develop an overall Program of Work for 2025–29 which will deliver the information the Commission has requested to meet the objectives of the IOTC.

BACKGROUND

Scientific Committee

At the 26th Session of the SC:

- (Para. 181) The SC **NOTED** IOTC–2023–SC26–08 which provided the SC with a proposed Program of Work for each of its working parties, including prioritisation of the elements requested by each working party.
- (Para. 182) The SC **NOTED** the proposed Program of Work and priorities for the SC and each of the working parties and **AGREED** to a consolidated Program of Work as outlined in Appendix 35a-g and in accordance with the IOTC Strategic Science Plan 2020-2024. The Chairpersons and Vice-Chairpersons of each working party will ensure that the efforts of their respective working parties are focused on the core areas contained within the appendix, taking into account any new research priorities identified by the Commission at its next Session.
- (Para. 184) The SC **AGREED** on the consolidated table of priorities across all working parties, as developed by each working party Chairperson, and **REQUESTED** that the IOTC Secretariat, in consultation with the Chairpersons and vice-Chairpersons of the SC and relevant working parties, develop ToRs for the specific projects to be carried out.
- (Para. 185) The SC **NOTED** that the consolidated table of priorities does not replace the full programme of work of each working party (Appendix 35a-g) and that adequate attention and focus should still be allocated to those activities where possible. The SC further **NOTED** that Table 3 has been developed by the SC and working party Chairs to provide more specific direction to the IOTC Secretariat and the SC Chair as to the priorities of the SC so that, if and when external funding becomes available intersessionally, it is possible to clearly prioritise across all working parties based on the objectives of the SC (as agreed in IOTC–2014–SC17–R, para. 179).
- (Para. 186) The SC **ADOPTED** a revised assessment schedule, ecological risk assessment and other core projects for 2024–28, for the tuna and tuna-like species under the IOTC mandate, as well as the current list of key shark species of interest, as outlined in Appendix 36.

DISCUSSION

The SC is requested to consider the priorities set by the Commission, via Conservation and Management Measures, and consider and revise as necessary, its Program of Work to match those priorities.

The draft schedule of stock assessments for IOTC species and species of interest from 2025–2029, and for other working party priorities is provided in <u>Appendix I</u>. The highest three (3) priority projects by each Working Party are presented in <u>Appendix II</u> and all the priority projects agreed to by each WP meeting in 2024 are referenced in <u>Appendix III</u>.

RECOMMENDATION

That the Scientific Committee:

- 1) **NOTE** paper IOTC–2024–SC27–08, which encouraged the SC to further develop and refine its Program of Work for 2025–29, which is based on those of its Working Parties, to ensure it is aligned with the requests and directives from the Commission.
- 2) ADOPT a revised Program of Work for 2025–29.

APPENDIX I DRAFT: SCHEDULE OF STOCK ASSESSMENTS FOR IOTC SPECIES AND SPECIES OF INTEREST FROM 2025–2029, AND FOR OTHER WORKING PARTY PRIORITIES

	Working Party on Neritic Tunas					
Species	2025**	2026*	2027*	2028	2029*	
Bullet tuna	Data preparation	Data preparation	Assessment	Data preparation	Data preparation	
Frigate tuna	Data preparation	Data preparation	Assessment	Data preparation	Data preparation	
Indo- Pacific king mackerel	Data preparation	Data preparation	Assessment	Data preparation	Data preparation	
Kawakawa	Data preparation	Assessment	Data preparation	Data preparation	Assessment	
Longtail tuna	Data preparation	Assessment	Data preparation	Data preparation	Assessment	
Narrow- barred Spanish mackerel	Data preparation	Assessment	Data preparation	Data preparation	Assessment	

^{*} Including data-limited stock assessment methods.

^{**} Including species-specific catches, CPUE, biological information and size distribution as well as identification of data gaps and discussion of improvements to the assessments (stock structure); one day may be reserved for capacity building activities.

	Working Party on Billfish				
Species	2025	2026	2027	2028	2029
Black marlin			Full assessment		
Blue marlin	Full assessment			Full assessment	
Striped marlin			Full assessment		
Swordfish		Full assessment	Run MP		Full assessment
Indo-Pacific sailfish	Full assessment			Full assessment	

Working Party on Tropical Tunas					
Species	2025	2026	2027	2028	2029
Bigeye tuna	Data preparatory meeting	Indicators	Indicators	Data preparatory meeting	Indicators
					MP to be run
	Full assessment			Full assessment	
Skipjack tuna	Indicators	Data preparatory meeting	Indicators	Indicators	Indicators
	MP to be run	Full assessment			
Yellowfin tuna	Indicators	Indicators	Data preparatory meeting	Indicators	Data preparatory meeting
			Full assessment		Full assessment

Working Party on Ecosystems and Bycatch					
Species	2025	2026	2027	2028	2029
Blue shark	Data preparatory meeting Full assessment	-	_	-	-
Oceanic whitetip shark	Indicator analysis	-	Data preparation	-	Data preparation
Scalloped hammerhead shark	-	Data preparatory meeting Assessment*	ľ	1	_
Shortfin mako shark	-	-	Data preparatory meeting Full assessment		Data preparatory meeting Full assessment
Silky shark	-	Assessment*	-	Assessment*	-
Bigeye thresher shark	-	Assessment*	-	-	-
Pelagic thresher shark	-	Assessment*	-	-	_
Porbeagle shark	_	-	– Assessment*		-
Mobulid Rays	-	-	Interactions/ Indicators	-	Interactions/ Indicators
Marine turtles	Indicators	-	-	Indicators	-
Seabirds	Development of draft workplan	Review of mitigation measures in Res. 23/07	-	-	Development of draft workplan
Marine Mammals		-	-	-	
Ecosystem Approach to Fisheries Management (EAFM) approaches	Ecoregions pilot study ongoing				
Series of multi-taxa bycatch mitigation workshops	Focus: tbd	Focus: tbd	Focus: tbd	Focus: tbd	Focus: tbd
Shark research plan update		Shark research plan update workshop			

^{*}Including data poor stock assessment methods; Note: the assessment schedule may be changed dependent on the annual review of fishery indicators, or SC and Commission requests.

	Working Party on Temperate Tunas					
Species	2025	2026	2027	2028	2029	
Albacore	Data preparatory Meeting (4 days) (April/May/June) Stock assessment meeting (5 days) (July/August)	-	-	-	ТВС	

APPENDIX II

TOP THREE PRIORITY PROJECTS FOR EACH IOTC WORKING PARTY

All priorities come from the 2024 reports of each WP except for the WPDCS which comes from the 2023 report and will be updated for the SC report.

Address the outstanding issues identified as priorities by the yellowfin tuna peer review panel (February 2023). Address the additional recommendations made by the WPTT in 2024 regarding the CPU indices for yellowfin, bigeye, and skipjack develop abundance time series for each tropical tunas took for the Indian Ocean Continue to develop CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longine CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longine view of the centing accommendation than the state of the centing accommendation in the complement of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longine CPUE indices from the development of gillnet CPUE indices from the complement of gillnet CPUE indices from the development of gillnet CPUE indices for laberatione such as those derived from exhose online fisheries, and fishery the development of gillnet CPUE indices for laberatione such as those derived from exhose online fisheries, and fisheries and gillnet CPUE indices for laberatione such as the complement indices of abundance such as those derived from exhose online fisheries, and fisheries and gillnet CPUE indices for laberatione such as the complement indices of abundance such as those derived from exhose online fisheries, and fisheries and gillnet CPUE indices for laberatione such as the cop	Priority	1	2	3
priorities by the yellowfin tuna peer review panel (February 2023). Address the additional recommendations made by the WPTT in 2024 regarding the CPUE indices for yellowfin. In view of the coming assessments of the yellowfin tuna peer review panel (February 2023). Variable	WPTT	Stock assessment priorities	Abundance indices development	Analysis of tagging dataand size frequency data
priorities by the yellowfin tuna peer review panel (February 2023). Address the additional recommendations made by the WPTT in 2024 regarding the CPUE indices for yellowfin. In view of the coming assessments of the yellowfin tuna peer review panel (February 2023). Variable		Address the outstanding issues identified as	Address the additional recommendations	Analyze data from IOTC tagging programs
nanel (February 2023). Address the additional recommendations made by the WPTT in 2024. Address the issues identified as priorities by the yellowfin tuna peer review panel (February 2023) • Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. • Explore and support the development of gillnet CPUE indices from longline, PS, Pole and line fisheries and fishery independent indices of abundance such as those derived from echosounder buoys. • Explore and support the development of gillnet CPUE indices for feets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE indices for feets (exclusively feet) abundance time series for each tropical tuna stock for the indian Ocean • Continue to develop CPUE indices for feets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE indices from topical tuna stock for the indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance time series for each tropical tuna stock for the indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance time series for each tropical tuna stock for the indian Ocean of the pole of the po		-		
recommendations made by the WPTT in 2024, Address the issues identified as priorities by the yellowin-tuna-peer-review-panel (February 2023) In view of the coming assessments of yellowin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachie-view-of-the-coming assessments of yellowfin, bigeye, and skipped develop-abundance time series for-each tropical tuna stack for the indian Ocean Evaluate effect of cheeving-CPUE indices from longline, PS, Pole and line fisheries, and fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices from longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices from longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys.				
2024 Address the issues identified as priorities by the yellowfin tuna peer review panel (February 2023) 2024) 2023) 2024) 2024) 2024) 2025 2026 2026 2027 2028 202		· · · · · · · · · · · · · · · · · · ·		
the yellowfin tuna peer review panel (February 2023) abundance time series for each tropical tuna stock for the Indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and limpact on stock assessment. • Continue to develop CPUE indices from Longline, PS, Pole and limpact on stock assessment. • Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approach wiew of the coming assessment of yellowin, bigger, and skiplinged develop abundance time series for each tropical tuna stock for the Indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and Iline fisheries, and fishery independent indices of abundance such as those derived from echosounder busys. • Explore and support the development of gilinet CPUE indices for fleets (e.g., Iran, Pokistan and SFL Janka)		-		
additinate this stars to Tacht visual stock for the Indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. • Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachin view of the coming assessments of yellowine, biggey, and skippek develop abundance time series for each tropical trus stock for the Indian Ocean • Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys: • Explore and support the development of gillnet CPUE indices from the coming of the coming as the coming of the coming o		· · · · · ·	-	
Stock for the Indian Ucean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachin view of the coming assessments of yellowfin, bigey, and skippack develop abundance-time series for each tropical tune stock for the Indian Ocean Continue to develop CPUE indices from longline, PS, Pole and line fisheries, and fishery independent indies of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices free fleets (e.g., Iran, Pakistan and Sri-Lankia)			-	
from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachie view of the coming assessments of yellowfin, bigeye, and skippack develop abundance time series for each tropical turns stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and 54 Lanka)			stock for the Indian Ocean	impact on stock assessments.
fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approach wiew of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical trus stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indice of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and St Lanka)			 Continue to develop CPUE indices 	
indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachin view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time sories for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys: Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Srt Lanka)			from Longline, PS, Pole and line	
indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachin view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time sories for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys: Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Srt Lanka)			fisheries, and fishery independent	
derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachla view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean — Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			* *	
Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachin view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent Indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and SFL Lanka)				
of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Oman) Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachtn view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachla view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explain and Still Lankal				
Evaluate effect of changes of spatial coverage on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approach wiew of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
on the longline CPUE through the Joint CPUE workshop and estimate spatial temporal abundance distribution through VAST modelling approachln view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean ■ Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. ■ Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			(e.g., Iran, Pakistan and Oman)	
workshop and estimate spatial temporal abundance distribution through VAST modelling approachta view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			Evaluate effect of changes of spatial coverage	
abundance distribution through VAST modelling approach view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			on the longline CPUE through the Joint CPUE	
abundance distribution through VAST modelling approach view of the coming assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			workshop and estimate spatial temporal	
assessments of yellowfin, bigeye, and skipjack develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			abundance distribution through VAST	
develop abundance time series for each tropical tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			modelling approachtn view of the coming	
tuna stock for the Indian Ocean Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			assessments of yellowfin, bigeye, and skipjack	
 Continue to develop CPUE indices from Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys.				
Longline, PS, Pole and line fisheries, and fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
fishery independent indices of abundance such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
such as those derived from echosounder buoys. Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
buoys. ■ Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)				
 Explore and support the development of gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka) 				
gillnet CPUE indices for fleets (e.g., Iran, Pakistan and Sri Lanka)			•	
Pakistan and Sri Lanka)				
· ·				
• Evaluate Circle of Changes of Spatial			•	
coverage on the longline CPUE through			o i	

WPEB	Connectivity, movements, habitat use and post release mortality¹ Electronic tags (PSATs, SPOT, Splash MiniPAT) to assess the efficiency of management resolutions on non-retention species (BSH in LL, marine turtles and rays in GIL and PS, whale sharks) and to determine connectivity, movement rates, mortality estimates and genetic studies Stock structure (connectivity)	Fisheries data collection and development of alternative abundance indices 1.1 Catch composition reconstruction (initial focus Sri Lanka, Pakistan and Indonesia) 1.1.2 Historical data mining for the key species and IOTC fleets (e.g., as artisanal gillnet and longline coastal fisheries) including workshops: 1.1.3 Historical data mining for the key species, including the collection of information about catch, effort and spatial distribution of those species and fleets catching them 1.1.4 CPUE standardisation and review of additional abundance indicators series for each key shark species and fishery in the Indian Ocean 1.2 Exploring different indices of abundance for sharks such as CKMR	Shark research and management strategy 2.1 Implementation of work suggested by shark work plan consultancy 2.2 Prioritising shark research based on previous work and including analysing gaps in knowledge 2.3 Workshop to update and revise shark research plan with a small working group
WPNT	Genetic research to determine the connectivity of neritic tunas throughout their distributions (This should build on the stock structure work conducted in other previous studies): 1. Review of stock structure methodologies with genetic expert during WPNT15 in order to determine the best approach to regional	Explore alternative assessment approaches and develop improvements where necessary based on the data available to determine stock status for longtail tuna, kawakawa and Spanish mackerel 1) The Weight-of-Evidence approach should be used to determine stock status, by building layers of partial evidence, such as CPUE indices	Collate and characterize operational level data for the main neritic tuna fisheries in the Indian Ocean to investigate their suitability to be used for developing standardised CPUE indices. The following data should be collated and made available for collaborative analysis:

¹ This item is a top priority for the WPEB; however, completing it will require substantial funding, which the WPEB recognizes is unlikely to be provided through the IOTC Scientific budget.

- stock structure studies. Based on discussions develop and implement regional genetic sampling collection programme:
- Sampling of tissue samples
- DNA extraction and storage for preservation
- Carry out genetic sequencing on extracted DNA
- combined with catch data, life-history parameters and yield-per recruit metrics, as well as the use of data poor assessment approaches (e.g. CMSY, OCOM, LB-SPR, Risk based methods).
- 2) Exploration of priors and how these can be quantifiably and transparently developed.
- Review size data and their suitability for monitoring stock status

Improve the presentation of management advice from different assessment approaches to better represent the uncertainty and improve communication between scientists and managers in the IOTC.

- catch and effort by species and gear by landing site;
- operational data: stratify this by vessel, month, and year for the development as an indicator of CPUE over time; and
- operational data: collate other information on fishing techniques (i.e. area fished, gear specifics, depth, environmental condition (near shore, open ocean, etc.) and vessel size (length/horsepower)).
- Reconstruction of historical catch by CPCs using recovered or captured information.
- Re-estimation of historic catches (with consultation and consent of concerned CPCs including India, Pakistan, Bangladesh, Mozambique, Tanzania, Madagascar) for assessment purposes (taking into account updated identification of uncertainties and knowledge of the history of the fisheries)

WPTmT

Biological information (parameters for stock assessment)

- 2.1 Biological research (collaborative research to improve understanding of spatio-temporal patterns in age and growth and reproductive parameters)
- 2.1.1 Age and growth studies: Uncertainty about the growth curve is a primary source of uncertainty in the stock assessment. A preliminary growth curve was developed in 2019, but there is substantial work to be done to ensure that growth curves include data from smaller size classes, and that spatio-temporal patterns in growth are quantified for use in the stock assessment. Collaborative sampling programs, involving a combination of observer- and port-based sampling, are required to ensure that adequate samples are collected.
- 2.1.2 Quantitative biological studies are necessary for albacore throughout its range to determine spatio-temporal patterns in key reproductive parameters including sex ratio; female length- and age-at-maturity; spawning location, periodicity

Size frequency data

4.1 Further investigate the size information provided by CPCs in order to better understand the stock dynamics and inputs into the assessment models. This is particularly necessary for the purse seine data.

CPUE standardisation

- 3.1 Continue the development of standardized CPUE series for each albacore fishery for the Indian Ocean, with the aim of developing appropriate CPUE series for stock assessment purposes.
- 3.1.1 Spatio-temporal structure and target changes need to be considered carefully, as fish density and targeting practices can vary in ways that affect CPUE indices. Developments may include changes to fishery spatial structure, new approaches for area weighting, time-area interactions in the model, and/or indices using VAST.

	1	T	
	and frequency; batch fecundity at length and age;		
	spawning fraction and overall reproductive potential, to inform future stock assessments.		
MIDD		Biological and ecological information	Billfish bycatch mitigation
WPB	CPUE standardization	2.1 Age and growth research	WPB and CPCs scientists to firstly, review and
	1.1 Develop and/or revise standardized CPUE	2.1.1 CPCs to provide further research on billfish	summarise existing information on billfish bycatch
	series for each billfish species and major	biology, namely age and growth studies including	mitigation, including also factors influencing at-haul
	fisheries/fleets in the Indian Ocean and	through the use of fish otolith or other hard	and post-release mortality of billfish, and secondly
	develop Joint CPUE series where feasible	parts, either from data collected through	to undertake further research to inform gaps in
	1.1.1 Swordfish: Priority LL fleets:	observer programs, port sampling or other	understanding on potential effective mitigation
	Taiwan,China, EU(Spain, Portugal,	research programs. (Priority: all billfishes: swordfish, marlins and sailfish)	approaches, to provide options for the Commission to reduce fishing mortality for species where that is
	France), Japan, Indonesia, South African	2.2 Spawning time and locations	required (e.g. Black Marlin, Striped Marlin and
	1.1.2 Striped marlin: Priority fleets: Japan,	2.2.1 Collect gonad samples from billfish or	Sailfish) focusing on gillnet and longline fisheries
	Taiwan,China	utilise any other scientific means to confirm the	but also including recreational and sport fishing
	1.1.3 Black marlin: Priority fleets: Longline:	spawning time and location of the spawning	activities
	Taiwan,China; Gillnet: I.R. Iran, Sri Lanka,	areas that are presently hypothesized for each	
	Indonesia	billfish species. This will also provide advice to	
	1.1.4 Blue marlin: Priority fleets: Japan,	the Commission on the request for alternative	
	Taiwan,China, Indonesia	management measures (Res. 18-05, paragraph 6). Partially supported by EU, on-going support	
	1.1.5 I.P. Sailfish: Priority fleets: Priority gillnet	and collaboration from CPCs are required.	
	fleets: I.R. Iran and Sri Lanka; Priority	2.3 Literature review of biological parameters for	
	longline fleets: EU(Spain, Portugal,	billfish	
	France), Japan, Indonesia;		
	, , , ,	2.3.1 Conduct a literature review of biological	
		parameters for billfish through a consultancy and update the supplementary information that	
		companies with species Executive Summaries.	
MIDDOC	Coastal fisheries data collection	Evaluation of catch and effort data uncertainties	Compliance with IOTC data reporting
WPDCS	Assist the implementation of data collection and	Review of historical nominal catches and catch-and-	requirements
	sampling activities for fisheries insufficiently	effort data for all stocks being assessed in the	Workshops to clarify data reporting requirements ³
	sampled. Recommended actions include:	following years to determine the level of	and support preparation of annual submissions
	(regional) training on species identification,	uncertainty to be used for stock assessment and	
	designing sampling guidelines for IOTC fisheries.	management procedures ²	
	Priority to be given to the following countries / fisheries:		
	• Indonesia		
	India		
	Bangladesh		
	Pakistan		
	• I.R. Iran		
	 Kenya 		
	• Somalia		

² Secretariat / WPTT / WPM / national scientists / external experts ³ Recommended by the CoC; Regular annual webinars / workshops to be held from 2025 onwards with each CPC (or group of CPCs) prior to the data reporting deadline

	Sri Lanka		
WPM	MSE		
	Continuation of Management Strategy Evaluation for Albacore Yellowfin tunas as well as Blue shark Continuation of Management Strategy Evaluat for Albacore, Skipjack, Yellowfin, Bigeye tunas as well as Swordfish		

APPENDIX III REFERENCES TO THE INDIVIDUAL IOTC WORKING PARTY PROGRAMS OF WORK

Report number	Report title
IOTC-2024-WPNT14-R	Report of the 14 th Session of the Working Party on Neritic Tunas
IOTC-2024-WPB22-R	Report of the 22 st Session of the Working Party on Billfish
IOTC-2024-WPEB20-R	Report of the 20 th Session of the Working Party on Ecosystems and Bycatch
IOTC-2024-WPM15-R	Report of the 15 th Session of the Working Party on Methods
IOTC-2023-WPDCS19-R*	Report of the 19 th Session of the Working Party on Data collection and Statistics
IOTC-2024-WPTT26-R	Report of the 26 th Session of the Working Party on Tropical Tunas

^{*2024} report not available at the time of drafting the document.